

# Kickstarter Analysis

11/20/2020

The Laureates: Farzeen Najam, Olivia Olsher, Vincent Liu, Emile Therrien

## Introduction and Data

### Introduction

Have you ever had an ambitious idea but did not have resources to pursue it? Kickstarter is a crowdfunding platform for creators who need financial support for their projects. Since the platform launched in 2009, 19 million people have pledged to back up various projects, and nearly 190,000 projects have been successfully funded.

However, many more projects failed to reach their goals, and our group is interested in analyzing what made projects succeed and fail. The dataset Kickstarter Projects comes from Kaggle, which contains Kickstarter projects up until January 2018.

We will be exploring which variables influence the success of a Kickstarter project by observing which types of projects are more likely to be funded.

Our research question is:

What differences between Kickstarter projects influence their chances of success?

We will answer our research question by the analyzing the data in the context of the following questions:

1. Is the project goal (in USD) associated with its chance of success?
2. What amount of money asked for will be more likely to succeed?
3. Is the project category associated with its chance of success?
4. Which category of project is more likely to succeed?

Our hypotheses include:

1. The more money a project asks for, the less likely it will be successful raising funding.
2. The project category is associated with the success rate, and certain categories outperform others in terms of success.

The goal of the project is to give future Kickstarter creators insight into which projects failed and succeeded. This will give them the tools to perform better against their competition, by giving estimates for what has and has not worked based on this historical dataset. Modeling which categories will be most successful best will give creators insight into predicted category success, assuming that there exists a relationship between project categories and success rates.

## Data Description

```
## Rows: 378,661
## Columns: 15
## $ ID          <dbl> 1000002330, 1000003930, 1000004038, 1000007540, 10...
## $ name        <chr> "The Songs of Adelaide & Abullah", "Greeting From ...
## $ category    <chr> "Poetry", "Narrative Film", "Narrative Film", "Mus...
## $ main_category <chr> "Publishing", "Film & Video", "Film & Video", "Mus...
## $ currency    <chr> "GBP", "USD", "USD", "USD", "USD", "USD", "USD", "...
## $ deadline    <date> 2015-10-09, 2017-11-01, 2013-02-26, 2012-04-16, 2...
## $ goal        <dbl> 1000, 30000, 45000, 5000, 19500, 50000, 1000, 2500...
## $ launched    <dtm> 2015-08-11 12:12:28, 2017-09-02 04:43:57, 2013-01...
## $ pledged     <dbl> 0.00, 2421.00, 220.00, 1.00, 1283.00, 52375.00, 12...
## $ state       <chr> "failed", "failed", "failed", "failed", "canceled"...
## $ backers     <dbl> 0, 15, 3, 1, 14, 224, 16, 40, 58, 43, 0, 100, 0, 0...
## $ country     <chr> "GB", "US", "US", "US", "US", "US", "US", "US", "U...
## $ 'usd pledged' <dbl> 0.00, 100.00, 220.00, 1.00, 1283.00, 52375.00, 120...
## $ usd_pledged_real <dbl> 0.00, 2421.00, 220.00, 1.00, 1283.00, 52375.00, 12...
## $ usd_goal_real  <dbl> 1533.95, 30000.00, 45000.00, 5000.00, 19500.00, 50...
```

This data set contains 15 variables and 378,661 observations, where each observation is one kickstarter project.

The categorical variables include the name of each project, the category of each project (music, narrative film, restaurant, etc.), a broader category of each (food, film, publishing, etc.), the crowdsourcing currency, the state of each project (failed, successful, or canceled), and the country of origin for each project.

The numerical data are the project's ID number, the monetary goal for each, the money pledged to each project, how many backers of each project; there are three numerical variables that are not self-explanatory, *usd\_pledged*: conversion in US dollars of the pledged column (conversion done by kickstarter), *usd\_pledge\_real*: conversion in US dollars of the pledged column (conversion from Fixer.io API), and *usd\_goal\_real*: conversion in US dollars of the goal column (conversion from Fixer.io API).

There are also two date columns, one for the project launch and the other for the crowdsourcing deadline.


The data were collected from Kickstarter Platform likely using web scraping methods on their own site, to be used by data scientists to model whether or not a project will be successful or not when it is launched.

## Exploratory Data Analysis

### Overview of project state

Table 1: Count of each Kickstarter Project State

| state      | n      |
|------------|--------|
| failed     | 197719 |
| successful | 133956 |
| canceled   | 38779  |
| undefined  | 3562   |
| live       | 2799   |
| suspended  | 1846   |



More projects failed than those that succeeded, with an average success percentage of 35.4%.

#### Overview of pledged and goal amount in USD:

Table 2: Overview of Pledged Amount


| mean     | median | sd       | type    |
|----------|--------|----------|---------|
| 9058.924 | 624.33 | 90973.34 | pledged |

Table 3: Overview of Goal Amount

| mean    | median | sd      | type |
|---------|--------|---------|------|
| 45454.4 | 5500   | 1152950 | goal |

## Mean Amount of Goal vs. Pledged Amount

Pledged amount is usually much less than the goal amount



The average funding pledged was 9058.92, with a standard deviation of 90,973.34. In comparison, the average funding goal was 45,454 with a standard deviation of 1,152,950. The observed differences between both groups is tremendous.

## Methodology

First of all, we removed all projects that were *live* and currently asking for funding, so that any discrepancies seen would be negated. If we had included *live* projects, each project category may not have been representative of the population and project goal amounts may be skewed. Therefore, in the first section of the analysis, we overwrote the Kickstarter data with observations that are not *live*. To analyze success, rather than using the given variable “success”, we created our own. The original variable “success” contained canceled, suspended, and undefined states along with successful and failed states. We had no indication if those projects that were *canceled*, *suspended*, or *undefined* met their goals and canceled prematurely or if they canceled due to no funding at all, which may skew our data. To analyze our data, we created an indicator for success: 1 being successful and 0 being unsuccessful (failed, canceled, suspended, or undefined).

Due to the sheer size of this dataset, using a simulation based method for analysis is not appropriate. To begin our analysis after removing *live* projects, we assessed whether there is a relationship between the amount of money a creator asks for and its success. We categorized projects by tiers, on a scale of 1-7, with Tier 1 asking for the least amount of funding and Tier 7 the most. We grouped Tiers 1-4 and 5-7 together when we ran our Central Limit Theorem (CLT)-based test, placing the lower and higher groups in the same category when running this test. We had to first determine a relationship between tiers and success, so we used a  $\chi^2$  Test.

After determining this relationship, we used a Logistic Regression Model to show the differences in success between Tiers. It would make intuitive sense if the projects that require less funding then they will be more

successful. These projects that ask for less funding should require a lower volume of money funded and meet their goal and on average meet more of their goals before project funding deadlines. Furthermore, we believed that these projects would require less backers donating money, assuming each backer donates an equal amount, and thus be dependent on a lower amount of people for funding.

After establishing a relationship between project success and the initial funding goal and modeling the predicted success based on each Tier, we used another  $\chi^2$  Test to determine if there was a relationship between project categories and their success. We used the variable *main\_category* instead of *category* because the latter was far too specific for our purposes. *Main\_category* was composed of 15 distinct categories, each for a unique industry. *Category* was composed of 159 unique categories. We felt that 15 categories allowed our analysis to be broader and therefore each could encompass many more projects as not to pigeon hole a creator when using our analysis for their purposes. There may be possible project crossover between main categories that we were unable to screen for, however, but we assumed this to be a negligible amount of projects, if it existed at all, and thus continued with *main\_category* over *category* for analysis.

Following these analyses, we modeled each project’s log-odds of success based on *main\_category*. Success here was a boolean value, with 1 representing successful funding and 0 representing unsuccessful funding. This model enables future creators to think about their project in the larger scheme of a category and base their opinions off these values. We ran a Logistic Regression Model, where *Technology* was used as the reference level, and each value is based off success relative to the technology category. We used a proportionality level of 0.50 to determine if a project category was worth pursuing. A level greater than 0.50 meant that the category was predicted to have more successful projects than unsuccessful ones.

## Results

### Project Goal Amount and Success

In the Exploratory Data Analysis section, the first visualization gave an overview of project states, and the second revealed the large difference between the amount of money asked for and raised. However, from those two plots we could neither see the goal or pledge amount of each successful and failed project, nor could we know whether or not there is a relationship between the goal and pledge amount. In lieu of this, we decided to examine the association between projects’ success and their goal amount. To do so, we first came up with a claim that states our assumed association.

**Claim:** The amount of money a project asks for is related to its success in getting enough funding.


In order to perform a hypothesis test on this claim, we needed to quantify the goal amount into levels to make the data discrete rather than using the original continuous data. We decided that using a tier system would better suit our purposes to determine a relationship between success and how much money a project asks for. Furthermore, visualizing the project tier gave insight to how many projects fall in each range. Therefore, we decided to categorize the goal amount using the following metric and to create new variable named *usd\_goal\_real\_tier* which classifies *usd\_goal\_real* into tiers.

The tiers are as follows: Tier 1  $< 1,000$  in goal USD, Tier 2  $\geq 1,000$  and  $< 5,000$ , Tier 3  $\geq 5,000$  and  $< 10,000$ , Tier 4  $\geq 10,000$  and  $< 20,000$ , Tier 5  $\geq 20,000$  and  $< 100,000$ , Tier 6  $\geq 100,000$  and  $< 500,000$ , and Tier 7  $\geq 500,000$ .

Table 4: Overview of Tiers

| <i>usd_goal_real_tier</i> | numbers |
|---------------------------|---------|
| 1                         | 47494   |
| 2                         | 113993  |
| 3                         | 70338   |
| 4                         | 59285   |
| 5                         | 68727   |

| usd_goal_real_tier | numbers |
|--------------------|---------|
| 6                  | 13231   |
| 7                  | 2794    |



Then, we created a new binary variable named *success\_state* to represent whether a project was successful or not. If a project is not successful (“failed”, “undefined”, “suspended”, or “canceled”), then it could carry a value of 0. Creating this binary variable gets rid of unnecessary project states so that we could focus only on successful projects.

We then tested our first claim using a CLT-based approach:

### Hypotheses:

At the  $\alpha = 0.05$  level:

- $H_0$ : *project\_tiers* and *project\_success* have no relationship
- $H_1$ : There is a relationship between *project\_tiers* and *project\_success*, where *project\_tiers* is the variable *usd\_goal\_real\_tiers* and *project\_success* the variable *success\_state*.

Our following  $\chi^2$  test is assessing whether or not there is a relationship between how much money a project attempts to raise and its success.

```
##
## Pearson's Chi-squared test
##
## data:  table(kickstarter$usd_goal_real_tier, kickstarter$success_state)
## X-squared = 19624, df = 6, p-value < 2.2e-16
```

## Analysis of Results:

At the previously stated  $\alpha$  level of 0.05, our  $\chi^2$  value is 19,624 with 6 degrees of freedom and a p-value of less than 2.2e-16. Since our p-value is less than our  $\alpha$  value, we have enough evidence to reject our null hypothesis that the Tier a project is independent of its success. There is enough evidence to suggest that a project's Tier is related to its success rate.

## Logistic Model for Success based on Project Tiers

Here we used a logistic regression model to predict project success based on the project's tier.

We used Tier 1 as our reference level.

```
## # A tibble: 7 x 2
##   term                estimate
##   <chr>              <dbl>
## 1 (Intercept)        0.0207
## 2 usd_goal_real_tier2 -0.271
## 3 usd_goal_real_tier3 -0.606
## 4 usd_goal_real_tier4 -0.787
## 5 usd_goal_real_tier5 -1.31
## 6 usd_goal_real_tier6 -2.34
## 7 usd_goal_real_tier7 -3.65
```

Relative to Tier 1, the most likely funded project category tier is Tier 1. The odds of success for Tier 2, holding everything constant, is 0.76 times the odds of success for the Tier 1 projects. The odds of success decrease for each increase in Tier, as well, holding all else constant and relative to Tier 1.

Furthermore, all else being equal, the estimated probability of success for the Tier 1 projects is 0.51, whereas for Tier 2 the probability of success is 0.44. There is sufficient evidence based on our model to suggest that Tier 1 funding may be the most readily successful project Tier, and that the probability of success is over 0.50 only for Tier 1. All other tiers' probability of success are: 2 ( $p = 0.44$ ), 3 ( $p = 0.36$ ), 4 ( $p = 0.32$ ), 5 ( $p = 0.22$ ), 6 ( $p = 0.09$ ), and 7 ( $p = 0.03$ ).

## Project Category and Success

To determine whether the main category of a project influences its rate of success we used another  $\chi^2$  test to assess a relationship. We decided to use the variable *main\_category* rather than *category*, because the latter was too broad for our project. *Main\_category* is composed of 15 distinct categories, each for a unique industry.

The accuracy of our analysis for this question is limited by the fact there could be possible crossovers in the *main\_categories* that we cannot screen for. We assumed this to be a negligible amount of projects, if it existed at all, and thus continued with *main\_category* over *category* for analysis.

**Question:** Does the main category of project influence it's chance of success?


Table 5: Success Rate by Category

| main_category | prop  |
|---------------|-------|
| Art           | 0.412 |
| Comics        | 0.544 |
| Crafts        | 0.242 |
| Dance         | 0.623 |

| main_category | prop  |
|---------------|-------|
| Design        | 0.354 |
| Fashion       | 0.248 |
| Film & Video  | 0.373 |
| Food          | 0.249 |
| Games         | 0.358 |
| Journalism    | 0.214 |
| Music         | 0.469 |
| Photography   | 0.308 |
| Publishing    | 0.311 |
| Technology    | 0.200 |
| Theater       | 0.601 |

### Successful vs. Other Projects, faceted by category

Success rate of Comics, Dance, Music, and Theater categories > 1



We created another variable called *plot\_success* which enabled us to plot the whether the project was successful or not, excluding the 1's and 0's that our previous indicator used. We plotted bar charts to show the proportion of successful to all the other projects, faceted by category. By using a ratio of successes to others, we were able to visualize the relative success of each category on the same scale.

Interestingly, the visualization shows that more categories failed in raising enough money to meet their goals than those that achieved their monetary goal. Only the categories of Comics, Dance, and Theatre had more successes than failures according to our visualizations.

#### Hypotheses:

- $H_0$ : There is no relationship between *main\_category* and *success*.
- $H_1$ : There is a relationship between *main\_category* and *success*.



We will perform a Chi-squared test at the  $\alpha = 0.05$ .

```
##  
## Pearson's Chi-squared test  
##  
## data: table(kickstarter$main_category, kickstarter$success_state)  
## X-squared = 16137, df = 14, p-value < 2.2e-16
```

### Analysis of Results:

Our test statistic was 16137, which has a Chi-square distribution with 14 degrees of freedom under the null hypothesis. This corresponds to a p-value less than 2.2e-16. Thus, our decision is to reject the null hypothesis. Moreover, there is sufficient evidence to claim that the alternative hypothesis, that there is an association between *main\_category* and *success*, is true.

## Logistic Regression Model to Predict Category Success

Here we used a logistic regression model to predict category success. Specifically, we wanted to see how the project's main category leads to differences in the odds of success.

We used Technology as our reference level.

```
## # A tibble: 15 x 2  
##   term                estimate  
##   <chr>              <dbl>  
## 1 (Intercept)        -1.39  
## 2 main_categoryArt      1.03  
## 3 main_categoryComics   1.56  
## 4 main_categoryCrafts   0.246  
## 5 main_categoryDance    1.89  
## 6 main_categoryDesign   0.788  
## 7 main_categoryFashion  0.277  
## 8 main_categoryFilm & Video 0.870  
## 9 main_categoryFood     0.284  
## 10 main_categoryGames    0.804  
## 11 main_categoryJournalism 0.0875  
## 12 main_categoryMusic    1.26  
## 13 main_categoryPhotography 0.578  
## 14 main_categoryPublishing 0.591  
## 15 main_categoryTheater  1.80
```

Relative to *Technology*, the most likely funded project category is *Dance*. The odds of success for *Dance* are 6.374285 times the odds of success for *Technology*. Furthermore, all else being equal, the estimated probability of success for the *Dance main\_category* is 0.62, whereas for *Technology* the probability of success is 0.21. There is sufficient evidence based on our model to suggest that Dance may be the most readily successful project type and is likely worth spending time looking into this category for project creators.

## Discussion

The aim of this project was to explore which variables influence the success of a Kickstarter project. We did so by analyzing which types of projects are more likely to be funded. We wanted to know whether the project goal (in USD) was associated with its chance of success; what amount of money asked for would be

more likely to succeed; whether the project category was associated with its chance of success; and which category of project is more likely to succeed.

For our exploratory data analysis (EDA), we first created a table that showed the count of each Kickstarter Project State. This table showed us that the most common outcome for a project in this data set is ‘failure.’ We then modeled the distribution of project states in a bar plot, again finding that more projects failed than succeeded.

Finally, we calculated the mean goal amount and the mean pledged amount, and plotted the two on a bar plot. This EDA showed us that the average funding pledged was 9,058.92 USD, with a standard deviation of 90,973.34 USD. In comparison, the average funding goal was 45,454 USD with a standard deviation of 1,152,950 USD. The observed mean average funding goal was approximately five times higher than the average.

Our EDA showed us that the odds are stacked against most kickstarter projects in terms of likelihood to successfully achieve their funding goal. Given that our EDA used all of the data in the kickstarter data set (except for the *live* observations), our observations were relatively reliable and valid.

However, it would have also been helpful to plot a bar chart of the count of the main project categories to see which ones were most popular. This would have been good to know going into the deeper analysis section, as it would have given us an idea of which main categories were most popular in terms of pitching kickstarter projects.

In our analysis, we answered 2 questions: if there was a relationship between the funding tiers (from 1 to 7) and the probability of success of these projects and if there was a relationship between the *main\_category* and probability of success. We defined *success\_state* as successful if these projects were classified as *successful* rather than *failed*, *cancelled*, *suspended*, or *undefined*.

For our first analysis, we divided the funding amount into 7 tiers so that we could compare the money funded on a discrete scale. We used a  $\chi^2$  test to check if the two variables we were testing- *usd\_goal\_real\_tier* (just referred to as Tier in future) and *success\_rate*- were independent. From our results we concluded that there is enough evidence to suggest that a project’s Tier is related to its success rate. The next question was how a project’s Tier was related to its success of funding. For this part, we used the projects with *usd\_goal\_real\_tier* = 1 as a reference level to our logistic regression model. We calculated the odds of success and found out that Tier 2 was closest to the Tier 1 *success\_state*, but that this tier had 0.76 times the odds of success compared to the Tier 1 projects. We also calculated the probability of success for each tier and determined Tier 1 projects have the highest probability of success. This makes sense because it is more likely a person is able to complete the funding for the project if the funding goal is low.

The second hypothesis asked how the categories of projects influenced the *success\_state* of the project. We used a  $\chi^2$  test so we could analyze if the variables tested- *main\_category* and *success\_state*- were independent of one another in this data set. In other words, running a  $\chi^2$  test helped us evaluate our hypothesis that there is an association between project category and project success. We can see which categories are most likely to be funded. We used a logistic regression model and had *Technology* as our reference level. We were surprised to find that *Dance* was the category most likely to be funded.

The Kickstarter dataset we have is a rigorous collection of data to give project creators insight into which projects have historically succeeded. The dataset is limited, however. We have been able to give creators the statistical odds of success based on monetary and categorical variables, yet have neither looked into how long each project was on Kickstarter for funding, nor what time of the year donations may spike. People may be more charitable during the holiday period, and that may lead to more projects being funded. Not then only would creators have the knowledge of which projects secured funding based off the funding goal and category, but they would also have tools now on when to launch their Kickstarter funding. Furthermore, a dataset on how each project managed their marketing campaign would be more than helpful to creators. Sentiment analysis of the campaign, along with its length, how often it changed, the target audience, and where it was marketed (socials, print, word of mouth, etc) would be the start of this dataset. All told, this analysis we have done is the start of a much larger project. We have shown that there are influencers on a project’s funding success, and finding those with the largest influence should be the next priority to complete this project.