# **Midterm Review**

Review mock, go over your questions

Emily Zhao CSCI-UA-002

#### **Exam Info**

- In-person, in classroom
- Time limit: 1 hour 15 minutes
- Paper exam
  - Will be scanned, writing in pen recommended
  - Scratch paper will be provided!

## **Question Types**

- Short/long fill-in-the-blank
  - What's the output?
  - If it's an error, what type?
- Reordering code
- Debugging and finding code errors
- Long programming questions
  - These are worth the most points so I recommend starting with these!
  - I will also give partial credit for pseudo code that has good logic!

#### **Python Core Language Elements & Functions**

and input def int elif len else not float or for print format return if str in while import

#### Module Functions

random.randint

str.lower
str.upper

time.time

#### **ASCII Code Table**

0       NUL       16       DLE       32       SP       48       0       64       @       80       P       96       `       112       p         1       SOH       17       DC1       33       !       49       1       65       A       81       Q       97       a       113       q         2       STX       18       DC2       34       "       50       2       66       B       82       R       98       b       114       r         3       ETX       19       DC3       35       #       51       3       67       C       83       S       99       c       115       s         4       EOT       20       DC4       36       \$       52       4       68       D       84       T       100       d       116       t         5       ENQ       21       NAK       37       %       53       5       69       E       85       U       101       e       117       u         6       ACK       22       SYN       38       &       54       6       70       F       86 <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>															
2 STX 18 DC2 34 " 50 2 66 B 82 R 98 b 114 r 3 ETX 19 DC3 35 # 51 3 67 C 83 S 99 c 115 s 4 EOT 20 DC4 36 \$ 52 4 68 D 84 T 100 d 116 t 5 ENQ 21 NAK 37 % 53 5 69 E 85 U 101 e 117 u 6 ACK 22 SYN 38 & 54 6 70 F 86 V 102 f 118 v 7 BEL 23 ETB 39 ' 55 7 71 G 87 W 103 g 119 w 8 BS 24 CAN 40 ( 56 8 72 H 88 X 104 h 120 x 9 HT 25 EM 41 ) 57 9 73 I 89 Y 105 i 121 y 10 LF 26 SUB 42 * 58 : 74 J 90 Z 106 j 122 z 11 VT 27 ESC 43 + 59 ; 75 K 91 [ 107 k 123 { 12 FF 28 FS 44 , 60 < 76 L 92 \ 108 I 109 m 125 } 14 SO 30 RS 46 . 62 > 78 N 94 ^ 110 n 126 ~	0	<u>NUL</u>	16	DLE	32	<u>SP</u>	48	0	64	@	80	Р	96	`	112 p
3 ETX 19 DC3 35 # 51 3 67 C 83 S 99 c 115 s 4 EOT 20 DC4 36 \$ 52 4 68 D 84 T 100 d 116 t 5 ENQ 21 NAK 37 % 53 5 69 E 85 U 101 e 117 u 6 ACK 22 SYN 38 & 54 6 70 F 86 V 102 f 118 v 7 BEL 23 ETB 39 ' 55 7 71 G 87 W 103 g 119 w 8 BS 24 CAN 40 ( 56 8 72 H 88 X 104 h 120 x 9 HT 25 EM 41 ) 57 9 73 I 89 Y 105 i 121 y 10 LF 26 SUB 42 * 58 : 74 J 90 Z 106 j 122 z 11 VT 27 ESC 43 + 59 ; 75 K 91 [ 107 k 123 { 12 FF 28 FS 44 , 60 < 76 L 92 \ 108 L 109 m 125 } 14 SO 30 RS 46 . 62 > 78 N 94 ^ 110 n 126 ~	1	<u>SOH</u>	17	DC1	33	!	49	1	65	Α	81	Q	97	a	113 q
4 EOT 20 DC4 36 \$ 52 4 68 D 84 T 100 d 116 t 5 ENQ 21 NAK 37 % 53 5 69 E 85 U 101 e 117 u 6 ACK 22 SYN 38 & 54 6 70 F 86 V 102 f 118 v 7 BEL 23 ETB 39 ' 55 7 71 G 87 W 103 g 119 w 8 BS 24 CAN 40 ( 56 8 72 H 88 X 104 h 120 x 9 HT 25 EM 41 ) 57 9 73 I 89 Y 105 i 121 y 10 LF 26 SUB 42 * 58 : 74 J 90 Z 106 j 122 Z 11 VT 27 ESC 43 + 59 ; 75 K 91 [ 107 k 123 { 12 FF 28 FS 44 , 60 < 76 L 92 \ 108 L 124   13 CR 29 GS 45 - 61 = 77 M 93 ] 109 m 125 } 14 SO 30 RS 46 . 62 > 78 N 94 ^ 110 n 126 ~	2	<u>STX</u>	18	DC2	34	"	50	2	66	В	82	R	98	b	114 r
5       ENQ       21       NAK       37 %       53 5       69 E       85 U       101 e       117 u         6       ACK       22       SYN       38 & 54 6       70 F       86 V       102 f       118 v         7       BEL       23       ETB       39 '       55 7       71 G       87 W       103 g       119 w         8       BS       24 CAN       40 (       56 8       72 H       88 X       104 h       120 x         9       HT       25 EM       41 )       57 9       73 I       89 Y       105 i       121 y         10       LF       26 SUB       42 *       58 :       74 J       90 Z       106 j       122 z         11       YT       27 ESC       43 +       59 ;       75 K       91 [       107 k       123 {         12       FF       28 FS       44 ,       60 <	3	ETX	19	DC3	35	#	51	3	67	С	83	S	99	С	115 s
6 ACK 22 SYN 38 & 54 6 70 F 86 V 102 f 118 v 7 BEL 23 ETB 39 ' 55 7 71 G 87 W 103 g 119 w 8 BS 24 CAN 40 ( 56 8 72 H 88 X 104 h 120 x 9 HT 25 EM 41 ) 57 9 73 I 89 Y 105 i 121 y 10 LF 26 SUB 42 * 58 : 74 J 90 Z 106 j 122 z 11 VT 27 ESC 43 + 59 ; 75 K 91 [ 107 k 123 { 12 FF 28 FS 44 , 60 < 76 L 92 \ 13 CR 29 GS 45 - 61 = 77 M 93 ] 109 m 125 } 14 SO 30 RS 46 . 62 > 78 N 94 ^ 110 n 126 ~	4	<u>EOT</u>	20	<u>DC4</u>	36	\$	52	4	68	D	84	Т	100	d	116 t
7       BEL       23       ETB       39       55       7       71       G       87       W       103       g       119       w         8       BS       24       CAN       40       (       56       8       72       H       88       X       104       h       120       x         9       HT       25       EM       41       )       57       9       73       I       89       Y       105       i       121       y         10       LF       26       SUB       42       *       58       :       74       J       90       Z       106       j       122       z         11       VT       27       ESC       43       +       59       ;       75       K       91       [       107       k       123       {         12       FF       28       FS       44       ,       60       <	5	ENQ	21	NAK	37	%	53	5	69	Ε	85	U	101	е	117 u
8 BS 24 CAN 40 ( 56 8 72 H 88 X 104 h 120 x 9 HT 25 EM 41 ) 57 9 73 I 89 Y 105 i 121 y 10 LF 26 SUB 42 * 58 : 74 J 90 Z 106 j 122 Z 11 VT 27 ESC 43 + 59 ; 75 K 91 [ 107 k 123 { 124   13 CR 29 GS 45 - 61 = 77 M 93 ] 109 m 125 } 14 SO 30 RS 46 . 62 > 78 N 94 ^ 110 n 126 ~	6	<u>ACK</u>	22	<u>SYN</u>	38	&	54	6	70	F	86	٧	102	f	118 v
9 HT 25 EM 41 ) 57 9 73 I 89 Y 105 i 121 y 10 LF 26 SUB 42 * 58 : 74 J 90 Z 106 j 122 Z 11 VT 27 ESC 43 + 59 ; 75 K 91 [ 107 k 123 { 12 FF 28 FS 44 , 60 < 76 L 92 \ 108 l 124   13 CR 29 GS 45 - 61 = 77 M 93 ] 109 m 125 } 14 SO 30 RS 46 . 62 > 78 N 94 ^ 110 n 126 ~	7	BEL	23	<u>ETB</u>	39	1	55	7	71	G	87	W	103	g	119 w
10 LF 26 SUB 42 * 58 : 74 J 90 Z 106 j 122 z 11 VT 27 ESC 43 + 59 ; 75 K 91 [ 107 k 123 { 12 FF 28 FS 44 , 60 < 76 L 92 \ 108 l 124   13 CR 29 GS 45 - 61 = 77 M 93 ] 109 m 125 } 14 SO 30 RS 46 . 62 > 78 N 94 ^ 110 n 126 ~	8	<u>BS</u>	24	<u>CAN</u>	40	(	56	8	72	Н	88	Χ	104	h	120 x
11       VT       27       ESC       43       +       59       ;       75       K       91       [       107       k       123       {         12       FF       28       FS       44       ,       60       <	9	<u>HT</u>	25	<u>EM</u>	41	)	57	9	73	1	89	Υ	105	i	121 y
12 FF 28 FS 44 , 60 < 76 L 92 \ 108 l 124   13 CR 29 GS 45 - 61 = 77 M 93 ] 109 m 125 } 14 SO 30 RS 46 . 62 > 78 N 94 ^ 110 n 126 ~	10	<u>LF</u>	26	<u>SUB</u>	42	*	58	:	74	J	90	Z	106	j	122 z
13 CR     29 GS     45 -     61 =     77 M     93 ]     109 m     125 }       14 SO     30 RS     46 .     62 >     78 N     94 ^     110 n     126 ~	11	<u>VT</u>	27	<b>ESC</b>	43	+	59	;	75	K	91	[	107	k	123 {
14 <u>SO</u> 30 <u>RS</u> 46 . 62 > 78 N 94 ^ 110 n 126 ~	12	<u>FF</u>	28	<u>FS</u>	44	,	60	<	76	L	92	1	108	l	124
	13	CR	29	<u>GS</u>	45	-	61	=	77	M	93	]	109	m	125 }
15 SI 31 US 47 / 63 ? 79 O 95 111 o 127 DEL	14	<u>SO</u>	30	<u>RS</u>	46		62	>	78	N	94	^	110	n	126 ~
	15	<u>SI</u>	31	<u>US</u>	47	1	63	?	79	0	95	_	111	0	127 <u>DEL</u>

Decimal ASCII Chart

# Long programming paper

while T	-		
	nUm =	input("E	nter a number: ")
	if num	< 0:	
		print("-	Try again.")
	else:		· J
		50m +=	nUm
		break	

^ ^ Lines are guides for indentation

#### **Topics Covered**

Module 1: Variables, Statements, Etc...

Module 2: Types, Operators, Debugging

Module 3: Boolean Logic / Conditionals

Module 4: While Loops

Module 5: For Loops, Nested Loops

Module 6: Functions

More details can be found in previous class slides:

module-06-midterm-review

# **Starred Topics**

- Modulo
- Escape Characters
- Error Types
- Format
- Functions

## Modulo (%)

- The <u>remainder</u> operator
- If you divide the second number by the first number, what is the remainder?

$$12 \% 5 \rightarrow 7$$
 $60 \% 30 \rightarrow 0$ 
 $4 \% 7 \rightarrow 4$ 

Good for isolating numbers places

# **Escape Characters**

- Any text you put between two matching delimiters
   (", ', "") will become a string!
  - A named variable loses its variable status as soon as you put it between delimiters, as well. (i.e. "<widths" is becomes a string and will not be replaced with the value of width)
- The backslash character (\) acts as a signal to denote the following characters as special (aka "do not stringify anything that follows me")
- Examples: \t, \n, \"

## **Error Types**

Syntax: code won't even save / grammatical

- Are you missing a comma/parentheses?
- Do your delimiters match?
- Did you misspell print?

Runtime: happens while the program is running

- User didn't enter in the data type you were expecting
- Division by zero

**Logic**: you wrote code that doesn't get you your desired results, will run fine, and will also save

#### **Format**

- Returns a string
- Helps you control the **TOTAL** width of a string, thus useful for making tables
- Usually recommended for use in a final print statement/at the end of your program when you need to display

#### **Functions**

#### **Input, Processing, Output/Return**

- Functions can take in optional inputs, they all do something, and they can optionally return something, as well
- Value-returning functions can be stored in a variable or printed

print()

**Input:** optional

**Do something:** If an input is received, write the input on the blackboard; f no input is received, write a new line character on the blackboard

Output: none

## random.randint()

**Input:** two integers

**Do something:** calculate a random integer between the two inputs

Output: random integer calculated

```
def mashify(name):
    output = ""
    for letter in name:
        output += letter + " * "
    return output
mashify("Emily")
```

```
def mashify(name):
    output = ""
    for letter in name:
        output += letter + " * "
    return output
mashify("Emily")
```

Since this function returns something, I need to either store it in a variable or print it!

```
def mashify(name):
    output = ""
    for letter in name:
        output += letter + " * "
    return output
mashify("Emily")
```

Since this function returns something, I need to either store it in a variable or print it!

```
def mashify(name):
    output = ""
    for letter in name:
        output += letter + " * "
    return output
print(mashify("Emily"))
```

## Homework

Study for the midterm! Good luck!

Assignment #6 also due