Functions Cont'd + Midterm Review

Modules + Mock Midterm

Emily Zhao CSCI-UA-002

Agenda

- Functions (continued)
- Mock Midterm
- Midterm Survey

Functions pt. 2

Modules


- All programming languages come pre-packaged with a standard library of functions that are designed to make your job as a programmer easier
- Some of these functions are built right into the "core" of Python (print, input, range, etc)
- Other more specialized functions are stored in a series of files called "modules" that Python can access upon request by using the "import" statement
 - import random
 - import time

Modules


- The import statement tells Python to load the functions that exist within a specific module into memory and make them available in your code
- Because you don't see the inner workings of a function inside a module we sometimes call them "black boxes"
- A "black box" describes a mechanism that accepts input, performs an operation that can't be seen using that input, and produces some kind of output

Input - Function (does something) - Output

"Black Box" model



random.randint(0,10)



More information about a module

- To see information about a module, you can do the following in IDLE:
 - help("modulename")
- The help() function takes one argument (a string that represents the name of the module) and returns the user manual for that module

```
help(print)
help on built-in function print in module builtins:

print(...)
    print(value, ..., sep=' ', end='\n', file=sys.stdout, flush=False)

Prints the values to a stream, or to sys.stdout by default.
Optional keyword arguments:
    file: a file-like object (stream); defaults to the current sys.stdout.
    sep: string inserted between values, default a space.
    end: string appended after the last value, default a newline.
flush: whether to forcibly flush the stream.
```

IPO Notation

- As you start writing more advanced functions you should think about documenting them based on their Input, Processing and Output (IPO)
- Example:


```
# function: add_ages
# input: age1 (integer), age2 (integer)
# processing: combines the two integers
# output: returns the combined value

def add_ages(age1, age2):
    sum = age1+age2
    return sum
```

```
def add(a, b):
    input: takes in two integers
    processing: adds a and b together
    output: returns the sum
    return
    c = a + b
    return c
```

```
>>> help(add)
...
Help on function add in module __main__:
add(a, b)
   input: takes in two integers
   processing: adds a and b together
   output: returns the sum
```

How to write and use your own module



Your module.py and your program.py need to be in the same folder!

I have placed them both in a folder called my_code

Note: a folder called _pycache_ will appear after you run your program. Do not worry about it, but don't delete it!

As you can see, both **file paths** point to the same location/folder: /Users/emilyzhao/Documents/my_code/

```
*basic_arithmetic.py - /Users/emilyzhao/Documents/my_code/basic_arithmetic.py (3.10.7)
# Basic Arithmetic Module
# Written by Emily
def add(a, b):
    input: takes in two integers
    processing: adds a and b together
     output: returns the sum
     c = a + b
     return c
def subtract(a, b):
     input: takes in two integers
    processing: subtracts b from a
     output: returns the difference
     c = a - b
     return c
```

```
*my_program.py - /Users/emilyzhao/Documents/my_code/my_program.py (3.10.7)
# My Program
# That uses Basic Arithmetic Module
import basic_arithmetic_module as basic_math
# dot call of function from module
# [name of module].[function in module]
sum1 = basic_math.add(1, 2) # returns 3
sum2 = basic_math.add(sum1, 7) # returns 10
print(sum2) # prints 10
```

How to write and use your own module

- 1. Create a new folder
- 2. Write your module and make sure you save it inside the folder you just created
- 3. All subsequent programs you write that use your module should also exist in that same folder
 - a. You can use your file explorer to check to see if/place your files in the same folder
 - b. You can also check the file paths at the top of your program to see if they exist in the same folder


Programming Challenge

Create a module called "geometry_helper"

Write two functions in this module:

- Area of circle
- Perimeter of circle

Each of these functions will accept one argument (a radius) and will print out the result to the user.



```
Name
Name
__pycache__
__icircle_functions.py
_my_program.py
```

```
circle_functions.py - /Users/emilyzhao/Documents/week06_challenge/circle_functions.py (3.10.7)
PI = 3.141592
def getArea(r):
    input: radius
     processing: calculates the area of a circle
    output: returns the area
    return PI * (r ** 2)
def getPerimeter(r):
    input: radius
     processing: calculates the area of a circle
     output: returns the area
    return 2 * PI * r
```

```
*my_program.py-/Users/emilyzhao/Documents/week06_challenge/my_program.py (3.10.7)*

import circle_functions as c

radius = 5

area = c.getArea(radius)

perimeter = c.getPerimeter(radius)

print("Area:", area)

print("Perimeter:", perimeter)
```

Mock Midterm

Midterm Survey



pollev.com/emilyzhao

Topics Covered (Modules 1-6):

Basic Programming Mechanics

- Functions
 - What is a function?
 - How to call a function
 - Arguments
 - Return Values
- Commenting your code
- Variables
 - What is a variable?
 - Creating variables
 - Using variables in expressions
 - Naming rules
- Reading input from the keyboard with the input() function

Math Expressions

- Math operators (+, -, /, //, *)
- Writing math expressions
- Evaluating math expressions
- Storing & printing the results of math expressions
- Difference between the two division operators (/ and //)
- Order of operations in math expressions
- The exponent operator (**)
- The modulo operator (%)

Data Types

- What is a data type?
- Strings
- Numeric data types
 - Integers (int)
 - Floating point numbers (float)
- Mixed type expressions
- Data type conversion
 - Using the float() and int() function to convert strings into numbers
 - User input & data types (converting strings to floats / ints for calculation purposes)
- The Boolean data type
- Boolean variables

Output with the print() function

- General use of the print function and its default behavior
 - Unlimited arguments
 - Spaces inserted between arguments
 - Line break after each call to the function
- Customizing line endings (end=")
- Customizing argument separators (sep=")
- Escape characters (\n, \t, etc.)

Basic String Manipulation

- Combining two strings (concatenation) "+" operator
- Multiplying a string (repetition) "*" operator
- Formatting numbers using the format() function
 - Formatting Strings width, left align, right align, center align
 - Formatting Integers width, left align, right align, center align
 - Formatting Floats width, left align, right align, center align, # of decimal places, "," separator
- Case manipulation using str.lower() and str.upper()
- Calculating string length using the len() function

Selection Statements

- The structure of an IF statement (IF keyword, condition, colon, indentation)
- Writing a condition for an IF statement
- Boolean operators (<, >, ==, !=, >=, <=)</p>
- Comparing numeric values using Boolean expressions
- Comparing string values using Boolean expressions
- Using the IF-ELSE statement
- Nesting decision structures (IF statements inside other IF statements)
- The IF-ELIF-ELSE statement
- Logical operators (and, or, not)

Condition Controlled Loops

- The structure of a "while" loop
- Mechanics & how they work
- Setting up conditions for a while loop
- Infinite loops and how to work with them
- Sentinels (defining a value that the user enters that causes the loop to end)
- Input validation loops (asking the user to continually enter a value until that value matches some condition)
- Setting up and using accumulator variables
- Self referential assignment statements (i.e. counter = counter + 1)
- Augmented assignment operators (i.e. counter += 1)

The Range Function

- mechanics and how the function works
- creating simple ranges (i.e. range(5))
- creating ranges with defined start and end points (i.e. range(3,10))
- creating ranges with a step value (i.e. range(5,50,5))
- creating ranges that count backwards (i.e. range(50,5,-5))
- user controlled ranges (i.e. range(1, somevariable))

Functions

- mechanics and how functions work
- function definitions
- arguments
- return values
- calling a function
- local variables (variables that are defined inside a function and can only be accessed inside that function)
- passing arguments to your own functions
- passing multiple arguments to your own functions
- global variables (variables created outside a function that can be accessed by any part of your program)
- making changes to global variables inside a function using the 'global' keyword
- writing a value returning function (i.e. using the 'return' keyword to send a result from your function to the part of your program that called that function)
- returning multiple values from a function
- Input, Processing & Output notation

Miscellaneous Concepts

- Generating random numbers
- Errors & error types
- Debugging strategies
- Pseudocoding

Homework

Monday, March 27

- Midterm Exam
- Assignment #6 Due