




ACADREDGOMGB 6e+05 -0e+00 -1900 2000 1950 year 3e+08 recruitment 1e+08 -0e+00 -1900 2000 1950 year
























ANCHMEDGSA17.18 1, 1200000 spawning biomass 800000 -400000 -1900 1950 2000 year 2.5e+11 -2.0e+11 recruitment 1.5e+11 -1.0e+11 -5.0e+10 -1950 2000 1900 year








ANCHOSA 5e+06 -\$ 4e+06 - 3e+06 - 2e+06 -1e+06 -2000 1900 1950 year 1.6e+12 **-**1.2e+12 recruitment 8.0e+11 **-**4.0e+11 -2000 1900 1950 year



















ARGHAKENARG 5e+05 -4e+05 -4e+05 -ssewoig buiuweds 3e+05 -2e+05 -11 J 1e+05 -1900 2000 1950 year 6e+08 recruitment 4e+08 2e+08 -1900 2000 1950 year





ATBTUNAEATL 6e+05 spawning biomass 4e+/ 5e+05 -2e+05 -1900 1950 2000 year 4e+06 recruitment - 90+96 2e+06 -1e+06 -1900 2000 1950 year


ATBTUNAWATL 30000 -25000 -20000 -20000 -10000 -1900 1950 2000 year 4e+05 recruitment 2e+05 -1e+05 -1900 1950 year


ATHAL3NOPs4VWX5Zc 6000 sbawning biomass 0 -2000 1900 1950 year 2000000 -1500000 recruitment 1000000 -500000 -1950 2000 1900 year




















BIGEYECWPAC /\ /\ 2500000 -2000000 -1500000 -1000000 -1900 2000 1950 year 3.5e+07 -3.0e+07 -2.5e+07 -2.0e+07 -1.5e+07 -1.0e+07 -1950 2000 1900 year







BIGHTREDSE spawning biomass 1900 2000 1950 year 8e+12 -7e+12 recruitment 5e+12 -4e+12 -3e+12 -1900 2000 1950 year





BLACKGROUPERGMSATL 3500 sbawning biomass 2000 -1500 **-**2000 1900 1950 year 280000 -240000 recruitment 200000 -1950 2000 1900 year




BLACKOREOWECR 80000 spawning biomass 40000 -1900 1950 2000 year 2.2e+07 recruitment 2.1e+07 -2.0e+07 -1.9e+07 **-**1950 1900 2000 year










BLINGVb.VI.VII 1e+05 -9e+04 -sewoiq buiuwads 8e+04 -7e+04 -6e+04 -2000 1900 1950 year 3600000 recruitment 3400000 -3200000 -1900 1950 2000 year







BLUEROCKCAL 2.0e+09 **-**1.5e+09 -5.0e+08 **-**1900 2000 1950 year 8e+06 -6e+06 recruitment - 90+94 2e+06 -1900 2000 1950 year






BMARLINPAC 60000 spawning biomass 30000 -20000 -1900 2000 1950 year 1200000 -1000000 recruitment 800000 -600000 -1900 1950 2000 year











BRNSHRIMPGM 60000 -50000 spawning biomass 40000 -30000 -20000 -10000 -2000 1900 1950 year 7e+10 -6e+10 se-10 - 4e+10 -3e+10 -2e+10 -1900 2000 1950

year











BTSHRIMPNAUST 5e+07 -4e+07 -4e+07 - ssemoid ge+07 - ge+07 - 2e+07 -1e+07 -2000 1900 1950 year 6e+08 -5e+08 recruitment 4e+08 -3e+08 -2e+08 -1e+08 -1900 2000 1950


year


BUTTERGOMCHATT 1e+08 spawning biomass 6e+07 -1900 1950 2000 year 1.6e+07 **-**1.2e+07 recruitment 90+90.8 4.0e+06 -1950 2000 1900 year

BWHITNEA 7e+06 -6e+06 -\$5e+06 - 5e+06 - 3e+06 - 3e+06 - 5e+06 2e+06 -2000 1900 1950 year 6e+10 recruitment - 01+ab 2e+10 -1900 2000 1950 year














CAPElla.V.XIV 3e+05 spawning biomass 5e+02 -1e+05 -1900 1950 2000 year 2.0e+08 -1.5e+08 recruitment 1.0e+08 **-**5.0e+07 -0.0e+00 -1900 1950 2000 year


















CHROCKSPCOAST 6e+10 -\$5e+10 -4e+10 -3e+10 -2e+10 -1e+10 -1900 1950 2000 year 150000 -140000 recruitment 130000 -120000 -110000 -2000 1900 1950 year














CMACKTSST 5e+05 spawning biomass 4e+05 -3e+05 **-**2e+05 -1e+05 -1900 1950 2000 year 3.0e+09 **-**2.5e+09 recruitment 2.0e+09-1.5e+09 -

















COD3Pn4RS 3e+05 sbawning binmass 2e+05 -0e+00 -1900 2000 1950 year 250000 -200000 recruitment 1500000 - 1000000 -50000 -0 -1900 1950 year











CODBA2224 40000 sbawning biomass 20000 -10000 -1900 2000 1950 year 125000 -100000 recruitment 75000 -50000 -25000 -0 -1900 1950 2000 year


CODBA2532 4e+05 sbamoid guinwags 1e+05 -1900 2000 1950 year 1.2e+07 -9.0e+06 recruitment 3.0e+06 -1950 2000 1900 year


























CRLOBSTERSA12 1.00 spanning 0.75 - 0.50 - 0.25 - 0.00 -2000 1900 1950 year 6e+07 recruitment 2e+07 -

1950

year

2000

0e+00 -


1900


CRLOBSTERSA34 1.00 sbawning biomass 0.25 -1900 1950 2000 year 3e+08 recruitment - 80+95 1e+08 -0e+00 -1900 1950 2000 year


CRLOBSTERSA56 1.00 -0.75 - 0.75 - 0.25 - 0.25 -0.25 -0.00 -1900 2000 1950 year 4e+08 recruitment 1e+08 -0e+00 -1900 1950 2000 year


CRLOBSTERSA7 1.00 spawning biomass 0.25 -1900 1950 2000 year 1.0e+08 -7.5e+07 recruitment 2.5e+07 -0.0e+00 -1900 1950 2000 year


CRLOBSTERSA8 1.00 spawning biomass 0.25 -1900 2000 1950 year 6e+08 recruitment 2e+08 -0e+00 -1900 1950 2000 year

















CSALMJDFS 12500 -10000 spawning biomass 7500 **-**5000 -2500 **-**0 -2000 1900 1950 year 12500 **-**10000 recruitment 7500 **-**5000 -2500 -0 -1900 1950 2000 year











CSALMSSOUNDFR 3e+05 -3e+05 -2e+05 -1e+05 -1900 1950 2000 year 8e+05 -6e+05 recruitment 4e+05 -2e+05 -1900 2000 1950 year


CSALMSSOUNDSR 80000 sbawuid piomass 40000 -20000 -0 -2000 1900 1950 year 1e+05 recruitment 5e+04 -0e+00 -2000 1900 1950 year






















DEEPFLATHEADSE 10000 spawning biomass 8000 -6000 -4000 -1900 1950 2000 year 1.1e+13 -9.0e+12 recruitment 7.0e+12 -5.0e+12 -2000 1950 1900 year



DOYSFS spawning biomass 3e+09 -1e+09 -1900 1950 2000 year 1.25e+09 **-**1.00e+09 **-**1.00e+09 -curity 7.50e+08 -5.00e+08 -2000 1900 1950 year

DSOLEGA 54000 -52000 -50000 -50000 -48000 -46000 -44000 -1900 2000 1950 year 6e+07 recruitment 4e+07 -2e+07 -1900 2000 1950 year




DUSROCKGA 25000 -20000 -20000 -15000 -10000 -1900 2000 1950 year 1.5e+07 recruitment 5.0e+06 **-**2000 1900 1950 year


EBASSIVbc.VII 25000 spawning biomass 10000 -1900 1950 2000 year 7.5e+07 recruitment 5.0e+07 **-**2.5e+07 -0.0e+00 -2000 1900 1950 year


EBASSVIIIab 24000 spawning biomass 18000 -1900 1950 2000 year 5e+07 -4e+07 recruitment 3e+07-2e+07 -1e+07 -1900 2000 1950 year

ESOLEPCOAST 40000 spawning biomass 10000 -1900 1950 2000 year 4e+08 **-**3e+08 recruitment 5 + 08 - 20 + 08 -1e+08 -1900 1950 2000 year




FLSOLEGA 80000 spawning biomass 50000 -1900 2000 1950 year 5e+08 recruitment - 80+ap 3e+08 -2e+08 -1900 2000 1950 year





GEMFISHNZ 10000 spawning biomass 7500 -5000 -2500 -1900 2000 1950 year 8e+06 -6e+06 recruitment 2e+06 -1900 2000 1950 year




GHAL23KLMNO 30000 sbawning biomass 1900 1950 2000 year 1.6e+08 recruitment 1.2e+08 **-**8.0e+07 **-**4.0e+07 -


1950


year


2000


1900













GOLDREDV.VI.XII.XIV 4e+05 spawning biomass 3e+05 -2e+05 -1900 1950 2000 year 4e+08 -3e+08 -2e+08 -1e+08 -1900 2000 1950 year





GRAMBERSATLC 6000 sbawning biomass 3000 -2000 -2000 1900 1950 year 1000000 -750000 recruitment 500000 -250000 -

1950

year

2000


1900


GRNSTROCKPCOAST 7e+09 scamoid generated between the second 1900 2000 1950 year 60000 -50000 -40000 recruitment 30000 -20000 -10000 -2000 1900 1950

year

GRSNAPGM 20000 spawning biomass 计计计计计 15000 -10000 -5000 -1900 1950 2000 year 2.5e+07 -2.0e+07 recruitment 1.5e+07 - 1.0e+07 - 1.0e+07 -5.0e+06 **-**0.0e+00 -2000 1900 1950 year


GRSPROCKNCAL 5e+11 ssewoid binwads 3e+11 -1e+11 -1900 1950 2000 year 440000 recruitment 3600000 -320000 -280000 -1900 1950 2000 year








GTPRAWNNAUST 5e+07 ssewoid binameds 'nп 2e+07 -1e+07 -2000 1900 1950 year 6e+08 recruitment - 80+94 2e+08 -1900 2000 1950 year


GTRIGGM 3e+10 spawning biomass 2e+10 -1e+10 -1900 1950 2000 year 2.0e+07 -1.5e+07 -1.5e+07 -1.0e+07 -5.0e+06 -1900 1950 2000 year



















HADNEAR 6e+05 sbawoid buinwads 2e+05 -2000 1900 1950 year 1.2e+09 recruitment 4.0e+08 -0.0e+00 -1900 1950 2000 year




























HERR30.31 5e+05 spanning grinneds 3e+05 -2e+05 -1900 2000 1950 year 1.25e+10 -1.00e+10 recruitment 7.50e+09 **-**5.00e+09 -2.50e+09 -2000 1900 1950 year















HERRIsum 6e+05 -5e+05 -sbawoid binnaga 4e+05 -3e+05 -2e+05 -1900 2000 1950 year 1.5e+09 **-**1.0e+09 recruitment 5.0e+08 -0.0e+00 -1900 1950 2000 year


HERRNIRS 25000 spawning brinning spawning priority 15000 -10000 -1900 2000 1950 year 5e+08 -4e+08 recruitment - 80+9E 2e+08 -1e+08 -2000 1900 1950 year

HERRNORSS 7e+06 -6e+06 -6e+06 -5e+06 -4e+06 -3e+06 -2e+06 -1900 1950 2000 year 6e+10 -





HERRNS.IIIa.VIId sbawoid biomass 2e+06 -0e+00 -1900 1950 2000 year 1.0e+11 -7.5e+10 recruitment 2.5e+10 -0.0e+00 -1950 1900 2000


year





HERRPRD 80000 -П п spawning biomass 20000 -1900 1950 2000 year 1.0e+09 **-**7.5e+08 recruitment 5.0e+08 -2.5e+08 -0.0e+00 -2000 1950 1900 year


























HMACKIIa.IVa.Vb.VIa.VII.VIII


5e+06-





year
















JANCHOTSST 200000 spawning biomass 150000 -100000 -50000 -1900 2000 1950 year 1.2e+11 recruitment 9.0e+10-6.0e+10 -2000 1900 1950 year















KELPGREENLINGORECOAST 500 spawning biomass 1900 2000 1950 year 3e+06 recruitment - 90+95 1e+06 -1900 2000 1950 year










LINGCODNPCOAST spawning biomass 10000 -1900 1950 2000 year 2.0e+07 **-**1.5e+07 -1.0e+07 -5.0e+06 -2000 1900 1950 year






LNOSESKAPCOAST 7000 -6500 spawning biomass 6000 -5500 **-**5000 -4500 -1900 1950 2000 year 15500000 -15000000 -







LOBSTERGOM spawning biomass 4000 -1900 1950 2000 year 8e+07 recruitment - 20+99 4e+07 -2e+07 -1900 1950 2000 year


SSEW 6000 - SSEW 4000 - SSEW 4




LSTHORNHPCOAST 40000 spawning biomass 20000 -1900 1950 2000 year 2.5e+08 -2.0e+08 recruitment 1.5e+08 -1.0e+08 **-**2000 1900 1950 year













MEGVII.VIIIabd 1e+05 sbe+04 - 6e+04 -4e+04 -1900 1950 2000 year 3.5e+08 **-**3.0e+08 recruitment 2.5e+08 -2.0e+08 -2000 1900 1950 year














MUTSNAPSATLCGM 2500 **-**2250 -spamoid binamass 2000 -1750 -2250 **-**1500 **-**2000 1900 1950 year 2000000 recruitment 1500000 -1000000 -500000 -1900 2000 1950 year





















NZLINGESE 7000 -6000 spawning biomass 3000 -2000 -1900 1950 2000 year 5e+06 -4e+06 -3e+06 -3e+06 -1e+06 -0e+00 -2000 1900 1950 year






NZLINGLIN6b 12000 spawning biomass 10000 -8000 -1900 1950 2000 year 1500000 recruitment 1000000 -500000 -2000 1900 1950 year











NZSNAPNZ1BOP.HAGU 3e+05 sbawning binmass 2e+05 -1e+05 **-**1900 1950 2000 year 1.8e+07 recruitment 1.6e+07 -1.4e+07 -1.2e+07 -1900 1950 2000


year
















OROUGHYSE 50000 sbawoid gomass 30000 -20000 -10000 -1900 1950 2000 year 8e+12 recruitment - 2014 - 12 6e+12 -5e+12 -1900 2000 1950 year















PANDALIIIaW.IVaE 20000 spawning biomass 15000 -10000 -1900 1950 2000 year 1.6e+10 recruitment 1.2e+10 -8.0e+09 **-**4.0e+09 -1900 1950 2000 year





PATGRENADIERSARG 6e+05 -\$5e+05 - somoid buildings 4e+05 - 3e+05 -3e+05 -2e+05 -1900 1950 2000 year 1.5e+09 recruitment 1.0e+09 **-**5.0e+08 -1950 2000 1900 year



































































































PSALMAKPSESCD 4e+06 spawning biomass 3e+06 -2e+06 **-**1e+06 -0e+00 -1900 1950 2000 year 1.5e+07 -1.0e+07 recruitment 5.0e+06 -0.0e+00 -1950 2000 1900 year











PSALMANADYRPW 5e+05 -4e+05 spawning biomass 3e+05 -2e+05 -1e+05 -0e+00 -1900 2000 1950 year 6e+05 recruitment 4e+05 -2e+05 -0e+00 -1900 1950 2000 year














PSALMCHIGNIKED spawning biomass 1e+06 - 5e+05 -0e+00 -1900 1950 2000 year 2000000 -1500000 recruitment 1000000 -500000 -0 -1900 1950 2000 year










PSALMEKAMPW 6e+07 ssewoid biomass 2e+07 -0e+00 -2000 1900 1950 year 1.0e+08 -7.5e+07 recruitment 5.0e+07 **-**2.5e+07 -0.0e+00 -1950 2000 1900


year







PSALMGOLOVIN 3e+06 spawning biomass įψ 0e+00 -1900 2000 1950 year 3e+06 -2e+06 recruitment 1e+06 -0e+00 -1900 1950 2000 year













PSALMKUSKOKWIM 8e+06 spawning biomass 6e+06 -4e+06 -2e+06 -0e+00 -1900 1950 2000 year 7500000 recruitment 5000000 -2500000 -0 -1900 1950 2000


year

















PSALMPERRYVILLED 6e+05 ssewoid biomass 2e+05 -0e+00 -1900 1950 2000 year 1500000 -1000000 recruitment 500000 -0 -1900 1950 2000 year


PSALMPGRAHAMSD 50000 -40000 spawning biomass 30000 -20000 -10000 -0 -1900 2000 1950 year 150000 -100000 recruitment 50000 -0 -1900 1950 2000 year


PSALMPRIMPW 5e+06 -4e+06 spawning biomass 3e+06 -2e+06 -1e+06 -0e+00 -1900 1950 2000 year 9e+06 recruitment 6e+06 **-**3e+06 -0e+00 -1950 2000 1900 year
























PSALMUNALAKLEETNS 6e+05 ssewoid binmads 2e+05 -0e+00 -1900 2000 1950 year 6e+05 -











PSALMWKAMPW 1.25e+08 -




































REYEROCKBSAI 7000 sbawning biomass 5000 -3000 -1900 1950 2000 year 2.0e+07 -1.5e+07 recruitment 1.0e+07 **-**5.0e+06 -0.0e+00 -1900 1950 2000 year







RGROUPSATL 3e+06 spawning biomass 1e+06 -2000 1900 1950 year 1200000 -900000 recruitment 600000 -300000 -1900 2000 1950 year













RROCKLOBSTERSAUSNZ 6e+11 -5e+11 -sewoid buinweds 4e+11 -3e+11 -2e+11 -1900 1950 2000 year 1500000 recruitment 1000000 -500000 -0 -1900 1950 2000 year











RSNAPSATLC 8e+13 -6e+13 -sewoig buiuwads 4e+13 -2e+13 -0e+00 -1900 1950 2000 year 1000000 -750000 recruitment 500000 -250000 -1900 2000 1950 year




















SABLEFEBSAIGA 250000 sbawning biomass 1500000 -100000 -1900 1950 2000 year 1.5e+08 **-**1.0e+08 recruitment 5.0e+07 -0.0e+00 -1950 1900 year







SARDMEDGSA17.18 1250000 -1000000 -




year





SARDSAS 1e+06 spawning biomass 2e+06-0e+00 -1900 2000 1950 year 2.5e+10 -2.0e+10 -1.5e+10 -1.0e+10 -5.0e+09 -0.0e+00 -1900 1950 2000 year







SBARSHARATL 1500000 -\$ 1250000 -sewoid building 1000000 -750000 -750000 -500000 -1900 1950 2000 year 5e+05 recruitment 4e+05 -3e+05 -2e+05 -1900 2000 1950 year










SBWHITARGS 9e+05 spawning biomass 3e+05-0e+00 -1900 2000 1950 year 8e+08 -6e+08 recruitment 4e+08 -2e+08 -0e+00 -1900 2000 1950 year










SCMPWHB 3000 sbawning biomass 1500 **-**1000 -1900 1950 2000 year 7.5e+07 recruitment 2.0e+07 -2.5e+07 -0.0e+00 -1900 1950 year









SEELNSSA2


3e+05

Semoig Building 1e+05

0e+00

1950


2000





SEELNSSA3 3e+05 spanning biomass 2e+05 -1e+05 -2000 1900 1950 year 8e+11 -6e+11 recruitment 4e+11 -2e+11 -0e+00 -1900 2000 1950 year

SEELNSSA4 3e+05 spanning biomass 5 1e+05 -1e+05 **-**1900 1950 2000 year 4e+11 -3e+11 recruitment - 11+ac 1e+11 -0e+00 -1900 2000 1950 year


SFLOUNMATLC 50000 -40000 -40000 -sbawning giornass 30000 -20000 -10000 -2000 1900 1950 year 6e+07 recruitment - 40+ep 2e+07 -1900 2000 1950 year








SMOOTHOREOBP 17500 -15000 spawning biomass 12500 -10000 -7500 -1900 1950 2000 year 3000000 -2900000 recruitment 2800000 -2700000 -2600000 -1900 1950 2000 year






SMOOTHOREOSLD 16000 spawning biomass 12000 -8000 -4000 -1900 1950 2000 year 2200000 recruitment 21000000 -2000000 -1900 1950 2000 year


SMOOTHOREOWECR 80000 sbawning biomass 20000 -1900 1950 2000 year 12000000 -11500000 recruitment 11000000 -10500000 -10000000 -9500000 -


> 1950 year


2000


1900


















SOLEIlla.2224 4000 spawning biomass 1000 -2000 1900 1950 year 8000 recruitment - 0000 -4000 -2000 -1950 2000 1900


year






















SOUTHHAKESA spawning biomass 40000 -1900 2000 1950 year 1.6e+07 **-**1.2e+07 recruitment 4.0e+06 -1950 2000 1900 year

SOUTHHAKEWCSI 80000 spawning biomass 60000 -40000 -1900 1950 2000 year 1.0e+07 **-**7.5e+06 recruitment 5.0e+06 -2.5e+06 -2000 1900 1950 year






SPHAKECH 8e+05 sbamoid girmass 4e+05 -2e+05 -1900 1950 2000 year 2.0e+09 -1.5e+09 recruitment 1.0e+09 **-**5.0e+08 -

1950


year

2000

1900



SPRATIIIa.IV 6e+05 sewoid binwads 2e+05 -0e+00 -2000 1900 1950 year 1.0e+12 -





SPSDOGPCOAST 7e+07 spawning biomass 5e+07 -1950 1900 2000 year 2.2e+07 recruitment 2.0e+07 -1.8e+07 -2000 1900 1950 year


SSALMADAMS 3e+06 spawning biomass 1e+06 -0e+00 -1900 1950 2000 year 1.5e+07 **-**1.0e+07 recruitment 5.0e+06 -


0.0e+00 -1900 1950 2000 year

SSALMBIRKENH 3e+05 spawning biomass 1e+05 0e+00 -2000 1900 1950 year 1500000 -1000000 -














SSALMCHIGNIKL sbawoid biomass 1e+06 -1900 1950 2000 year 2500000 -2000000 recruitment 1500000 -1000000 -500000 -1900 1950 2000 year

















SSALMFENNELL 30000 spawning biomass 20000 -10000 -0 -1900 1950 2000 year 80000 -60000 recruitment 40000 -20000 -0 -1950 1900 2000 year


SSALMGATES 60000 sbawning binmass 40000 - 20000 -0 -2000 1900 1950 year 3e+05 recruitment 1e+05 -0e+00 -1950 1900 2000 year





SSALMHORSEFLY 2000000 spawning biomass 1500000 -1000000 -500000 -0 -2000 1900 1950 year 9e+06 recruitment 6e+06 -3e+06 -0e+00 -1950 1900 2000 year
















SSALMLUPPERS 4e+05 -Ι₁ spamoid grimmage 3e+05 -1e+05 -1900 1950 2000 year 1500000 recruitment 1000000 -500000 -1900 1950 2000 year













SSALMNASS 6e+05 sbawning biomass 4e+05-2e+05 -1900 1950 2000 year 1500000 recruitment 1000000 -500000 -1900 1950 2000 year


SSALMNUSHAGAK 3e+06 ssewoid binwads 2e+06 -0e+00 -1900 1950 2000 year 4e+06 -





SSALMNUYAKUK 3e+06 sbamoid giomass 1e+06 П П П 11 0e+00 -1900 1950 2000 year 4e+06 recruitment 5e+06-0e+00 -1950 1900 2000 year


SSALMOWIKENOL 1000000 -750000 spawning biomass 500000 -250000 -0 -1900 1950 2000 year 4e+06 -3e+06 recruitment 2e+06 -1e+06 -0e+00 -1900 2000 1950 year














SSALMSEYMOUR spawning binnwass 1e+05 0e+00 -2000 1900 1950 year 8e+05 -6e+05 recruitment 4e+05 -2e+05 -0e+00 -1900 1950 2000 year









SSALMSTELLAKO 3e+05 spawning biomass 2e+05 -1e+05 -0e+00 -1900 1950 2000 year 1500000 recruitment 1000000 -500000 -0 -1950 2000 1900 year


SSALMTOGIAK 5e+05 ssemoig buiuweds 3e+05 -2e+05 -1e+05 -0e+00 -2000 1900 1950 year 1500000 -1000000 recruitment





SSALMUGASHIK

3e+06-




1950

year


2000

1900




SSALMWOOD 3e+06 spamoid biomass 1e+06 -1900 1950 2000 year 6e+06 recruitment - 90+ap 2e+06 -1900 1950 2000 year

SSLOBSTERSASC 4000 spawning biomass 1000 -1900 1950 2000 year 1.6e+07 **-**1.2e+07 recruitment 8.0e+06 **-**4.0e+06 -1900 1950 2000 year





STFLOUNNPCOAST Λ | 1 7500 spawning biomass 2500 **-**2000 1900 1950 year 2.0e+10 -1.5e+10 recruitment 1.0e+10 **-**5.0e+09 -0.0e+00 -1900 1950 2000 year

STFLOUNSPCOAST sbawning biomass 1900 1950 2000 year 6e+09 recruitment 2e+09 -0e+00 -1900 2000 1950 year




STMARLINWCNPAC 5000 sbawning biomass 3000 -1000 -1900 1950 2000 year 1600000 -1200000 recruitment 800000 -400000 -2000 1900 1950 year







TANNERCRABBSAI 250000 -200000 spawning biomass 150000 -100000 -50000 -0 -1900 1950 2000 year 1e+09 recruitment 5e+08 -0e+00 -1900 1950 2000 year


TARAKNZ 18000 sbawning piomass 15000 -9000 -6000 -1900 1950 2000 year 6e+06 recruitment 2e+06 -1900 2000 1950 year





TIGERFLATSE 20000 sbawning binnwass 5000 -1900 2000 1950 year 3e+13 recruitment 5e+13 -1e+13 -1900 1950 2000 year
























































WINFLOUN4T 5e+05 sewoid ge+02 - 3e+02 - 2e+02 - 3e+02 -1e+05 -1900 1950 2000 year 5e+06 -4e+06 -3e+06 -2e+06 -1e+06 -1900 2000 1950 year





WINFLOUNSNEMATL 20000 spawning biomass 5000 -2000 1900 1950 year 6e+07 recruitment - 46+04 2e+07 -0e+00 -2000 1900 1950 year




WITFLOUN5Y 15000 spawning biomass 10000 -5000 -1900 1950 2000 year 1.5e+07 recruitment 1.0e+07 -5.0e+06 **-**2000 1950 1900 year











WPOLLGA 5e+05 sewoid ge+05 -3e+05 -2e+05 -1e+05 -1900 1950 2000 year 3e+10 recruitment - 01+95 1e+10 -0e+00 -1900 1950 2000 year















YELLGB 20000 spawning biomass 15000 -10000 -5000 -2000 1900 1950 year 6e+07 recruitment 2e+07 -2000 1900 1950 year


YELLSNEMATL 20000 sbawoid binomass 15000 ù П 5000 -0 -1900 2000 1950 year 1.5e+08 recruitment 1.0e+08 **-**5.0e+07 -0.0e+00 -1900 1950 year














YTROCKNPCOAST 1.50e+13 -1.25e+13 -ssewoid 5 1.00e+13 -0.50e+12 -1.25e+13 -5.00e+12 -1900 2000 1950 year 9e+07 -7e+07 recruitment 2-404 -

