RAILWAY STATIONS AND EXPRESS (C.N.R. & C.P.R.) AND TELEGRAPHIC ADDRESS: ST. ANNE DE BELLEVUE, QUE.



FACULTY OF AGRICULTURE
DEPARTMENT OF AGRONOMY
Post Office Address:
MACDONALD COLLEGE, QUE., CANADA

MACDONALD COLLEGE

(McGILL UNIVERSITY)

January 19th, 1938.

Mr.W.G.Cochran, Statistical Department, Rothamsted Experimental Station, Harpenden, Herts, ENGLAND.

Dear Mr. Cochran, -

I have your letter of January 5th, with reference to the data used for my paper on, - "Replication in Relation to Accuracy in Comparative Grop Tests", appearing in the Journal of the American Society of Agronomy, Vol. 15, No.5, May, 1923.

I am sending you a copy of the yields which we used in connection with this paper.

With regard to your postscript, enquiring as to the size of plot, a part of the wheat range was harvested as single row plots, and the remaining part was harvested in plots 5 x 32 links. In oats the smallest size of plot was 5 x 32 links, although the whole range was not harvested in this manner.

The method of harvesting may be explained as follows, - The usual practice of laying out plots at the time that this experiment was carried on was to mark off the land into 1/40 acre plots 25 x 100 links and to leave an alleyway of 5 links between these. Such plots were sometimes sub-divided in the middle by another alley of 5 links, making 1/100 acre plots 10 x 100 links. In making my study in this experiment these 1/40 acre and 1/100 acre plots were again sub-divided by taking out a little strip running across the plots lengthwise of the ranges. The plots 5 x 32 links really represented what would have been alleyways in a regular experiment. I thought it advisable to get rid of the border effect which would have occurred and I used the material grown thereon just to study this particular size of plot. I think this is fairly well illustrated in the diagram appearing on page 193 of the paper.

I trust that this gives you the information which

Yours very truly,

R. Summerby, Professor of Agronomy.

R. Summerby

rs.m

you desire.

ALASKA OATS - RANGE VIII, NORTH WEST FIELD, 1921

Data used for Paper on Replication in Relation to Accuracy in Comparative Crop Tests

Yields in Grams per plot

	Series	1		Series 2			Series 3	
5 x 32	2 10 x 32	25 x 32	5 x 32	10 x 32	25 x 32	5 x 32	10 x 32	25 x 32
596 638 774 790 714	819 1043 1467 1434 1688	2458 3675	972 805 906 885 793	1101 1814 1622 1880 1494	3887 4408	958 978 871 690 661	1311 1707 17144 1446 1389	3976 4061
782 780 828	1465 1516 1506 1879	3867	7l ₄ 2 915 898	1693 1358 1592 1774	3980 3865	491 699 637	1304 1379 1259 1247	3354 3337
758 833 910	1533 1805	4170	759 836 877	1472 1616	4005	659 740 805	1257 1368	3163
821	1843 1810 2061	l ₁ 558	805 934	1641 1660 1813	4134	893 900	1500	3673
995 866	1757 1456	4079	1024 870	1778 1846	4407 4494	787 811	1498 1390 1611	4170
710	1375 1722	3806	890 873	1745 1759	4377	833 792	1270 1521	3583

	Series 1	(Contid.)		Series 2	(Cont'd.)		Series 3	(Cont'd.)
5 x 32	10 x 32	25 x 32	5 x 32	10 x 32	25 x 32	5 × 32	10 x 32	25 x 32
10l ₄ 1 960 9l ₄ 2 952	1855 1677 1779	կկ92	1002 993 963 1034	2117 1858 1966	4968	646 731 763 924	1330 1190 1640	3251
777	1741 1760	l ₁ l ₁ 72	702	1670 1482	4670	671	1316 1413	3880
819 817	1655 1596	4234	905 826	1666 1672	4053	794 746	1428 1502	3635
799 832	1566 1682	3961	945 941	1698 1844	4315	765 837	1335	3602
901 789	1622	4205	1088	1807 1468	4739	754 770	1509 1436	3521
869 755	1390	3943	892 782	1690 1622	4050	627 727	1204	3267
838 758	1599 1526 1350	3963	782 981	1704 1402	4108	714 778	1357 1440 1137	3511
698	1233	3981	771	1403	3576	632	982	2751


HURON WHEAT - RANGE 4, NORTH WEST FIELD, 1921.

Data used for Paper on Replication in Relation to Accuracy in Comparative Crop Tests.

Yield in Grams: Size of plots - 1 x 32 links

Row No.		_2	3_	Row No.	1	seri 2	e s 3
678901234567890123222222333333333444444444444444444444	189 181 189 170 187 170 187 170 187 170 187 170 187 187 187 187 187 187 187 187 187 187	156 161 178 178 178 178 178 178 178 178 178 17	160 182 162 162 163 163 163 163 163 163 163 163 163 163	4901234567890123456789012345678901 455555555666666666677777777788888888888991	175432 1791 1791 1791 1791 1803 1791 1803 1791 1803 1791 1803 1791 1803 1913 1913 1914 1914 1914 1914 1914 191	172744 17364 17491 1666 17776 1666 17776 1666 17776 166777 166773 16773 16772 16897 169742 169742	

Row No.	<u>s</u>	eri 2	e s (0	Cont'd)Row No.	18	eri 2	e s (Co	ont'd.)
92 93 94 96 97 98 99 101 102 103 104 107 108 109 111 112 112 113 114 115 117 118 119 119 119 119 119 119 119	1492 1492 1492 1492 1492 1492 1492 1492	139 157 30 157 30 157 30 157 40 192 193 193 193 193 193 193 193 193 193 193	1670 5778 58 58 57 44 10 10 10 10 10 10 10 10 10 10 10 10 10	114 114 114 114 114 115 115 115 115 115	11111111111111111111111111111111111111	165 165 165 165 165 165 165 165 165 165	1349 1349 1317 1317 1317 1317 1317 1317 1317 131	



Yield of Huron Wheat Plots

1921.

Range IV N.W.F.

Series 1.	Series 2.	Series 3.	Total.
32 X 10	32 X 10	32 X 10	06
links.	links.	linka	9 <u>6 x 1</u> 0
1831 gms.	1671 gms.	1724 gms	links.
1/05	1611	1490	5226 gms.
1773	1550	1673	4806
1771	1567	1438	4996
1821	1728	1552	4776
1607	1635	1613	5101 · · 4855 · ·
1432	1516	1522	4855
1837	1589	1457	4883
1427	1861	1590	4878
1533	1588	1417	4538
1746	1451	1557	4512
1615	1527	1573	4846
1637	1480	1598	4693
1528	1570	1708 · ·	4915
1561	1677	1537	4742
1450	1537 ··· 1533 ···	1519	4617
1368	7 - 0 -	1541	4524
1486	1574	1496	4446
1504	1673	1906	4966
1682	1813	2095	5141
1665	1894	2219	5590
1727	1884	1885	5778
1573	1915	1880	5496 · ·
1545	1709	2103	5368
1354	1680	2002	5357
1547	1620	1890	50 36 · · · 5063 · · ·
1673	2037 · ·	1762	5472
1692	1808	1638	5138
1761	1210	1749	4720
1716	1846	1766	5328
1735 · ·	1963	1753	5451
2045 · · · 2225 · ·	1730	1779	5554 • •
222)	1735	1520	5480
			Company of the Compan