




Histogram of log+1 fish biomass (kg)




Normal distribution



Log-normal distribution



Gamma distribution



```
Global model call: lmer(formula = log_biomass ~ design + log_days_since_last_haul +
  location_exposure + Exp_or_Cont + depth_m + (1 | TrapID) +
  (1 | Date_YMD), data = trap_haul_no_zero_depth, REML = FALSE,
  na.action = "na.fail")
```

Model selection table

	(Int)	dpt_m	dsg	Exp_or_Cont	lct_exp	log_dys_snc_lst_hal	df	logLik	AICc	delta	weight
19	0.3547		+			0.3257	6	-235.794	483.9	0.00	0.225
17	0.6293					0.3087	5	-237.268	484.8	0.85	0.147
27	0.3034		+		+	0.3281	7	-235.744	485.9	2.01	0.082
23	0.3699		+	+		0.3263	7	-235.754	486.0	2.03	0.081
20	0.3710	-4.913e-04	+			0.3254	7	-235.789	486.0	2.10	0.079
25	0.6451				+	0.3094	6	-236.861	486.1	2.13	0.077
21	0.6433			+		0.3091	6	-237.241	486.8	2.89	0.053
18	0.5997	7.952e-04				0.3093	6	-237.257	486.8	2.93	0.052
31	0.3225		+	+	+	0.3283	8	-235.717	488.0	4.09	0.029
28	0.3309	-1.279e-03	+		+	0.3281	8	-235.718	488.0	4.09	0.029
29	0.6687			+	+	0.3102	7	-236.793	488.0	4.11	0.029
26	0.5802	1.774e-03			+	0.3109	7	-236.809	488.1	4.14	0.028
24	0.3960	-7.525e-04	+	+		0.3260	8	-235.744	488.1	4.14	0.028
22	0.6195	6.120e-04		+		0.3096	7	-237.235	488.9	5.00	0.019
30	0.6104	1.529e-03		+	+	0.3114	8	-236.755	490.1	6.16	0.010
32	0.3557	-1.437e-03	+	+	+	0.3284	9	-235.685	490.1	6.17	0.010
1	1.3210						4	-241.969	492.1	8.17	0.004
3	1.1270		+				5	-240.987	492.2	8.29	0.004
9	1.3390				+		5	-241.524	493.3	9.36	0.002
5	1.3310			+			5	-241.957	494.2	10.23	0.001
2	1.3190	6.780e-05					5	-241.969	494.2	10.25	0.001
7	1.1380		+	+			6	-240.969	494.3	10.35	0.001
4	1.1580	-9.690e-04	+				6	-240.969	494.3	10.35	0.001
11	1.1330		+		+		6	-240.986	494.3	10.38	0.001
13	1.3590			+	+		6	-241.480	495.3	11.37	0.001
10	1.3040	1.025e-03			+		6	-241.506	495.3	11.42	0.001
6	1.3330	-6.282e-05		+			6	-241.957	496.2	12.33	0.000
8	1.1770	-1.160e-03	+	+			7	-240.944	496.3	12.41	0.000
15	1.1500		+	+	+		7	-240.965	496.4	12.46	0.000
12	1.1560	-1.022e-03	+		+		7	-240.969	496.4	12.46	0.000
14	1.3290	8.271e-04		+	+		7	-241.468	497.4	13.46	0.000
16	1.1770	-1.157e-03	+	+	+		8	-240.944	498.5	14.54	0.000


Models ranked by AICc(x)

Random terms (all models):

...1 | TrapID..., ...1 | Date_YMD...

model	sigma	logLik	AIC	BIC	deviance	df.residual
design + log_days_since_last_haul	0.56	-235.79	483.59	504.93	471.59	253
log_days_since_last_haul	0.56	-237.27	484.54	502.32	474.54	254
design + location_exposure + log_days_since_last_haul	0.56	-235.74	485.49	510.39	471.49	252
design + Exp_or_Cont + log_days_since_last_haul	0.56	-235.75	485.51	510.41	471.51	252
depth_m + design + log_days_since_last_haul	0.56	-235.79	485.58	510.48	471.58	252
location_exposure + log_days_since_last_haul	0.56	-236.86	485.72	507.06	473.72	253
Exp_or_Cont + log_days_since_last_haul	0.56	-237.24	486.48	507.82	474.48	253
depth_m + log_days_since_last_haul	0.56	-237.26	486.51	507.85	474.51	253
design + Exp_or_Cont + location_exposure + log_days_since_last_haul	0.56	-235.72	487.43	515.89	471.43	251
depth_m + design + location_exposure + log_days_since_last_haul	0.56	-235.72	487.44	515.89	471.44	251
Exp_or_Cont + location_exposure + log_days_since_last_haul	0.56	-236.79	487.59	512.48	473.59	252
depth_m + location_exposure + log_days_since_last_haul	0.56	-236.81	487.62	512.52	473.62	252
depth_m + design + Exp_or_Cont + log_days_since_last_haul	0.56	-235.74	487.49	515.94	471.49	251
depth_m + Exp_or_Cont + log_days_since_last_haul	0.56	-237.23	488.47	513.37	474.47	252
depth_m + Exp_or_Cont + location_exposure + log_days_since_last_haul	0.56	-236.75	489.51	517.96	473.51	251
depth_m + design + Exp_or_Cont + location_exposure + log_days_since_last_haul	0.56	-235.69	489.37	521.38	471.37	250
none	0.56	-241.97	491.94	506.17	483.94	255
design	0.56	-240.99	491.97	509.76	481.97	254
location_exposure	0.56	-241.52	493.05	510.83	483.05	254
Exp_or_Cont	0.56	-241.96	493.91	511.70	483.91	254
depth_m	0.56	-241.97	493.94	511.72	483.94	254
design + Exp_or_Cont	0.56	-240.97	493.94	515.28	481.94	253
depth_m + design	0.56	-240.97	493.94	515.28	481.94	253
design + location_exposure	0.56	-240.99	493.97	515.31	481.97	253
Exp_or_Cont + location_exposure	0.56	-241.48	494.96	516.30	482.96	253
depth_m + location_exposure	0.56	-241.51	495.01	516.35	483.01	253
depth_m + Exp_or_Cont	0.56	-241.96	495.91	517.25	483.91	253
depth_m + design + Exp_or_Cont	0.56	-240.94	495.89	520.79	481.89	252
design + Exp_or_Cont + location_exposure	0.56	-240.97	495.93	520.83	481.93	252
depth_m + design + location_exposure	0.56	-240.97	495.94	520.84	481.94	252
depth_m + Exp_or_Cont + location_exposure	0.56	-241.47	496.94	521.83	482.94	252
depth_m + design + Exp_or_Cont + location_exposure	0.56	-240.94	497.89	526.34	481.89	251

Predicting log+1 fish biomass (kg) in trap haul



Fixed coefficients in model (highest to lowest AIC)

- depth_m + design + Exp_or_Cont + location_exposure
- depth_m + Exp_or_Cont + location_exposure
- depth_m + design + location_exposure
- design + Exp_or_Cont + location_exposure
- depth_m + design + Exp_or_Cont
- depth_m + Exp_or_Cont
- depth_m + location_exposure
- Exp_or_Cont + location_exposure
- design + location_exposure
- depth_m + design
- design + Exp_or_Cont
- depth_m
- Exp_or_Cont
- location_exposure
- design
- depth_m + design + Exp_or_Cont + location_exposure + log_days_since_last_haul
- depth_m + Exp_or_Cont + location_exposure + log_days_since_last_haul
- depth_m + Exp_or_Cont + log_days_since_last_haul
- depth_m + design + Exp_or_Cont + log_days_since_last_haul
- depth_m + location_exposure + log_days_since_last_haul
- Exp_or_Cont + location_exposure + log_days_since_last_haul
- depth_m + design + location_exposure + log_days_since_last_haul
- design + Exp_or_Cont + location_exposure + log_days_since_last_haul
- depth_m + log_days_since_last_haul
- Exp_or_Cont + log_days_since_last_haul
- location_exposure + log_days_since_last_haul
- depth_m + design + log_days_since_last_haul
- design + Exp_or_Cont + log_days_since_last_haul
- design + location_exposure + log_days_since_last_haul
- log_days_since_last_haul
- design + log_days_since_last_haul

Backward reduced random-effect table:

	Eliminated	npar	logLik	AIC	LRT	Df	Pr(>Chisq)
<none>		9	-235.69	489.37			
(1 TrapID)	0	8	-242.77	501.54	14.1705	1	0.000167 ***
(1 Date_YMD)	0	8	-239.73	495.47	8.0967	1	0.004434 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Backward reduced fixed-effect table:

Degrees of freedom method: Satterthwaite

	Eliminated	Sum Sq	Mean Sq	NumDF	DenDF	F value	Pr(>F)
depth_m	1	0.0203	0.0203	1	19.836	0.0647	0.801763
Exp_or_Cont	2	0.0168	0.0168	1	21.719	0.0535	0.819274
location_exposure	3	0.0319	0.0319	1	83.096	0.1017	0.750595
design	4	0.9433	0.9433	1	66.888	3.0092	0.087398 .
log_days_since_last_haul	0	3.8558	3.8558	1	24.596	12.2458	0.001798 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Model found:

log_biomass ~ log_days_since_last_haul + (1 | TrapID) + (1 |
Date_YMD)

Optimal model found using 'step' function which performs backward elimination of fixed-effect terms

```
Linear mixed model fit by maximum likelihood . t-tests use Satterthwaite's method ['lmerModLmerTest']
Formula: log_biomass ~ log_days_since_last_haul + (1 | TrapID) + (1 | Date_YMD)
Data: trap_haul_no_zero_depth
```

AIC	BIC	logLik	deviance	df.resid
484.5	502.3	-237.3	474.5	254

Scaled residuals:

Min	1Q	Median	3Q	Max
-2.15571	-0.75091	-0.03651	0.66536	2.73301

Random effects:

Groups	Name	Variance	Std.Dev.
TrapID	(Intercept)	0.04780	0.2186
Date_YMD	(Intercept)	0.03568	0.1889
Residual		0.31487	0.5611

Number of obs: 259, groups: TrapID, 23; Date_YMD, 23

Fixed effects:

	Estimate	Std. Error	df	t value	Pr(> t)
(Intercept)	0.62928	0.21087	28.02857	2.984	0.00584 **
log_days_since_last_haul	0.30868	0.08821	24.59558	3.499	0.00180 **


Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1


Correlation of Fixed Effects:

	(Intr)
lg_dys_sn__	-0.938

Non-normality of residuals and outliers

Dots should be plotted along the line





(Intercept)

Random effect quantiles

0.6
0.3
0.0
-0.3

-2


-1

0

1


2

Standard normal quantiles




Non-normality of residuals

Distribution should look like normal curve



Homoscedasticity (constant variance of residuals)

Amount and distance of points scattered above/below line is equal or randomly spread



Model summaries for all models with delta AIC < 2

```
$'design + log_days_since_last_haul'
Linear mixed model fit by maximum likelihood . t-tests use Satterthwaite's method ['lmerModlmerTest']
Formula: log_biomass ~ design + log_days_since_last_haul + (1 | TrapID) + (1 | Date_YMD)
Data: trap_haul_no_zero_depth

      AIC      BIC    logLik deviance df.resid
483.6    504.9   -235.8    471.6      253

Scaled residuals:
    Min       1Q   Median       3Q      Max
-2.19251 -0.75747 -0.00531  0.65725  2.72597

Random effects:
Groups   Name              Variance Std.Dev.
TrapID   (Intercept) 0.04293  0.2072
Date_YMD (Intercept) 0.03400  0.1844
Residual                    0.31346  0.5599
Number of obs: 259, groups: TrapID, 23; Date_YMD, 23

Fixed effects:
              Estimate Std. Error    df t value Pr(>|t|)
(Intercept)    0.35473    0.26242  60.76337   1.352  0.18147
designZ         0.28628    0.16503  66.88796   1.735  0.08740 .
log_days_since_last_haul 0.32566    0.08756  25.19514   3.719  0.00101 **
---
Signif. codes:  0 '***'... 0.001 '**'... 0.01 '*'... 0.05 '...' 0.1 '.' ... 1

Correlation of Fixed Effects:
      (Intr) designZ
designZ      -0.613
lg_dys_sn__ -0.810  0.120

$log_days_since_last_haul
Linear mixed model fit by maximum likelihood . t-tests use Satterthwaite's method ['lmerModlmerTest']
Formula: log_biomass ~ log_days_since_last_haul + (1 | TrapID) + (1 | Date_YMD)
Data: trap_haul_no_zero_depth

      AIC      BIC    logLik deviance df.resid
484.5    502.3   -237.3    474.5      254

Scaled residuals:
    Min       1Q   Median       3Q      Max
-2.15571 -0.75091 -0.03651  0.66536  2.73301

Random effects:
Groups   Name              Variance Std.Dev.
TrapID   (Intercept) 0.04780  0.2186
Date_YMD (Intercept) 0.03568  0.1889
Residual                    0.31487  0.5611
Number of obs: 259, groups: TrapID, 23; Date_YMD, 23

Fixed effects:
              Estimate Std. Error    df t value Pr(>|t|)
(Intercept)    0.62928    0.21087  28.02857   2.984  0.00584 **
log_days_since_last_haul 0.30868    0.08821  24.59558   3.499  0.00180 **
---
Signif. codes:  0 '***'... 0.001 '**'... 0.01 '*'... 0.05 '...' 0.1 '.' ... 1

Correlation of Fixed Effects:
      (Intr)
lg_dys_sn__ -0.938
```

Full model summary

```
Linear mixed model fit by maximum likelihood . t-tests use Satterthwaite's method ['lmerModLmerTest']
Formula: log_biomass ~ design + log_days_since_last_haul + location_exposure + Exp_or_Cont + depth_m + (1 | TrapID) + (1 | Date_YMD)
Data: trap_haul_no_zero_depth

      AIC      BIC    logLik deviance df.resid
489.4    521.4   -235.7    471.4      250

Scaled residuals:
    Min       1Q   Median       3Q      Max
-2.17470 -0.76768 -0.01432  0.67428  2.71930

Random effects:
Groups Name Variance Std.Dev.
TrapID (Intercept) 0.04203 0.2050
Date_YMD (Intercept) 0.03322 0.1823
Residual 0.31387 0.5602
Number of obs: 259, groups: TrapID, 23; Date_YMD, 23

Fixed effects:
              Estimate Std. Error    df t value Pr(>|t|)
(Intercept)  0.355708   0.343455  77.280063  1.036 0.303583
designZ       0.347730   0.232458  62.072994  1.496 0.139751
log_days_since_last_haul 0.328373  0.087354  25.110776  3.759 0.000912 ***
location_exposureWindward 0.109282  0.313994  65.831277  0.348 0.728921
Exp_or_ContExperimental -0.031063  0.120847  21.364733 -0.257 0.799603
depth_m      -0.001437   0.005647  19.835844 -0.254 0.801763
---
Signif. codes:  0 '***'... 0.001 '**'... 0.01 '*'... 0.05 '.'... 0.1 '...' 1

Correlation of Fixed Effects:
      (Intr) designZ lg_____ lctn_W Exp_CE
designZ      -0.509
lg_____    -0.648  0.137
lctn_xpsrWn -0.336  0.699  0.076
Exp_r_CntEx -0.282  0.047 -0.009  0.119
depth_m     -0.384 -0.335 -0.006 -0.345  0.111
```