

```

1 #include <bits/stdc++.h>
2 #define _ ios_base::sync_with_stdio(0);cin.tie(0);
3
4 #define sz 200005
5 #define ll long long
6 #define unify(a)
stable_sort(a.begin(),a.end());a.resize(distance(a.begin(),unique(all(a)))));
7 #define fread freopen("input.txt","r",stdin)
8 #define fwrite freopen("output.txt","w",stdout)
9 #define clr(abc,z) memset(abc,z,sizeof(abc))
10 #define mod 1000000007LL
11
12 using namespace std;
13 char line[105];
14 int n;
15 pair<ll,ll> dp[105][11][2];
16
17 pair<ll,ll> rec(int pos, int pre, bool flag)
18 {
19     if(pos==n) return make_pair(0,1);
20     pair<ll,ll> &ret = dp[pos][pre][flag];
21     if(ret.first!=-1) return ret;
22
23     ret = make_pair(0,0);
24
25     int en = (flag?line[pos]-'9')-'0';
26     pair<ll,ll> temp;
27     for (int i = 0; i<=en; i++)
28     {
29         temp = rec(pos+1,i,flag&& i==en);
30         ret.first+=temp.first;
31         ret.first%=mod;
32         ret.second+=temp.second;
33         ret.second%=mod;
34         if(i==1&&pre==2) ret.first+=temp.second;
35         ret.first%=mod;
36     }
37     return ret;
38 }
39
40 int main()
41 {
42     #ifndef ENAM
43         // fread;
44         // fwrite;
45     #endif // ENAM
46     int t, m, cas=1;
47     // clock_t begin, end;
48     // double time_spent;
49     // begin = clock();
50     ll ans;
51     scanf("%d", &t);
52
53     while(t--)
54     {
55         scanf("%s", line);
56         n = strlen(line);
57         for (int i = n-1; i>=0; i--)
58         {
59             if(line[i] == '0') line[i] = '9';
60             else
61             {
62                 line[i]--;
63                 break;
64             }
65         }

```

```

66         clr(dp,-1);
67         ans = rec(0,0,1).first;
68         //         cout<<line<<"LLLLLL\n";
69         clr(dp,-1);
70         scanf("%s", line);
71         n = strlen(line);
72         ans=rec(0,0,1).first-ans;
73         //         cout<<ans<<"LLLLLL\n";
74         ans%=mod;
75         printf("%lld\n", (ans+mod)%mod);
76
77     }
78
79     //     end = clock();
80     //     time_spent = (double)(end - begin) / CLOCKS_PER_SEC;
81     //     cerr<<"Time spent = "<<time_spent<<endl;
82
83     return 0;
84 }

```