Template for Oxford University Press papers

Qiushi Yan

Some Institute of Technology

qiushi.yann@gmail.com

September 25, 2020

Abstract

This is the abstract.

It consists of two paragraphs.

Keywords: key; dictionary; word

1 Introduction

cross reference using different syntax, see source

no bookdown latex environment

This template is based on the generic OUP template available here. The original OUP sample tex document, providing more details on prefered formatting for LaTeX documents, is included with the template in the file `ouparticle_sample.tex`.

Here are two sample references: Feynman and Vernon Jr. (1963; Dirac 1953). Bibliography will appear at the end of the document.

links

2 Chapter 2

cross referencing figures 1

cross referencing tables 1

3 Materials and methods

An equation with a label for cross-referencing:

Figure 1: this is a figure

Table 1: my table

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa

$$\int_0^{r_2} F(r, \varphi) \mathrm{d}r \, \mathrm{d}\varphi = [\sigma r_2/(2\mu_0)] \int_0^\infty \exp(-\lambda|z_j - z_i|)\lambda^{-1} J_1(\lambda r_2) J_0(\lambda r_i \, \lambda \mathrm{d}\lambda) \qquad (1)$$

This equation can be referenced as follows: Eq. 1

3.1 A subsection

A numbered list:

1) First point
2) Second point

   - Subpoint

A bullet list:

- First point
- Second point

4 Results

4.1 Generate a figure.

```
plot(1:10,main="Some data",xlab="Distance (cm)",ylab="Time (hours)")
```

You can reference this figure as follows: Fig. 2.

```
plot(1:5,pch=19,main="Some data",xlab="Distance (cm)",ylab="Time (hours)")
```

Reference to second figure: Fig. 3

4.2 Generate a table using xtable

```
df = data.frame(ID=1:3,code=letters[1:3])

# Creates tables that follow OUP guidelines using xtable
library(xtable)
print(xtable(df,caption="This is the table caption",label="tab:tab1"),
      comment=FALSE)
```

You can reference this table as follows: Table 2.

Some data

Figure 2: This is the first figure.

Some data

Figure 3: This is the second figure.

	ID	code
1	1	a
2	2	b
3	3	c

Table 2: This is the table caption

Table 3: This is the table caption

ID	code
1	a
2	b
3	c

4.3 Generate a table using `kable`

```
df = data.frame(ID=1:3,code=letters[1:3])


# kable can alse be used for creating tables
knitr::kable(df,caption="This is the table caption",format="latex",
             booktabs=TRUE,label="tab2")
```

You can reference this table as follows: Table 3.

5 Discussion

You can cross-reference sections and subsections as follows: Section 3 and Section 3.1.

Note: the last section in the document will be used as the section title for the bibliography.

References

Dirac, P. A. M. 1953. "The Lorentz Transformation and Absolute Time." *Physica* 19 (1--12): 888–96. https://doi.org/10.1016/S0031-8914(53)80099-6.

Feynman, R. P, and F. L Vernon Jr. 1963. "The Theory of a General Quantum System Interacting with a Linear Dissipative System." *Annals of Physics* 24: 118–73. https://doi.org/10.1016/0003-4916(63)90068-X.

Acknowledgements