# brilliant-cv

# **Documentation**

Authors: mintyfrankie

Build Date: 2024-08-20

Version: 2.0.2

# Contents

1.	Introduction	. 2
2.	Setup	. 2
	Migration from v1 to v2	
	Confuguration via metadata.toml	
	Functions	

#### 1. Introduction

Brilliant CV is a Typst template for making Résume, CV or Cover Letter inspired by the famous LaTeX CV template Awesome-CV.

# 2. Setup

## Step 1: Install Fonts

In order to make Typst render correctly, you will have to install the required fonts <u>Roboto</u> and <u>Source Sans Pro</u> (or Source Sans 3) in your local system.

#### **Step 2: Check Documentation**

You are reading this documentation now, woah!

## **Step 3: Bootstrap Template**

In your local system, just working like git clone, boostrap the template using this command:

typst init @preview/brilliant-cv:<version>

Replace the <version> with the latest or any releases (after 2.0.0).

#### **Step 4: Compile Files**

Adapt the metadata.toml to suit your needs, then typst c cv.typ to get your first CV!

#### Step 5: Go beyond

It is recommended to:

- 1. Use git to manage your project, as it helps trace your changes and version control your CV.
- 2. Use typstyle and pre-commit to help you format your CV.
- 3. Use typos to check typos in your CV if your main locale is English.
- 4. (Advanced) Use LTex in your favorite code editor to check grammars and get language suggestions.

# 3. Migration from v1 to v2

With an existing CV project using the v1 version of the template, a migration is needed, including replacing some files / some content in certain files.

- 1. Delete brilliant-CV folder, .gitmodules. (Future package management will directly be managed by Typst)
- 2. Migrate all the config on metadata.typ by creating a new metadata.toml. Follow the example toml file in the repo,

it is rather straightforward to migrate.

solve on your own:)

- 3. For cv.typ and letter.typ, copy the new files from the repo, and adapt the modules you have in your project.
- 4. For the module files in /modules\_\* folders:
  - a. Delete the old import #import "../brilliant-CV/template.typ": \*, and replace it by the import statements in the new template files.
  - b. Due to the Typst path handling mecanism, one cannot directly pass the path string to some functions anymore. This concerns, for example, the logo argument in cvEntry, but also on cvPublication as well. Some parameter names were changed, but most importantly, you should pass a function instead of a string (i.e. image("logo.png") instead of "logo.png"). Refer to new template files for reference.
  - c. You might need to install Roboto and Source Sans Pro on your local system now, as new Typst package discourages including these large files.
- d. Run typst c cv.typ without passing the font-path flag. All should be good now, congrats! Feel free to raise an issue for more assistance should you encounter a problem that you cannot

## 4. Confuguration via metadata.toml

The metadata.toml file is the main configuration file for your CV. By changing the key-value pairs in the config file, you can setup the names, contact information, and other details that will be displayed in your CV.

Here is an example of a metadata.toml file:

```
# INFO: value must matches folder suffix; i.e "zh" -> "./modules zh"
language = "en"
[layout]
# Optional values: skyblue, red, nephritis, concrete, darknight
awesome_color = "skyblue"
# Skips are for controlling the spacing between sections and entries
before section skip = "1pt"
before_entry_skip = "1pt"
before_entry_description_skip = "1pt"
[layout header]
# Optional values: left, center, right
header_align = "left"
 # Decide if you want to display profile photo or not
display profile photo = true
profile_photo_path = "template/src/avatar.png"
[layout.entry]
# Decide if you want to put your company in bold or your position in bold
display_entry_society_first = true
# Decide if you want to display organisation logo or not
display_logo = true
[inject]
# Decide if you want to inject AI prompt or not
inject ai prompt = false
# Decide if you want to inject keywords or not
inject keywords = true
injected_keywords_list = ["Data Analyst", "GCP", "Python", "SQL", "Tableau"]
[personal]
first name = "John"
last name = "Doe"
# The order of this section will affect how the entries are displayed
# The custom value is for any additional information you want to add
[personal.info]
github = "mintyfrankie"
phone = "+33 6 12 34 56 78"
email = "john.doe@me.org"
linkedin = "johndoe"
# gitlab = "mintyfrankie"
# homepage: "jd.me.org"
# orcid = "0000-0000-0000-0000"
```

```
# researchgate = "John-Doe"
# extraInfo = "I am a cool kid"
# custom-1 = (icon: "", text: "example", link: "https://example.com")
# add a new section if you want to include the language of your choice
# i.e. [[lang.ru]]
# each section must contains the following fields
[lang.en]
header_quote = "Experienced Data Analyst looking for a full time job starting from
now"
cv_footer = "Curriculum vitae"
letter_footer = "Cover letter"
[lang.fr]
header_quote = "Analyste de données expérimenté à la recherche d'un emploi à temps
plein disponible dès maintenant"
cv_footer = "Résumé"
letter_footer = "Lettre de motivation"
[lang.zh]
cv_footer = "[[]"
letter_footer = "[[[[]]"
# For languages that are not written in Latin script
# Currently supported non-latin language codes: ("zh", "ja", "ko", "ru")
[lang.non_latin]
name = "□□□"
font = "Heiti SC"
```

# 5. Functions

## cvEntry

Add an entry to the CV.

### **Parameters**

```
cvEntry(
  title: str,
  society: str,
  date: str,
  location: str,
  description: array,
  logo: image,
  tags: array,
  metadata: array,
  awesomeColors: array
) -> content
```

## title str

The title of the entry.

Default: "Title"

# society str

The society of the entr (company, university, etc.).

Default: "Society"

## date str

The date of the entry.

Default: "Date"

#### location str

The location of the entry.

Default: "Location"

# description array

The description of the entry. It can be a string or an array of strings.

Default: "Description"

```
logo image
```

The logo of the society. If empty, no logo will be displayed.

Default: ""

```
tags array
The tags of the entry.
Default: ()
```

```
metadata array
```

(optional) the metadata read from the TOML file.

Default: metadata

```
awesomeColors array
```

(optional) the awesome colors of the CV.

Default: awesomeColors

#### cvHonor

Add a Honor to the CV.

#### **Parameters**

```
cvHonor(
  date: str,
  title: str,
  issuer: str,
  url: str,
  location: str,
  awesomeColors: array,
  metadata: array
) -> content
```

# date str

The date of the honor.

Default: "1990"

```
title str
```

The title of the honor.

Default: "Title"

### issuer str

The issuer of the honor.

Default: ""

#### **url** str

The URL of the honor.

Default: ""

#### location str

The location of the honor.

Default: ""

# awesomeColors array

(optional) The awesome colors of the CV.

Default: awesomeColors

# metadata array

(optional) The metadata read from the TOML file.

Default: metadata

#### **cvPublication**

Add the publications to the CV by reading a bib file.

#### **Parameters**

```
cvPublication(
  bib: bibliography,
  keyList: list,
  refStyle: str,
  refFull: bool
) -> content
```

# **bib** bibliography

The bibliography object with the path to the bib file.

Default: ""

# keyList list

The list of keys to include in the publication list.

Default: list()

# refStyle str

The reference style of the publication list.

Default: "apa"

# refFull bool

Whether to show the full reference or not.

Default: true

#### cvSection

Add the title of a section.

NOTE: If the language is non-Latin, the title highlight will not be sliced.

#### **Parameters**

```
cvSection(
  title: str,
  highlighted: bool,
  letters: int,
  metadata: array,
  awesomeColors: array
) -> content
```

#### title str

The title of the section.

# highlighted bool

Whether the first n letters will be highlighted in accent color.

Default: true

#### letters int

The number of first letters of the title to highlight.

Default: 3

# metadata array

(optional) the metadata read from the TOML file.

Default: metadata

# awesomeColors array

(optional) the awesome colors of the CV.

Default: awesomeColors

## cvSkill

Add a skill to the CV.

#### **Parameters**

```
cvSkill(
  type: str,
  info
) -> content
```

## type str

The type of the skill. It is displayed on the left side.

• info (str | content): The information about the skill. It is displayed on the right side. Items can be seperated by #hbar().

Default: "Type"