

FeedbackItem.jsx

```
import { FaTimes } from "react-icons/fa"; // npm i react-icons --save and import FaTimes icon
import PropTypes from "prop-types";
import Card from "../shared/Card";

function FeedbackItem({ item, handleDelete }) {
  return (
    <Card>
      <div className="num-display">{item.rating}</div>
      <button onClick={() => handleDelete(item.id)} className="close">
        {// when onclick event handleDelete finds item.id and we pass as prop.}
        <FaTimes color="purple" />
      </button>
      <div className="text-display">{item.text}</div>
    </Card>
  );
}

FeedbackItem.propTypes = {
  item: PropTypes.object.isRequired,
};

export default FeedbackItem;
```

FeedbackList.jsx

```
import PropTypes from "prop-types";
import FeedbackItem from "../FeedbackItem";

function FeedbackList({ feedback, handleDelete }) { // We catch handleDelete from FeedbackItem and we pass it again at as handleDelete for catch our App.js
  if (!feedback || feedback.length === 0) {
    return <p>No Feedback Yet!</p>;
  }
  return (
    <div className="feedback-list">
      {feedback.map((item) => (
        <FeedbackItem key={item.id} item={item} handleDelete={handleDelete} /> // We pass it at here
      ))}
    </div>
  );
}

FeedbackList.propTypes = {
  feedback: PropTypes.arrayOf(
    PropTypes.shape({
      id: PropTypes.number.isRequired,
      text: PropTypes.string.isRequired,
      rating: PropTypes.number.isRequired,
    })
  ),
};

export default FeedbackList;
```

```
import { useState } from "react";
import Header from "../components/Header";
import FeedbackList from "../components/FeedbackList";
import FeedbackData from "../data/FeedbackData";

function App() // We don't pass it as props.
  const [feedback, setFeedback] = useState(FeedbackData);

  const deleteFeedback = (id) => {
    if (window.confirm("Are you sure you want to delete?")) {
      setFeedback(feedback.filter((item) => item.id !== id));
    }
  }

  return (
    <>
      <Header />
      <div className="container">
        <FeedbackList feedback={feedback} handleDelete={deleteFeedback} />
        // we set handleDelete props from FeedbackList as deleteFeedback Function
      </div>
    </>
  );
}

export default App;
```