

# TITLE X

Supplemental materials for submittal to X

Paula Williams      J. Leah Jones-Crank      Bassel Daher      Alyssa Thomas  
Erin Cortus      Erich Seamon      Andrew Kliskey

2025-04-07

## Contents

<b>Supplemental Materials Summary</b>	<b>5</b>
<b>Variable Summary</b>	<b>6</b>
<b>Chi-Square Testing</b>	<b>7</b>
Chi Square Testing: solution proposed or not vs. stakeholder engagement . . . . .	7
Chi Square Testing: solution proposed or not vs. computational model used or not? . . . . .	8
<b>Summary Statistics Graphs</b>	<b>9</b>
Were solutions proposed in the set of all papers? . . . . .	9
Were solutions implemented in the set of all papers? . . . . .	10
What were the solution types? . . . . .	11
Was a computational model used? . . . . .	12
Were stakeholders engaged? . . . . .	13
All FEWS papers by year . . . . .	14
Level of stakeholder engagement by year - Ghodsvali scale . . . . .	15
Level of stakeholder engagement by year - IAP2 scale . . . . .	16
Level of stakeholder engagement by year - Local scale . . . . .	17
Stakeholder engagement by year . . . . .	18
Researcher types . . . . .	19
Stakeholder types . . . . .	20
Ghodsvali scale breakdown . . . . .	21
IAP2 scale breakdown . . . . .	22
Local scale breakdown . . . . .	23
Geographic location breakdown . . . . .	24

<b>Ghodsvali Scale Modeling - solution proposed</b>	<b>25</b>
Ghodsvali scale regression . . . . .	25
Ghodsvali scale odds . . . . .	26
Ghodsvali Ensembled Decision Tree with Feature Importance . . . . .	27
<b>IAP2 Scale Modeling - solution proposed</b>	<b>32</b>
IAP2 scale regression . . . . .	32
IAP2 scale odds . . . . .	33
IAP2 Ensembled Decision Tree with Feature Importance . . . . .	34
<b>Local Scale Modeling - solution proposed</b>	<b>39</b>
Local scale regression . . . . .	39
Local scale odds . . . . .	40
Local scale Ensembled Decision Tree with Feature Importance . . . . .	40
<b>Stakeholder Engagement Modeling - solution proposed</b>	<b>46</b>
QUESTION: Does engaging stakeholders increase the likelihood that a solution will be proposed/implemented? . . . . .	46
ODDS RATIOS: Does engaging stakeholders increase the likelihood that a solution will be proposed/implemented? . . . . .	47
<b>Computational Model used Modeling - solution proposed</b>	<b>48</b>
QUESTION: Does the use of a computational model increase the likelihood that a solution will be proposed? . . . . .	48
ODDS RATIOS: Does the use of a computational model increase the likelihood that a solution will be proposed? . . . . .	49
<b>Computational model AND Stakeholder Engagement - solution proposed</b>	<b>50</b>
QUESTION: Does the use of a computational model PLUS stakeholder engagement increase the likelihood that a solution is proposed/implemented? . . . . .	50
ODDS RATIOS: Does the use of a computational model PLUS stakeholder engagement increase the likelihood that a solution is proposed/implemented? . . . . .	51
<b>Ghodsvali Modeling - Computational Model</b>	<b>52</b>
QUESTION: As the level of Ghodsvali stakeholder engagement increases, does the likelihood of using a computational model increase? . . . . .	52
ODDS RATIOS: As the level of Ghodsvali stakeholder engagement increases, does the odds of using a computational model increase? . . . . .	53
DECISION TREE: Ghodsvali Ensembled Decision Tree vs whether a computational model was used	54

<b>IAP2 Modeling - Computational Model</b>	<b>59</b>
QUESTION: As the level of IAP2 stakeholder engagement increases, does the likelihood of using a computational model increase? . . . . .	59
ODDS RATIOS: As the level of Ghodsvali stakeholder engagement increases, does the odds of using a computational model increase? . . . . .	60
DECISION TREE: IAP2 Ensembled Decision Tree vs whether a computational model was used . .	61
<b>Local Modeling - Computational Model</b>	<b>66</b>
QUESTION: As the level of Local scale stakeholder engagement increases, does the likelihood of using a computational model increase? . . . . .	66
ODDS RATIOS: As the level of Ghodsvali stakeholder engagement increases, does the odds of using a computational model increase? . . . . .	67
DECISION TREE: Local scale Ensembled Decision Tree vs whether a computational model was used	68
Diversity of stakeholders vs solution . . . . .	73
QUESTION: Does the diversity of stakeholders increase the likelihood that a solution will be proposed? . . . . .	73
ODDS RATIOS: Does the diversity of stakeholders increase the likelihood that a solution will be proposed? . . . . .	74
QUESTION: If diversity of stakeholders does not increase proposing/implementing solutions, which stakeholders are more associated with proposing/implementing solutions? . . . . .	74
ODDS RATIOS: Diversity of stakeholders vs solution . . . . .	75
DECISION TREE: Ensembled Decision Tree - Diversity of stakeholders vs solution -> . . . . .	75
<b>Researcher Diversity Modeling - solution proposed</b>	<b>79</b>
QUESTION: Does the diversity of researchers increases the likelihood that a solution will be proposed? . . . . .	79
ODDS RATIOS: Does the diversity of researchers increases the likelihood that a solution will be proposed? . . . . .	80
<b>Stakeholder Engagement Modeling - Ghodsvali</b>	<b>81</b>
Regression Testing - Stakeholder type vs level of engagement (Ghodsvali) . . . . .	81
<b>Stakeholder Engagement Modeling - IAP2</b>	<b>86</b>
Regression Testing - Stakeholder type vs level of engagement (IAP2) . . . . .	86
<b>Stakeholder Engagement Modeling - Local</b>	<b>92</b>
Regression Testing - Stakeholder type vs level of engagement (local) . . . . .	92
Regression Testing - Stakeholder type vs solution . . . . .	98
<b>Geographic Location Modeling - solution proposed</b>	<b>99</b>
QUESTION: Does the geographic location of the study increase the likelihood of proposed/implemented solutions? . . . . .	99
ODDS RATIOS: Does the geographic location of the study increase the likelihood of proposed/implemented solutions? . . . . .	100
DECISION TREE: Geographic area Ensembled Decision Tree - Geographic area vs solution . . . . .	101

<b>Multivariate Stakeholder Engagement Modeling - geographic area</b>	<b>106</b>
Regression Testing - stakeholder type vs geographic area - interactions and effects . . . . .	106
<b>Multivariate Geographic Modeling - Ghodsvali</b>	<b>111</b>
Regression Testing - Geographic area vs engagment (Ghodsvali) - interactions and effects . . . . .	111
<b>Multivariate Geographic Modeling - IAP2</b>	<b>114</b>
Regression Testing - Geographic area vs engagment (IAP2) - interactions and effects . . . . .	114
<b>Multivariate Geographic Modeling - Local</b>	<b>118</b>
Regression Testing - Geographic area vs engagment (local) - interactions and effects . . . . .	118
<b>ADDITIONAL ANALYSIS - ALL VARIABLES</b>	<b>122</b>
Looking at Decision Tree for all variables - with Ghodsvali scale - with solution proposed as dependent variable . . . . .	122

## Supplemental Materials Summary

This analysis focuses on examining if how stakeholder engagement, and the level of engagement, impacts whether a solution for research outcomes is proposed and/or implemented. This meta-synthesis of 483 papers were evaluated and coded using several differing engagement scales. Additionally, each paper was coded by the geographic scale, and whether a computational model was used as part of the research.

# Variable Summary

Below is a list of the categorical variables generated from the literature reviews

Table 1: Table T1: Variable Descriptions

Variable Name	Description
Year	Year of citation
Solution Proposed	Was a solution proposed?
Solution Implemented	Was a solution implemented?
Solution Type	If a solution was proposed, what was the solution type? Groups include: Technology, Policy, Institutional, Social, Economic, Ecological, and Educational.
Computational Model Used	Was a computational model used?
Researcher Type	What was the research type? Groups include: NGO, English, Math, Computer Science, Physics, Engineering, Interdisciplinary, Social Science, Economics, Agriculture, and Other
Stakeholder Type	What was the stakeholder type? Groups include: Farmers, Combined Government, Combined Coalition, Combined Industry, Migrants, Youth, Public, Univerity, and Experts
Stakeholder Engagment Scale - Ghodsvali	If a stakeholder was engaged, categorization of the engagement using the Ghodsvali scale. Groups include: Nominal, Instrumental, Representation, and Transformative
Stakeholder Engagment Scale - IAP2	If a stakeholder was engaged, categorization of the engagement using the IAP2 scale. Groups include: Data Gathering, Inform, Consult, Involve, Collaborate, and Empower
Stakeholder Engagement Scale - Local	If a stakeholder was engaged, categorization of the engagement using a customized scale. Groups include: Researcher, Data Gathering, Inform, Perspectives, Planning, Identify, Envision, and Implement
Geographical Type	What the geography type? Groups include: Not Described, Local, Regional, National, Multinational, Global, and No Geography

# Chi-Square Testing

## Chi Square Testing: solution proposed or not vs. stakeholder engagement

Chi Square and Fishers Exact Test on contingency table with Solution/No Solution as the explanatory variable, and engaged stakeholder/did not engage stakeholder as the response variable.

### ChiSquare = 26: Fishers Exact Test Odds Ratio: 10: Not Independent

Both chi square and fishers exact test were significant, with a chi square approximation of ~26, which is well above the critical value (3.84 with one degree of freedom). Fishers Exact Test returned an odds ratio of ~10. The alternative hypothesis: true odds ratio is not equal to 1, therefore the null hypothesis is rejected - the groups are not independent.

The Fishers Exact Test defaults to associating the odds ratio (which can represent effect size) with the first cell. In this instance “The odds of having a solution is 10 times that for an engaged stakeholder”. You could flip the response and explanatory variables, but the odds ratio would stay the same.

For more info on this topic see: Kim HY. Statistical notes for clinical researchers: Chi-squared test and Fisher’s exact test. Restor Dent Endod. 2017 May;42(2):152-155. doi: 10.5395/rde.2017.42.2.152. Epub 2017 Mar 30. PMID: 28503482; PMCID: PMC5426219.

```
##           stakeholder
## solution M  NM
##    [1,] 13   5
##    [2,] 95 370

## Number of cases in table: 483
## Number of factors: 2
## Test for independence of all factors:
##  Chisq = 26.776, df = 1, p-value = 2.285e-07
##  Chi-squared approximation may be incorrect

##
## Fisher’s Exact Test for Count Data
##
## data:  solution_stakeholder
## p-value = 5.864e-06
## alternative hypothesis: true odds ratio is not equal to 1
## 95 percent confidence interval:
##   3.266331 36.933516
## sample estimates:
## odds ratio
##   10.06035

##
## Barnard’s Unconditional Test
##
##           Treatment I Treatment II
## Outcome I           13           5
## Outcome II          95          370
##
## Null hypothesis: Treatments have no effect on the outcomes
## Score statistic = -5.17455
## Nuisance parameter = 0.022 (One sided), 0.022 (Two sided)
## P-value = 2.48239e-06 (One sided), 2.48239e-06 (Two sided)
```

## Chi Square Testing: solution proposed or not vs. computational model used or not?

Chi Square and Fishers Exact Test on the contingency table with solution proposed (solution/no solution) as the explanatory variable, and whether a computational model used (model/no model) as the response variable.

**ChiSquare = .57: Fishers Exact Test Odds Ratio = .668: Independent**

Both chi square and fishers exact test (FET) were insignificant/borderline, with a chi square approximation of  $\sim .57$ , which is well below to the critical value (3.84 for one degree of freedom). FET returned an odds ratio of under 1, therefore the null is accepted - the groups are independent.

The FET defaults to associating the odds ratio (which can represent effect size) with the first cell. In this instance “The odds of having a solution is .67 times that for having a model”. You could flip the response and explanatory variables, but the odds ratio would stay the same.

```
##           model
## solution    M NM
##      [1,]   13  5
##      [2,]  370 95

## Number of cases in table: 483
## Number of factors: 2
## Test for independence of all factors:
##  Chisq = 0.5699, df = 1, p-value = 0.4503
##  Chi-squared approximation may be incorrect


##
## Fisher's Exact Test for Count Data
##
## data:  solution_model
## p-value = 0.5512
## alternative hypothesis: true odds ratio is not equal to 1
## 95 percent confidence interval:
##  0.2167592 2.4540598
## sample estimates:
## odds ratio
##  0.6681878

##
## Barnard's Unconditional Test
##
##           Treatment I Treatment II
## Outcome I           13           5
## Outcome II          370          95
##
## Null hypothesis: Treatments have no effect on the outcomes
## Score statistic = 0.754895
## Nuisance parameter = 0.99 (One sided), 0.01 (Two sided)
## P-value = 0.275902 (One sided), 0.510281 (Two sided)
```




## Summary Statistics Graphs


Were solutions proposed in the set of all papers?




Were solutions implemented in the set of all papers?




What were the solution types?




Was a computational model used?




Were stakeholders engaged?




All FEWS papers by year



Level of stakeholder engagement by year - Ghodsvali scale




Level of stakeholder engagement by year - IAP2 scale







Level of stakeholder engagement by year - Local scale




Stakeholder engagement by year




## Researcher types




Stakeholder types




Ghodsvali scale breakdown




## IAP2 scale breakdown



Local scale breakdown



Geographic location breakdown





# Ghodsvali Scale Modeling - solution proposed

## Ghodsvali scale regression

Ghodsvali scale regression testing on whether a solution was proposed or not

```
##
## Call:
## glm(formula = solution_proposed_YN ~ STE_G_nominal + STE_G_instrumental +
##      STE_G_representation + STE_G_transformative, family = binomial(link = "logit"),
##      data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.7344  -0.1423  -0.1423  -0.1423   3.0324
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -4.5875     0.5025  -9.129  < 2e-16 ***
## STE_G_nominal     1.2917     1.1356   1.137  0.25535
## STE_G_instrumental  2.1308     0.7839   2.718  0.00656 **
## STE_G_representation  3.6067     0.8431   4.278 1.89e-05 ***
## STE_G_transformative  5.8403     0.9463   6.172 6.74e-10 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.748  on 482  degrees of freedom
## Residual deviance:  96.785  on 478  degrees of freedom
## AIC: 106.79
##
## Number of Fisher Scoring iterations: 7
```

## Ghodsvali scale odds

Odds of Ghodsvali scale predicting whether a solution was proposed or not

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##               crude OR(95%CI)          adj. OR(95%CI)
## STE_G_nominal: 1 vs 0          0.95 (0.12,7.44)      3.64 (0.39,33.7)
##
## STE_G_instrumental: 1 vs 0    2.46 (0.68,8.9)        8.42 (1.81,39.14)
##
## STE_G_representation: 1 vs 0  11.42 (2.75,47.41)     36.84 (7.06,192.33)
##
## STE_G_transformative: 1 vs 0  147.32 (27.42,791.53)  343.87 (53.82,2197.12)
##
##               P(Wald's test) P(LR-test)
## STE_G_nominal: 1 vs 0          0.255          0.318
##
## STE_G_instrumental: 1 vs 0    0.007          0.015
##
## STE_G_representation: 1 vs 0  < 0.001          < 0.001
##
## STE_G_transformative: 1 vs 0  < 0.001          < 0.001
##
## Log-likelihood = -48.3926
## No. of observations = 483
## AIC value = 106.7851
```

## Ghodsvali Ensembled Decision Tree with Feature Importance

Ghodsvali ensembled decision tree with solution proposed being the dependent variable


```
##
## Call:
##  randomForest(formula = solution_proposed_YN ~ STE_G_nominal + STE_G_instrumental + STE_G_representative,
##               data = data, type = "classification",
##               number = 500,
##               variables.tried = 2,
##               oob = TRUE)
##
##               OOB estimate of  error rate: 2.12%
## Confusion matrix:
##      N Y class.error
## N 318 0  0.0000000
## Y   7 5  0.5833333

## Confusion Matrix and Statistics
##
##              Reference
## Prediction   N    Y
##      N 145    4
##      Y   2    2
##
##              Accuracy : 0.9608
##              95% CI : (0.9166, 0.9855)
##      No Information Rate : 0.9608
##      P-Value [Acc > NIR] : 0.6063
##
##              Kappa : 0.3806
##
##  Mcnemar's Test P-Value : 0.6831
##
##              Sensitivity : 0.9864
##              Specificity : 0.3333
##      Pos Pred Value : 0.9732
##      Neg Pred Value : 0.5000
##              Prevalence : 0.9608
##      Detection Rate : 0.9477
##      Detection Prevalence : 0.9739
##      Balanced Accuracy : 0.6599
##
##              'Positive' Class : N
##
```

### No. of Nodes for the Trees




## Top 10 – Variable Importance




##		N	Y	MeanDecreaseAccuracy	MeanDecreaseGini
##	STE_G_nominal	0.0000000	2.610176	2.8495061	0.01407228
##	STE_G_instrumental	-2.4603017	3.518427	2.0722870	0.22160713
##	STE_G_representation	-0.3495235	1.599972	0.8395988	1.16878564
##	STE_G_transformative	30.2772886	32.843860	30.9050689	8.68365750

### Balanced Model – No. of Nodes for the Trees



## Balanced Mode – Top 10 – Variable Importance



##		N	Y	MeanDecreaseAccuracy	MeanDecreaseGini
##	STE_G_nominal	-4.957544	-0.1790065	-2.688289	0.2926826
##	STE_G_instrumental	8.696975	13.8188555	12.467863	1.9981127
##	STE_G_representation	16.249477	19.0386826	19.232328	2.7188545
##	STE_G_transformative	28.787395	32.8793212	32.972638	6.1828841

# IAP2 Scale Modeling - solution proposed

## IAP2 scale regression

IAP2 scale regression testing on whether a solution was proposed or not

```
##
## Call:
## glm(formula = solution_proposed_YN ~ STE_IAP2_data_gathering +
##     STE_IAP2_inform + STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab +
##     STE_IAP2_empower, family = binomial(link = "logit"), data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.0579  -0.1423  -0.1423  -0.1423   3.0324
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -4.5875     0.5025  -9.129  < 2e-16 ***
## STE_IAP2_data_gathering    1.1535     1.1335   1.018  0.30883
## STE_IAP2_inform   -12.9786  3956.1804  -0.003  0.99738
## STE_IAP2_consult     2.2849     0.7869   2.904  0.00369 **
## STE_IAP2_involve     2.7958     1.1913   2.347  0.01894 *
## STE_IAP2_collab     4.2998     0.9143   4.703 2.56e-06 ***
## STE_IAP2_empower    22.1536  1615.1039   0.014  0.98906
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.748  on 482  degrees of freedom
## Residual deviance:  89.049  on 476  degrees of freedom
## AIC: 103.05
##
## Number of Fisher Scoring iterations: 16
```



## IAP2 scale odds

Odds of IAP2 scale predicting whether a solution was proposed or not


```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##               crude OR(95%CI)      adj. OR(95%CI)
## STE_IAP2_data_gathering: 1 vs 0  0.82 (0.11,6.39)    3.17 (0.34,29.23)
##
## STE_IAP2_inform: 1 vs 0          0 (0,Inf)          0 (0,Inf)
##
## STE_IAP2_consult: 1 vs 0         2.9 (0.8,10.57)     9.82 (2.1,45.93)
##
## STE_IAP2_involve: 1 vs 0         4.5 (0.51,39.48)    16.37 (1.59,169.13)
##
## STE_IAP2_collab: 1 vs 0         23.05 (4.73,112.22)   73.69 (12.28,442.2)
##
## STE_IAP2_empower: 1 vs 0        1648611478.8 (0,Inf)  4180027810.8 (0,Inf)
##
##               P(Wald's test) P(LR-test)
## STE_IAP2_data_gathering: 1 vs 0  0.309          0.365
##
## STE_IAP2_inform: 1 vs 0          0.997          0.887
##
## STE_IAP2_consult: 1 vs 0          0.004          0.01
##
## STE_IAP2_involve: 1 vs 0          0.019          0.066
##
## STE_IAP2_collab: 1 vs 0          < 0.001         < 0.001
##
## STE_IAP2_empower: 1 vs 0          0.989          < 0.001
##
## Log-likelihood = -44.5245
## No. of observations = 483
## AIC value = 103.0489
```

## IAP2 Ensembled Decision Tree with Feature Importance


IAP2 ensembled decision tree with solution proposed being the dependent variable

```
##
## Call:
##  randomForest(formula = solution_proposed_YN ~ STE_IAP2_data_gathering +      STE_IAP2_inform + STE_
##              Type of random forest: classification
##              Number of trees: 500
## No. of variables tried at each split: 2
##
##              OOB estimate of  error rate: 2.12%
## Confusion matrix:
##      N Y class.error
## N 317 1 0.003144654
## Y   6 6 0.500000000

## Confusion Matrix and Statistics
##
##              Reference
## Prediction    N    Y
##              N 144    4
##              Y   3    2
##
##              Accuracy : 0.9542
##              95% CI : (0.908, 0.9814)
##      No Information Rate : 0.9608
##      P-Value [Acc > NIR] : 0.7468
##
##              Kappa : 0.3401
##
##  McNemar's Test P-Value : 1.0000
##
##              Sensitivity : 0.9796
##              Specificity : 0.3333
##              Pos Pred Value : 0.9730
##              Neg Pred Value : 0.4000
##              Prevalence : 0.9608
##              Detection Rate : 0.9412
##      Detection Prevalence : 0.9673
##              Balanced Accuracy : 0.6565
##
##              'Positive' Class : N
##
```




## Top 10 – Variable Importance




```
##
##          N          Y MeanDecreaseAccuracy
## STE_IAP2_data_gathering -1.001002  2.968754      2.6915304
## STE_IAP2_inform         0.000000  0.000000      0.0000000
## STE_IAP2_consult       -2.246167  3.226454      1.9423953
## STE_IAP2_involve       -1.001002  1.402752      0.6673684
## STE_IAP2_collab        16.803483 16.348136     17.4131866
## STE_IAP2_empower       23.278986 23.945825     23.7934009
##
##          MeanDecreaseGini
## STE_IAP2_data_gathering  0.0247202925
## STE_IAP2_inform         0.0005284155
## STE_IAP2_consult        0.2165674661
## STE_IAP2_involve        0.0046166709
## STE_IAP2_collab        3.7148569288
## STE_IAP2_empower        6.4287401842
```

### Balanced Model – No. of Nodes for the Trees



## Balanced Mode – Top 10 – Variable Importance



```
##                               N      Y MeanDecreaseAccuracy
## STE_IAP2_data_gathering -4.805791  1.713496          -1.7277249
## STE_IAP2_inform         0.000000  0.000000           0.0000000
## STE_IAP2_consult        -2.973555  3.293621           0.3601168
## STE_IAP2_involve        -5.454418 -1.739820          -4.4428921
## STE_IAP2_collab         14.631236 16.367759          16.6772579
## STE_IAP2_empower        20.119536 23.000310          23.0092675
##                               MeanDecreaseGini
## STE_IAP2_data_gathering      0.3013502
## STE_IAP2_inform              0.0000000
## STE_IAP2_consult             0.6713571
## STE_IAP2_involve             0.3993555
## STE_IAP2_collab             2.1050361
## STE_IAP2_empower            4.3086310
```

# Local Scale Modeling - solution proposed

## Local scale regression

Local scale regression predicting whether a solution was proposed or not

```
##
## Call:
## glm(formula = solution_proposed_YN ~ SC_researcher + SC_datagathering +
##      SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##      SC_implement, family = binomial(link = "logit"), data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.6729  -0.1552  -0.1552  -0.1552   3.0876
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -4.4131     0.4571  -9.655 < 2e-16 ***
## SC_researcher   -0.3450     1.6328  -0.211   0.833
## SC_datagathering -15.1350    2607.3229  -0.006   0.995
## SC_inform        4.4131     1.0995   4.014 5.98e-05 ***
## SC_perspectives -15.1530    10754.0130  -0.001   0.999
## SC_plan         -15.1530     3242.4569  -0.005   0.996
## SC_identify      3.7199     0.6774   5.491 3.99e-08 ***
## SC_envision     23.9791    10754.0130   0.002   0.998
## SC_implement     5.8741     1.2436   4.723 2.32e-06 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.748  on 482  degrees of freedom
## Residual deviance:  87.808  on 474  degrees of freedom
## AIC: 105.81
##
## Number of Fisher Scoring iterations: 18
```

## Local scale odds

Odds of Local scale predicting whether a solution was proposed or not

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##          crude OR(95%CI)          adj. OR(95%CI)
## SC_researcher: 1 vs 0      0.85 (0.11,6.63)      0.71 (0.03,17.38)
##
## SC_datagathering: 1 vs 0    0 (0,Inf)              0 (0,Inf)
##
## SC_inform: 1 vs 0          28.94 (3.83,218.65)     82.52 (9.56,711.99)
##
## SC_perspectives: 1 vs 0    0 (0,Inf)              0 (0,Inf)
##
## SC_plan: 1 vs 0            0 (0,Inf)              0 (0,Inf)
##
## SC_identify: 1 vs 0        18.87 (6.06,58.74)      41.26 (10.94,155.66)
##
## SC_envision: 1 vs 0        157493116.45 (0,Inf)     25942087197.62 (0,Inf)
##
## SC_implement: 1 vs 0       132.57 (13.9,1263.96)    355.7 (31.08,4070.47)
##
##          P(Wald's test) P(LR-test)
## SC_researcher: 1 vs 0    0.833          0.828
##
## SC_datagathering: 1 vs 0  0.995          0.53
##
## SC_inform: 1 vs 0        < 0.001         < 0.001
##
## SC_perspectives: 1 vs 0  0.999          0.877
##
## SC_plan: 1 vs 0          0.996          0.609
##
## SC_identify: 1 vs 0      < 0.001         < 0.001
##
## SC_envision: 1 vs 0      0.998          0.003
##
## SC_implement: 1 vs 0     < 0.001         < 0.001
##
## Log-likelihood = -43.9038
## No. of observations = 483
## AIC value = 105.8077
```

## Local scale Ensembled Decision Tree with Feature Importance

Local scale ensembled decision tree with solution proposed being the dependent variable

```
##
## Call:
## randomForest(formula = solution_proposed_YN ~ SC_researcher + SC_datagathering + SC_inform + S
##           Type of random forest: classification
```




```


##                               Number of trees: 500
## No. of variables tried at each split: 2
##
##           OOB estimate of  error rate: 3.64%
## Confusion matrix:
##      N Y class.error
## N 318 0           0
## Y  12 0           1

## Confusion Matrix and Statistics
##
##           Reference
## Prediction  N    Y
##           N 147   4
##           Y   0   2
##
##           Accuracy : 0.9739
##           95% CI : (0.9344, 0.9928)
##           No Information Rate : 0.9608
##           P-Value [Acc > NIR] : 0.2797
##
##           Kappa : 0.49
##
##  Mcnemar's Test P-Value : 0.1336
##
##           Sensitivity : 1.0000
##           Specificity : 0.3333
##           Pos Pred Value : 0.9735
##           Neg Pred Value : 1.0000
##           Prevalence : 0.9608
##           Detection Rate : 0.9608
##           Detection Prevalence : 0.9869
##           Balanced Accuracy : 0.6667
##
##           'Positive' Class : N
##

```



## Top 10 – Variable Importance




##	N		Y	MeanDecreaseAccuracy	MeanDecreaseGini
## SC_researcher	2.809446	1.402752		3.03842698	0.142906691
## SC_datagathering	-1.735218	1.737270		-0.02161838	0.013885878
## SC_inform	-2.662617	-1.001002		-2.56728924	0.601859958
## SC_perspectives	0.000000	0.000000		0.00000000	0.000000000
## SC_plan	-1.647633	0.000000		-1.64405008	0.005209153
## SC_identify	4.961773	5.630388		5.55570358	2.468431058
## SC_envision	0.000000	0.000000		0.00000000	1.423916717
## SC_implement	12.065468	11.441803		12.57511031	2.333062142

### Balanced Model – No. of Nodes for the Trees



## Balanced Mode – Top 10 – Variable Importance



##		N	Y	MeanDecreaseAccuracy	MeanDecreaseGini
##	SC_researcher	-5.167449	-3.410037	-4.784933	0.2870373
##	SC_datagathering	0.000000	0.000000	0.000000	0.0000000
##	SC_inform	8.654443	10.182698	10.171643	0.9928456
##	SC_perspectives	0.000000	0.000000	0.000000	0.0000000
##	SC_plan	0.000000	0.000000	0.000000	0.0937960
##	SC_identify	13.946800	15.965453	15.643268	2.3644649
##	SC_envision	0.000000	0.000000	0.000000	0.5171342
##	SC_implement	14.666792	15.275532	15.583971	2.1632648

## Stakeholder Engagement Modeling - solution proposed

**QUESTION:** Does engaging stakeholders increase the likelihood that a solution will be proposed/implemented?

Here we use classical logistic regression using a binomial function to determine if engaging stakeholders (Y/N) increases the odds that a solution will be proposed.

```
##
## Call:
## glm(formula = solution_proposed_YN ~ S_stakeholder_engagment_YN,
##      family = binomial, data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5746  -0.1434  -0.1434  -0.1434   3.0274
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)      -4.5721     0.5026  -9.097 < 2e-16 ***
## S_stakeholder_engagment_YNY  2.8545     0.5804   4.918 8.73e-07 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 123.09  on 481  degrees of freedom
## AIC: 127.09
##
## Number of Fisher Scoring iterations: 7
```

## ODDS RATIOS: Does engaging stakeholders increase the likelihood that a solution will be proposed/implemented?

Odds of whether engaging stakeholders increases the likelihood that a solution will be proposed?

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##                                OR(95%CI)          P(Wald's test)
## S_stakeholder_engagment_YN: Y vs N 17.37 (5.57,54.16) < 0.001
##
##                                P(LR-test)
## S_stakeholder_engagment_YN: Y vs N < 0.001
##
## Log-likelihood = -61.5436
## No. of observations = 483
## AIC value = 127.0872
```

## Computational Model used Modeling - solution proposed

**QUESTION: Does the use of a computational model increase the likelihood that a solution will be proposed?**

Here we use classical logistic regression using a binomial function to determine if the use of a computational model (Y/N) increases the odds that a solution will be proposed.

```
##
## Call:
## glm(formula = solution_proposed_YN ~ S_model_YN, family = binomial,
##      data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -0.3203  -0.2628  -0.2628  -0.2628   2.6012
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)  -3.3486     0.2822  -11.87  <2e-16 ***
## S_model_YNN    0.4041     0.5387    0.75   0.453
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 153.22  on 481  degrees of freedom
## AIC: 157.22
##
## Number of Fisher Scoring iterations: 6
```



## ODDS RATIOS: Does the use of a computational model increase the likelihood that a solution will be proposed?

Odds of whether the use of a computational model increases the likelihood that a solution will be proposed.

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##               OR(95%CI)          P(Wald's test) P(LR-test)
## S_model_YN: N vs Y 1.5 (0.52,4.31)  0.453          0.466
##
## Log-likelihood = -76.6085
## No. of observations = 483
## AIC value = 157.2169
```

## Computational model AND Stakeholder Engagement - solution proposed

**QUESTION:** Does the use of a computational model PLUS stakeholder engagement increase the likelihood that a solution is proposed/implemented?

Regression testing for Ghodsvai scale used to predict if a computational model was used (Y/N)

```
##
## Call:
## glm(formula = solution_proposed_YN ~ S_model_YN * S_stakeholder_engagment_YN,
##      family = binomial, data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -0.6039  -0.1628  -0.1383  -0.1383   3.0509
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -4.6444     0.5801  -8.006 1.18e-15
## S_model_YNN         0.3269     1.1618   0.281  0.778
## S_stakeholder_engagment_YNY  2.8865     0.6736   4.285 1.83e-05
## S_model_YNN:S_stakeholder_engagment_YNY -0.1785     1.3293  -0.134  0.893
##
## (Intercept)                ***
## S_model_YNN
## S_stakeholder_engagment_YNY      ***
## S_model_YNN:S_stakeholder_engagment_YNY
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 122.96  on 479  degrees of freedom
## AIC: 130.96
##
## Number of Fisher Scoring iterations: 7
```

## ODDS RATIOS: Does the use of a computational model PLUS stakeholder engagement increase the likelihood that a solution is proposed/implemented?

Odds ratios of whether the use of a computational model PLUS stakeholder engagement increase the likelihood that a solution is proposed/implemented?

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##               crude OR(95%CI)      adj. OR(95%CI)
## S_model_YN: N vs Y              1.5 (0.52,4.31)    1.39 (0.14,13.52)
##
## S_stakeholder_engagment_YN: Y vs N      17.37 (5.57,54.16)  17.93 (4.79,67.14)
##
## S_model_YNN:S_stakeholder_engagment_YNY -              0.84 (0.06,11.32)
##
##               P(Wald's test) P(LR-test)
## S_model_YN: N vs Y              0.778              1
##
## S_stakeholder_engagment_YN: Y vs N      < 0.001              1
##
## S_model_YNN:S_stakeholder_engagment_YNY 0.893              0.894
##
## Log-likelihood = -61.4801
## No. of observations = 483
## AIC value = 130.9602
```

## Ghodsvali Modeling - Computational Model

**QUESTION:** As the level of Ghodsvali stakeholder engagement increases, does the likelihood of using a computational model increase?

Regression testing for Ghodsvali scale used to predict if a computational model was used (Y/N)

```
##
## Call:
## glm(formula = S_model_YN ~ STE_G_nominal + STE_G_instrumental +
##      STE_G_representation + STE_G_transformative, family = binomial,
##      data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.1010  -0.6567  -0.6567  -0.5863   1.9214
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -1.4245     0.1269  -11.223  <2e-16 ***
## STE_G_nominal     0.6773     0.4241   1.597   0.1103
## STE_G_instrumental -0.2495     0.4626  -0.539   0.5897
## STE_G_representation  1.2422     0.6187   2.008   0.0447 *
## STE_G_transformative  0.7314     0.7184   1.018   0.3087
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 492.67  on 482  degrees of freedom
## Residual deviance: 485.50  on 478  degrees of freedom
## AIC: 495.5
##
## Number of Fisher Scoring iterations: 4
```

# **ODDS RATIOS: As the level of Ghodsvali stakeholder engagement increases, does the odds of using a computational model increase?**

Odds ratio for Ghodsvali scale used to predict if a computational model was used (Y/N)

```
##
## Logistic regression predicting S_model_YN : N vs Y
##
##               crude OR(95%CI)      adj. OR(95%CI)
## STE_G_nominal: 1 vs 0      1.89 (0.83,4.33)    1.97 (0.86,4.52)
##
## STE_G_instrumental: 1 vs 0    0.7 (0.28,1.72)    0.78 (0.31,1.93)
##
## STE_G_representation: 1 vs 0  3.31 (0.99,11.07)   3.46 (1.03,11.64)
##
## STE_G_transformative: 1 vs 0  1.94 (0.48,7.91)    2.08 (0.51,8.49)
##
##               P(Wald's test) P(LR-test)
## STE_G_nominal: 1 vs 0      0.11          0.124
##
## STE_G_instrumental: 1 vs 0   0.59          0.581
##
## STE_G_representation: 1 vs 0 0.045          0.054
##
## STE_G_transformative: 1 vs 0 0.309          0.331
##
## Log-likelihood = -242.7512
## No. of observations = 483
## AIC value = 495.5025
```


## DECISION TREE: Ghodsvali Ensembled Decision Tree vs whether a computational model was used

Ensembled decision tree for Ghodsvali scale used to predict if a computational model was used (Y/N)


```
##
## Call:
## randomForest(formula = S_model_YN ~ STE_G_nominal + STE_G_instrumental + STE_G_representation ,
##               Type of random forest: classification
##               Number of trees: 500
## No. of variables tried at each split: 2
##
## OOB estimate of error rate: 22.73%
## Confusion matrix:
##      Y N class.error
## Y 255 3  0.01162791
## N  72 0  1.00000000

## Confusion Matrix and Statistics
##
##           Reference
## Prediction  N    Y
##           N    3    1
##           Y 144    5
##
##           Accuracy : 0.0523
##           95% CI : (0.0228, 0.1004)
## No Information Rate : 0.9608
## P-Value [Acc > NIR] : 1
##
##           Kappa : -0.0118
##
## McNemar's Test P-Value : <2e-16
##
##           Sensitivity : 0.02041
##           Specificity : 0.83333
##           Pos Pred Value : 0.75000
##           Neg Pred Value : 0.03356
##           Prevalence : 0.96078
##           Detection Rate : 0.01961
## Detection Prevalence : 0.02614
##           Balanced Accuracy : 0.42687
##
##           'Positive' Class : N
##
```

### No. of Nodes for the Trees




## Top 10 – Variable Importance




##		Y	N	MeanDecreaseAccuracy	MeanDecreaseGini
##	STE_G_nominal	-2.342688	-0.8916701	-1.725486	1.2581863
##	STE_G_instrumental	-3.337346	2.6543333	-1.414937	0.4755925
##	STE_G_representation	8.915036	10.7687925	10.050645	1.9493173
##	STE_G_transformative	-4.319413	-2.8281259	-3.815605	0.2747521



### Balanced Model – No. of Nodes for the Trees



## Balanced Mode – Top 10 – Variable Importance



```
##          Y      N MeanDecreaseAccuracy MeanDecreaseGini
## STE_G_nominal -5.3453965 -2.611082      -4.822230      0.5138633
## STE_G_instrumental -4.2897148 -2.486475      -3.718062      0.2292921
## STE_G_representation -0.4291241  3.763166       2.025896      1.0841650
## STE_G_transformative -4.7748839 -1.159885      -4.624345      0.4827570
```

## IAP2 Modeling - Computational Model

**QUESTION:** As the level of IAP2 stakeholder engagement increases, does the likelihood of using a computational model increase?

Regression testing for IAP2 scale used to predict if a computational model was used (Y/N)

```
##
## Call:
## glm(formula = S_model_YN ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##      STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##      family = binomial, data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.0579  -0.6567  -0.6567  -0.6567   1.8112
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -1.4245     0.1269  -11.223  <2e-16 ***
## STE_IAP2_data_gathering  0.4862     0.4132   1.177    0.239
## STE_IAP2_inform    -12.1416    535.4112  -0.023    0.982
## STE_IAP2_consult     0.1123     0.4443   0.253    0.800
## STE_IAP2_involve     0.5082     0.8462   0.601    0.548
## STE_IAP2_collab      1.1368     0.7742   1.468    0.142
## STE_IAP2_empower      0.7314     0.8753   0.836    0.403
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 492.67  on 482  degrees of freedom
## Residual deviance: 488.28  on 476  degrees of freedom
## AIC: 502.28
##
## Number of Fisher Scoring iterations: 12
```

# ODDS RATIOS: As the level of Ghodsvali stakeholder engagement increases, does the odds of using a computational model increase?

Odds ratio for IAP2 scale used to predict if a computational model was used (Y/N)


```
##
## Logistic regression predicting S_model_YN : N vs Y
##
##               crude OR(95%CI)      adj. OR(95%CI)
## STE_IAP2_data_gathering: 1 vs 0  1.55 (0.69,3.46)  1.63 (0.72,3.65)
##
## STE_IAP2_inform: 1 vs 0          0 (0,Inf)          0 (0,Inf)
##
## STE_IAP2_consult: 1 vs 0         1.03 (0.44,2.46)    1.12 (0.47,2.67)
##
## STE_IAP2_involve: 1 vs 0         1.54 (0.29,8.07)    1.66 (0.32,8.73)
##
## STE_IAP2_collab: 1 vs 0          2.93 (0.65,13.31)   3.12 (0.68,14.22)
##
## STE_IAP2_empower: 1 vs 0         1.93 (0.35,10.71)   2.08 (0.37,11.55)
##
##               P(Wald's test) P(LR-test)
## STE_IAP2_data_gathering: 1 vs 0  0.239          0.254
##
## STE_IAP2_inform: 1 vs 0          0.982          0.512
##
## STE_IAP2_consult: 1 vs 0          0.8            0.802
##
## STE_IAP2_involve: 1 vs 0          0.548          0.563
##
## STE_IAP2_collab: 1 vs 0          0.142          0.161
##
## STE_IAP2_empower: 1 vs 0          0.403          0.425
##
## Log-likelihood = -244.1393
## No. of observations = 483
## AIC value = 502.2787
```

## DECISION TREE: IAP2 Ensembled Decision Tree vs whether a computational model was used


Ensembled decision tree for IAP2 scale used to predict if a computational model was used (Y/N)

```
##
## Call:
## randomForest(formula = S_model_YN ~ STE_IAP2_data_gathering + STE_IAP2_inform + STE_IAP2_consultation,
##               Type of random forest: classification
##               Number of trees: 500
## No. of variables tried at each split: 2
##
## OOB estimate of error rate: 22.42%
## Confusion matrix:
##      Y N class.error
## Y 256 2 0.007751938
## N  72 0 1.000000000

## Confusion Matrix and Statistics
##
##           Reference
## Prediction  N    Y
##           N    0    0
##           Y 147    6
##
##           Accuracy : 0.0392
##           95% CI : (0.0145, 0.0834)
## No Information Rate : 0.9608
## P-Value [Acc > NIR] : 1
##
##           Kappa : 0
##
## Mcnemar's Test P-Value : <2e-16
##
##           Sensitivity : 0.00000
##           Specificity : 1.00000
##           Pos Pred Value :      NaN
##           Neg Pred Value : 0.03922
##           Prevalence : 0.96078
##           Detection Rate : 0.00000
## Detection Prevalence : 0.00000
##           Balanced Accuracy : 0.50000
##
##           'Positive' Class : N
##
```



## Top 10 – Variable Importance




```
##                               Y           N MeanDecreaseAccuracy
## STE_IAP2_data_gathering -3.5623207 -0.99486321      -2.6417575
## STE_IAP2_inform         0.0000000  0.00000000       0.0000000
## STE_IAP2_consult        -3.9245636  1.00100150      -3.5413453
## STE_IAP2_involve        -2.3582057  0.07332614      -1.2242753
## STE_IAP2_collab        -0.9251694  1.31339717       0.1863176
## STE_IAP2_empower       -4.9604399 -4.17567429      -4.6872370
##                               MeanDecreaseGini
## STE_IAP2_data_gathering    0.84920374
## STE_IAP2_inform            0.06267541
## STE_IAP2_consult           0.29683920
## STE_IAP2_involve           0.65402431
## STE_IAP2_collab            0.91887768
## STE_IAP2_empower           0.32764696
```

### Balanced Model – No. of Nodes for the Trees





## Balanced Mode – Top 10 – Variable Importance



```
##                               Y      N MeanDecreaseAccuracy
## STE_IAP2_data_gathering -2.428395  2.018065          -0.4543501
## STE_IAP2_inform         0.000000  0.000000           0.0000000
## STE_IAP2_consult       -2.651759  1.671316          -1.3477080
## STE_IAP2_involve       -5.931382 -4.692241          -5.7192841
## STE_IAP2_collab        3.627823  5.540887           5.0246431
## STE_IAP2_empower      -4.432875 -2.617909          -3.7427957
##                               MeanDecreaseGini
## STE_IAP2_data_gathering    0.3542815
## STE_IAP2_inform            0.0000000
## STE_IAP2_consult           0.3456048
## STE_IAP2_involve           0.5163276
## STE_IAP2_collab            1.1916679
## STE_IAP2_empower           0.3265557
```

## Local Modeling - Computational Model

**QUESTION:** As the level of Local scale stakeholder engagement increases, does the likelihood of using a computational model increase?

Regression testing for Local scale used to predict if a computational model was used (Y/N)

```
##
## Call:
## glm(formula = S_model_YN ~ SC_researcher + SC_datagathering +
##      SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##      SC_implement, family = binomial, data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.1010  -0.6552  -0.6552  -0.6552   1.8134
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -1.4295     0.1268  -11.276  <2e-16 ***
## SC_researcher     0.1496     0.4496   0.333   0.7393
## SC_datagathering  0.2417     0.5848   0.413   0.6793
## SC_inform         0.3309     1.1616   0.285   0.7758
## SC_perspectives  15.9956    882.7434   0.018   0.9855
## SC_plan          1.2472     0.6187   2.016   0.0438 *
## SC_identify       0.1767     0.5809   0.304   0.7609
## SC_envision      -13.1366    882.7434  -0.015   0.9881
## SC_implement      0.9938     0.9233   1.076   0.2818
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 492.67  on 482  degrees of freedom
## Residual deviance: 484.07  on 474  degrees of freedom
## AIC: 502.07
##
## Number of Fisher Scoring iterations: 13
```

# ODDS RATIOS: As the level of Ghodsvali stakeholder engagement increases, does the odds of using a computational model increase?

Odds ratio for Local scale used to predict if a computational model was used (Y/N)

```
##
## Logistic regression predicting S_model_YN : N vs Y
##
##          crude OR(95%CI)      adj. OR(95%CI)      P(Wald's test)
## SC_researcher: 1 vs 0      1.13 (0.47,2.69)      1.16 (0.48,2.8)      0.739
##
## SC_datagathering: 1 vs 0  1.19 (0.38,3.72)      1.27 (0.4,4.01)      0.679
##
## SC_inform: 1 vs 0          1.28 (0.13,12.43)     1.39 (0.14,13.57)    0.776
##
## SC_perspectives: 1 vs 0   3014611.83 (0,Inf)  8846904.7 (0,Inf)    0.986
##
## SC_plan: 1 vs 0           3.31 (0.99,11.07)      3.48 (1.04,11.7)    0.044
##
## SC_identify: 1 vs 0       1.1 (0.35,3.41)        1.19 (0.38,3.73)    0.761
##
## SC_envision: 1 vs 0       0 (0,Inf)              0 (0,Inf)            0.988
##
## SC_implement: 1 vs 0      2.59 (0.43,15.68)      2.7 (0.44,16.5)     0.282
##
##                               P(LR-test)
## SC_researcher: 1 vs 0      0.742
##
## SC_datagathering: 1 vs 0   0.685
##
## SC_inform: 1 vs 0          0.782
##
## SC_perspectives: 1 vs 0    0.07
##
## SC_plan: 1 vs 0            0.053
##
## SC_identify: 1 vs 0        0.764
##
## SC_envision: 1 vs 0        0.513
##
## SC_implement: 1 vs 0       0.305
##
## Log-likelihood = -242.0351
## No. of observations = 483
## AIC value = 502.0701
```


## DECISION TREE: Local scale Ensembled Decision Tree vs whether a computational model was used

Ensembled decision tree for Local scale used to predict if a computational model was used (Y/N)


```
##
## Call:
## randomForest(formula = S_model_YN ~ SC_researcher + SC_datagathering + SC_inform + SC_perspect,
##               Type of random forest: classification
##               Number of trees: 500
## No. of variables tried at each split: 2
##
## OOB estimate of error rate: 21.82%
## Confusion matrix:
##      Y N class.error
## Y 258 0           0
## N  72 0           1

## Confusion Matrix and Statistics
##
##           Reference
## Prediction  N    Y
##           N    0    0
##           Y 147    6
##
##           Accuracy : 0.0392
##           95% CI : (0.0145, 0.0834)
## No Information Rate : 0.9608
## P-Value [Acc > NIR] : 1
##
##           Kappa : 0
##
## Mcnemar's Test P-Value : <2e-16
##
##           Sensitivity : 0.00000
##           Specificity : 1.00000
##           Pos Pred Value :      NaN
##           Neg Pred Value : 0.03922
##           Prevalence : 0.96078
##           Detection Rate : 0.00000
## Detection Prevalence : 0.00000
##           Balanced Accuracy : 0.50000
##
##           'Positive' Class : N
##
```

### No. of Nodes for the Trees




## Top 10 – Variable Importance



##		Y	N	MeanDecreaseAccuracy	MeanDecreaseGini
##	SC_researcher	1.1457297	-2.5334842	-0.3360464	0.45478505
##	SC_datagathering	-0.2399128	-2.4901722	-1.4838790	0.38019094
##	SC_inform	-4.9014401	-3.8790427	-4.7122914	0.35144157
##	SC_perspectives	0.0000000	0.0000000	0.0000000	0.00000000
##	SC_plan	-2.8992270	-0.8176629	-1.9676076	0.79030860
##	SC_identify	-3.1750522	-2.6729985	-3.0114678	0.28437746
##	SC_envision	0.0000000	0.0000000	0.0000000	0.06092482
##	SC_implement	-4.0248826	-5.2654176	-4.8458713	0.41186550

### Balanced Model – No. of Nodes for the Trees



## Balanced Mode – Top 10 – Variable Importance



```
##                               Y           N MeanDecreaseAccuracy
## STE_IAP2_data_gathering -1.714271  1.4170505          -0.5356001
## STE_IAP2_inform         0.000000  0.0000000           0.0000000
## STE_IAP2_consult       -3.206898  1.3894250          -2.3882748
## STE_IAP2_involve        0.000000  0.0000000           0.0000000
## STE_IAP2_collab        4.719809  5.4278101           5.6614223
## STE_IAP2_empower       -2.901244 -0.6873217          -2.0647145
##                               MeanDecreaseGini
## STE_IAP2_data_gathering    0.10920976
## STE_IAP2_inform            0.00000000
## STE_IAP2_consult           0.24319122
## STE_IAP2_involve           0.05878455
## STE_IAP2_collab            1.28172077
## STE_IAP2_empower           0.46166708
```



## Diversity of stakeholders vs solution

**QUESTION:** Does the diversity of stakeholders increase the likelihood that a solution will be proposed?

Regression testing of whether Diversity of stakeholders predicts if a solution was proposed (Y/N). In order to represent diversity, we have used a simple ratio calculation which sums the number of stakeholders involved divided by the total number of possible stakeholder options. A ratio which is closer to 1 has a greater level of stakeholder diversity.

```
##
## Call:
## glm(formula = solution_proposed_YN ~ ST_ratio, family = binomial,
##      data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.5724  -0.1831  -0.1831  -0.1831   2.8625
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)  -4.0803     0.3593 -11.356  < 2e-16 ***
## ST_ratio       7.4600     1.2966   5.754 8.73e-09 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 122.93  on 481  degrees of freedom
## AIC: 126.93
##
## Number of Fisher Scoring iterations: 6
```

**ODDS RATIOS: Does the diversity of stakeholders increase the likelihood that a solution will be proposed?**

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##               OR(95%CI)                P(Wald's test) P(LR-test)
## ST_ratio (cont. var.) 1737.23 (136.84,22054.79) < 0.001      < 0.001
##
## Log-likelihood = -61.4644
## No. of observations = 483
## AIC value = 126.9288
```

**QUESTION: If diversity of stakeholders does not increase proposing/implementing solutions, which stakeholders are more associated with proposing/implementing solutions?**

Regression testing for diversity of stakeholders used to predict whether a solution was proposed

```
##
## Call:
## glm(formula = solution_proposed_YN ~ ST_farmers + ST_combined_gov +
##      ST_combined_coalition + ST_combined_industry + ST_public +
##      ST_university + ST_experts, family = binomial, data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.192  -0.133  -0.133  -0.133   3.077
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -4.7238     0.5061  -9.335 < 2e-16 ***
## ST_farmers       0.7624     0.7728   0.987  0.324
## ST_combined_gov  3.6496     0.7657   4.766 1.88e-06 ***
## ST_combined_coalition -0.3592     0.7670  -0.468  0.640
## ST_combined_industry -0.7594     0.7917  -0.959  0.337
## ST_public        0.7976     0.7840   1.017  0.309
## ST_university    0.3084     0.7376   0.418  0.676
## ST_experts       0.2885     0.8066   0.358  0.721
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 102.40  on 475  degrees of freedom
## AIC: 118.4
##
## Number of Fisher Scoring iterations: 7
```

## ODDS RATIOS: Diversity of stakeholders vs solution

Odds whether Diversity of stakeholders predicts if a solution was proposed (Y/N). In order to represent diversity, we have used a simple ratio calculation which sums the number of stakeholders involved divided by the total number of possible stakeholder options. A ratio which is closer to 1 has a greater level of stakeholder diversity.

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##               crude OR(95%CI)      adj. OR(95%CI)
## ST_farmers: 1 vs 0      6.24 (2.07,18.79)    2.14 (0.47,9.75)
##
## ST_combined_gov: 1 vs 0    40.49 (12.68,129.26) 38.46 (8.57,172.49)
##
## ST_combined_coalition: 1 vs 0 8.02 (2.37,27.1)    0.7 (0.16,3.14)
##
## ST_combined_industry: 1 vs 0 7.52 (2.63,21.47)    0.47 (0.1,2.21)
##
## ST_public: 1 vs 0        10.79 (3.09,37.66)    2.22 (0.48,10.32)
##
## ST_university: 1 vs 0     11.74 (3.98,34.64)    1.36 (0.32,5.78)
##
## ST_experts: 1 vs 0       6.95 (1.79,27)        1.33 (0.27,6.48)
##
##               P(Wald's test) P(LR-test)
## ST_farmers: 1 vs 0      0.324      0.325
##
## ST_combined_gov: 1 vs 0    < 0.001      < 0.001
##
## ST_combined_coalition: 1 vs 0 0.64      0.637
##
## ST_combined_industry: 1 vs 0 0.337      0.327
##
## ST_public: 1 vs 0        0.309      0.318
##
## ST_university: 1 vs 0     0.676      0.676
##
## ST_experts: 1 vs 0       0.721      0.723
##
## Log-likelihood = -51.2023
## No. of observations = 483
## AIC value = 118.4046
```

## DECISION TREE: Ensembled Decision Tree - Diversity of stakeholders vs solution ->

```
##
## Call:
## randomForest(formula = solution_proposed_YN ~ ST_farmers + ST_combined_gov + ST_combined_coalition,
##               Type of random forest: classification
##               Number of trees: 500
## No. of variables tried at each split: 2
```


```

##
##          OOB estimate of  error rate: 3.64%
## Confusion matrix:
##      N Y class.error
## N 318 0           0
## Y  12 0           1


## Confusion Matrix and Statistics
##
##              Reference
## Prediction    N    Y
##      N 147    6
##      Y   0    0
##
##              Accuracy : 0.9608
##              95% CI : (0.9166, 0.9855)
##      No Information Rate : 0.9608
##      P-Value [Acc > NIR] : 0.60632
##
##              Kappa : 0
##
##  McNemar's Test P-Value : 0.04123
##
##              Sensitivity : 1.0000
##              Specificity : 0.0000
##      Pos Pred Value : 0.9608
##      Neg Pred Value :    NaN
##      Prevalence : 0.9608
##      Detection Rate : 0.9608
##      Detection Prevalence : 1.0000
##      Balanced Accuracy : 0.5000
##
##      'Positive' Class : N
##

```

### No. of Nodes for the Trees



## Top 10 – Variable Importance



```
##
##          N          Y MeanDecreaseAccuracy
## ST_farmers -10.4392927  5.514376      -8.9045390
## ST_combined_gov -6.1995124 10.172699      -3.1563348
## ST_combined_coalition  5.7529826 -3.721427      4.6230309
## ST_combined_industry  4.4149777 -2.020209      4.4751679
## ST_migrants  0.0000000  0.000000      0.0000000
## ST_public  1.5142221 -2.009961      0.9829136
## ST_university  1.2429327  1.073466      1.8487331
## ST_experts  0.5650091  2.241121      1.5691734
##
##          MeanDecreaseGini
## ST_farmers  0.9389250
## ST_combined_gov  2.1966791
## ST_combined_coalition  1.2644098
## ST_combined_industry  0.8552944
## ST_migrants  0.0000000
## ST_public  0.5801391
## ST_university  1.5411054
## ST_experts  0.8958312
```

## Researcher Diversity Modeling - solution proposed

**QUESTION:** Does the diversity of researchers increases the likelihood that a solution will be proposed?

Regression of whether Diversity of researchers predicts if a solution was proposed (Y/N). In order to represent diversity, we have used a simple ratio calculation which sums the number of researcher types involved, divided by the total number of possible researcher options. A ratio which is closer to 1 has a greater level of researcher diversity.

```
##
## Call:
## glm(formula = solution_proposed_YN ~ R_ratio, family = binomial,
##      data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -0.2931  -0.2846  -0.2764  -0.2684   2.6296
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)  -3.1262     0.4876  -6.412 1.44e-10 ***
## R_ratio      -0.5981     2.0612  -0.290   0.772
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 153.66  on 481  degrees of freedom
## AIC: 157.66
##
## Number of Fisher Scoring iterations: 6
```

## ODDS RATIOS: Does the diversity of researchers increases the likelihood that a solution will be proposed?

Odds of whether Diversity of researchers predicts if a solution was proposed (Y/N). In order to represent diversity, we have used a simple ratio calculation which sums the number of researcher types involved, divided by the total number of possible researcher options. A ratio which is closer to 1 has a greater level of researcher diversity.

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##               OR(95%CI)          P(Wald's test) P(LR-test)
## R_ratio (cont. var.) 0.55 (0.01,31.25)  0.772          0.769
##
## Log-likelihood = -76.8308
## No. of observations = 483
## AIC value = 157.6617
```



# Stakeholder Engagement Modeling - Ghodsvali

## Regression Testing - Stakeholder type vs level of engagement (Ghodsvali)

```
## Response ST_farmers :
##
## Call:
## lm(formula = ST_farmers ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.4444  0.0000  0.0000  0.0000  0.6786
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   1.389e-16  1.025e-02   0.000      1
## STE_G_nominal  3.214e-01  3.995e-02   8.046 6.83e-15 ***
## STE_G_instrumental  3.947e-01  3.469e-02  11.378 < 2e-16 ***
## STE_G_representation  3.636e-01  6.245e-02   5.823 1.06e-08 ***
## STE_G_transformative  4.444e-01  6.887e-02   6.453 2.69e-10 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2043 on 478 degrees of freedom
## Multiple R-squared:  0.3322, Adjusted R-squared:  0.3266
## F-statistic: 59.45 on 4 and 478 DF,  p-value: < 2.2e-16
##
##
## Response ST_combined_gov :
##
## Call:
## lm(formula = ST_combined_gov ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.9091  0.0000  0.0000  0.0000  0.7500
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  -5.153e-16  8.805e-03   0.000      1
## STE_G_nominal  2.500e-01  3.430e-02   7.288 1.31e-12 ***
## STE_G_instrumental  6.579e-01  2.979e-02  22.084 < 2e-16 ***
## STE_G_representation  9.091e-01  5.362e-02  16.953 < 2e-16 ***
## STE_G_transformative  1.000e+00  5.914e-02  16.910 < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1754 on 478 degrees of freedom
## Multiple R-squared:  0.6775, Adjusted R-squared:  0.6748
## F-statistic: 251 on 4 and 478 DF,  p-value: < 2.2e-16
##
##
```

```

## Response ST_tribal :
##
## Call:
## lm(formula = ST_tribal ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.1071  0.0000  0.0000  0.0000  0.9737
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    8.335e-17  4.387e-03   0.000   1.0000
## STE_G_nominal    1.071e-01  1.709e-02   6.269 8.14e-10 ***
## STE_G_instrumental  2.632e-02  1.484e-02   1.773  0.0769 .
## STE_G_representation -1.956e-17  2.672e-02   0.000   1.0000
## STE_G_transformative -1.957e-17  2.947e-02   0.000   1.0000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.08741 on 478 degrees of freedom
## Multiple R-squared:  0.07931, Adjusted R-squared:  0.07161
## F-statistic: 10.29 on 4 and 478 DF, p-value: 5.285e-08
##
##
## Response ST_combined_coalition :
##
## Call:
## lm(formula = ST_combined_coalition ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5556  0.0000  0.0000  0.0000  0.9286
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   -3.997e-16  8.475e-03   0.000   1.000
## STE_G_nominal    7.143e-02  3.302e-02   2.163   0.031 *
## STE_G_instrumental  2.632e-01  2.867e-02   9.178 < 2e-16 ***
## STE_G_representation  2.727e-01  5.161e-02   5.284 1.92e-07 ***
## STE_G_transformative  5.556e-01  5.692e-02   9.760 < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1689 on 478 degrees of freedom
## Multiple R-squared:  0.2891, Adjusted R-squared:  0.2831
## F-statistic: 48.59 on 4 and 478 DF, p-value: < 2.2e-16
##
##
## Response ST_combined_industry :
##
## Call:
## lm(formula = ST_combined_industry ~ STE_G_nominal + STE_G_instrumental +

```

```

## STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.63636 -0.00252 -0.00252 -0.00252  0.99748
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.002519   0.009635   0.261  0.79387
## STE_G_nominal    0.104624   0.037537   2.787  0.00553 **
## STE_G_instrumental 0.550113   0.032599  16.875 < 2e-16 ***
## STE_G_representation 0.633845   0.058679  10.802 < 2e-16 ***
## STE_G_transformative 0.330814   0.064713   5.112 4.62e-07 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.192 on 478 degrees of freedom
## Multiple R-squared:  0.4574, Adjusted R-squared:  0.4528
## F-statistic: 100.7 on 4 and 478 DF, p-value: < 2.2e-16
##
##
## Response ST_migrants :
##
## Call:
## lm(formula = ST_migrants ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
##       0       0       0       0       0
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)          0          0      NaN      NaN
## STE_G_nominal          0          0      NaN      NaN
## STE_G_instrumental      0          0      NaN      NaN
## STE_G_representation      0          0      NaN      NaN
## STE_G_transformative      0          0      NaN      NaN
##
## Residual standard error: 0 on 478 degrees of freedom
## Multiple R-squared:   NaN, Adjusted R-squared:   NaN
## F-statistic:   NaN on 4 and 478 DF, p-value: NA
##
##
## Response ST_youth :
##
## Call:
## lm(formula = ST_youth ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.05263  0.00000  0.00000  0.00000  0.96429
##

```

```

## Coefficients:
##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)    -2.210e-17  3.881e-03   0.000   1.0000
## STE_G_nominal   3.571e-02  1.512e-02   2.362   0.0186 *
## STE_G_instrumental 5.263e-02  1.313e-02   4.008 7.11e-05 ***
## STE_G_representation -9.566e-22  2.364e-02   0.000   1.0000
## STE_G_transformative 3.849e-19  2.607e-02   0.000   1.0000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.07734 on 478 degrees of freedom
## Multiple R-squared:  0.04104, Adjusted R-squared:  0.03301
## F-statistic: 5.114 on 4 and 478 DF, p-value: 0.0004836
##
##
## Response ST_public :
##
## Call:
## lm(formula = ST_public ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.2857  0.0000  0.0000  0.0000  0.9091
##
## Coefficients:
##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)    1.743e-16  8.123e-03   0.000   1.0000
## STE_G_nominal   2.857e-01  3.165e-02   9.028 < 2e-16 ***
## STE_G_instrumental 1.316e-01  2.748e-02   4.788 2.25e-06 ***
## STE_G_representation 9.091e-02  4.947e-02   1.838  0.0667 .
## STE_G_transformative 2.222e-01  5.456e-02   4.073 5.43e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1618 on 478 degrees of freedom
## Multiple R-squared:  0.1906, Adjusted R-squared:  0.1839
## F-statistic: 28.14 on 4 and 478 DF, p-value: < 2.2e-16
##
##
## Response ST_university :
##
## Call:
## lm(formula = ST_university ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.4444  0.0000  0.0000  0.0000  0.8929
##
## Coefficients:
##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)   -4.395e-16  9.265e-03   0.000   1.00000
## STE_G_nominal  1.071e-01  3.609e-02   2.968  0.00314 **

```

```

## STE_G_instrumental    3.684e-01  3.135e-02  11.753  < 2e-16 ***
## STE_G_representation  3.636e-01  5.642e-02   6.445  2.83e-10 ***
## STE_G_transformative  4.444e-01  6.223e-02   7.142  3.44e-12 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1846 on 478 degrees of freedom
## Multiple R-squared:  0.3129, Adjusted R-squared:  0.3072
## F-statistic: 54.42 on 4 and 478 DF,  p-value: < 2.2e-16
##
##
## Response ST_experts :
##
## Call:
## lm(formula = ST_experts ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.2368  0.0000  0.0000  0.0000  0.8889
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   -2.513e-16  8.220e-03   0.000 1.000000
## STE_G_nominal    1.429e-01  3.202e-02   4.461 1.02e-05 ***
## STE_G_instrumental  2.368e-01  2.781e-02   8.516  < 2e-16 ***
## STE_G_representation  1.818e-01  5.006e-02   3.632 0.000312 ***
## STE_G_transformative  1.111e-01  5.521e-02   2.013 0.044724 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1638 on 478 degrees of freedom
## Multiple R-squared:  0.1712, Adjusted R-squared:  0.1642
## F-statistic: 24.68 on 4 and 478 DF,  p-value: < 2.2e-16

```

# Stakeholder Engagement Modeling - IAP2

## Regression Testing - Stakeholder type vs level of engagement (IAP2)

```
## Response ST_farmers :
##
## Call:
## lm(formula = ST_farmers ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5000  0.0000  0.0000  0.0000  0.8571
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    1.819e-16  1.008e-02   0.000 1.000000
## STE_IAP2_data_gathering 3.437e-01  3.689e-02   9.317 < 2e-16 ***
## STE_IAP2_inform      5.557e-17  2.010e-01   0.000 1.000000
## STE_IAP2_consult     4.545e-01  3.637e-02  12.497 < 2e-16 ***
## STE_IAP2_involve     1.429e-01  7.655e-02   1.866 0.062625 .
## STE_IAP2_collab      2.857e-01  7.655e-02   3.732 0.000213 ***
## STE_IAP2_empower     5.000e-01  8.258e-02   6.055 2.86e-09 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2008 on 476 degrees of freedom
## Multiple R-squared:  0.3579, Adjusted R-squared:  0.3498
## F-statistic: 44.22 on 6 and 476 DF, p-value: < 2.2e-16
##
##
## Response ST_combined_gov :
##
## Call:
## lm(formula = ST_combined_gov ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.8571  0.0000  0.0000  0.0000  0.7188
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    2.652e-16  8.808e-03   0.000      1
## STE_IAP2_data_gathering 2.812e-01  3.225e-02   8.721 < 2e-16 ***
## STE_IAP2_inform      1.000e+00  1.757e-01   5.691 2.21e-08 ***
## STE_IAP2_consult     6.667e-01  3.179e-02  20.969 < 2e-16 ***
## STE_IAP2_involve     8.571e-01  6.691e-02  12.810 < 2e-16 ***
## STE_IAP2_collab      1.000e+00  6.691e-02  14.945 < 2e-16 ***
## STE_IAP2_empower     1.000e+00  7.218e-02  13.854 < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
##
## Residual standard error: 0.1755 on 476 degrees of freedom
## Multiple R-squared:  0.6786, Adjusted R-squared:  0.6746
## F-statistic: 167.5 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_tribal :
##
## Call:
## lm(formula = ST_tribal ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.09375  0.00000  0.00000  0.00000  0.96970
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    5.809e-17  4.418e-03   0.000   1.000
## STE_IAP2_data_gathering  9.375e-02  1.618e-02   5.796 1.24e-08 ***
## STE_IAP2_inform    -9.986e-18  8.814e-02   0.000   1.000
## STE_IAP2_consult    3.030e-02  1.595e-02   1.900   0.058 .
## STE_IAP2_involve   -1.244e-17  3.356e-02   0.000   1.000
## STE_IAP2_collab    -2.114e-17  3.356e-02   0.000   1.000
## STE_IAP2_empower    1.784e-18  3.621e-02   0.000   1.000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.08803 on 476 degrees of freedom
## Multiple R-squared:  0.07019,  Adjusted R-squared:  0.05847
## F-statistic: 5.989 on 6 and 476 DF,  p-value: 4.745e-06
##
##
## Response ST_combined_coalition :
##
## Call:
## lm(formula = ST_combined_coalition ~ STE_IAP2_data_gathering +
##     STE_IAP2_inform + STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab +
##     STE_IAP2_empower, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5714  0.0000  0.0000  0.0000  0.9375
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    2.027e-16  8.352e-03   0.000   1.0000
## STE_IAP2_data_gathering  6.250e-02  3.058e-02   2.044   0.0415 *
## STE_IAP2_inform    1.250e-16  1.666e-01   0.000   1.0000
## STE_IAP2_consult    2.727e-01  3.015e-02   9.046 < 2e-16 ***
## STE_IAP2_involve    4.286e-01  6.345e-02   6.754 4.20e-11 ***
## STE_IAP2_collab    5.714e-01  6.345e-02   9.006 < 2e-16 ***
## STE_IAP2_empower    3.333e-01  6.845e-02   4.870 1.52e-06 ***
```

```
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1664 on 476 degrees of freedom
## Multiple R-squared:  0.3124, Adjusted R-squared:  0.3037
## F-statistic: 36.05 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_combined_industry :
##
## Call:
## lm(formula = ST_combined_industry ~ STE_IAP2_data_gathering +
##     STE_IAP2_inform + STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab +
##     STE_IAP2_empower, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.71429 -0.00252 -0.00252 -0.00252  0.99748
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.002519   0.009660   0.261  0.79439
## STE_IAP2_data_gathering  0.153731   0.035370   4.346 1.69e-05 ***
## STE_IAP2_inform      -0.002519   0.192716  -0.013  0.98958
## STE_IAP2_consult      0.573239   0.034870  16.439 < 2e-16 ***
## STE_IAP2_involve      0.711767   0.073387   9.699 < 2e-16 ***
## STE_IAP2_collab       0.283195   0.073387   3.859  0.00013 ***
## STE_IAP2_empower      0.497481   0.079169   6.284 7.47e-10 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1925 on 476 degrees of freedom
## Multiple R-squared:  0.4568, Adjusted R-squared:  0.45
## F-statistic: 66.72 on 6 and 476 DF,  p-value: < 2.2e-16
##
##
## Response ST_migrants :
##
## Call:
## lm(formula = ST_migrants ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
##       0       0       0       0       0
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)           0           0      NaN      NaN
## STE_IAP2_data_gathering  0           0      NaN      NaN
## STE_IAP2_inform         0           0      NaN      NaN
## STE_IAP2_consult        0           0      NaN      NaN
## STE_IAP2_involve        0           0      NaN      NaN
```



```

## STE_IAP2_collab          0          0      NaN      NaN
## STE_IAP2_empower        0          0      NaN      NaN
##
## Residual standard error: 0 on 476 degrees of freedom
## Multiple R-squared:      NaN, Adjusted R-squared:      NaN
## F-statistic:      NaN on 6 and 476 DF,  p-value: NA
##
##
## Response ST_youth :
##
## Call:
## lm(formula = ST_youth ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.06061  0.00000  0.00000  0.00000  0.96875
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   -7.893e-18  3.882e-03   0.000   1.0000
## STE_IAP2_data_gathering  3.125e-02  1.421e-02   2.199   0.0284 *
## STE_IAP2_inform        1.216e-17  7.744e-02   0.000   1.0000
## STE_IAP2_consult        6.061e-02  1.401e-02   4.325  1.86e-05 ***
## STE_IAP2_involve        1.487e-18  2.949e-02   0.000   1.0000
## STE_IAP2_collab       -3.033e-17  2.949e-02   0.000   1.0000
## STE_IAP2_empower        5.797e-18  3.181e-02   0.000   1.0000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.07734 on 476 degrees of freedom
## Multiple R-squared:  0.04489, Adjusted R-squared:  0.03285
## F-statistic: 3.729 on 6 and 476 DF,  p-value: 0.001235
##
##
## Response ST_public :
##
## Call:
## lm(formula = ST_public ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.3333  0.0000  0.0000  0.0000  0.8788
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   1.162e-16  8.026e-03   0.000   1.0000
## STE_IAP2_data_gathering  2.812e-01  2.939e-02  9.570 < 2e-16 ***
## STE_IAP2_inform        2.084e-17  1.601e-01   0.000   1.0000
## STE_IAP2_consult        1.212e-01  2.897e-02  4.184  3.42e-05 ***
## STE_IAP2_involve        1.429e-01  6.098e-02  2.343   0.0196 *

```

```

## STE_IAP2_collab          -2.322e-15  6.098e-02  0.000  1.0000
## STE_IAP2_empower         3.333e-01  6.578e-02  5.067  5.78e-07 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1599 on 476 degrees of freedom
## Multiple R-squared:  0.213, Adjusted R-squared:  0.2031
## F-statistic: 21.48 on 6 and 476 DF, p-value: < 2.2e-16
##
##
## Response ST_university :
##
## Call:
## lm(formula = ST_university ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.4286  0.0000  0.0000  0.0000  0.8750
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   -6.441e-17  9.242e-03   0.000  1.000000
## STE_IAP2_data_gathering  1.250e-01  3.384e-02   3.694  0.000246 ***
## STE_IAP2_inform        1.389e-16  1.844e-01   0.000  1.000000
## STE_IAP2_consult       3.939e-01  3.336e-02  11.808 < 2e-16 ***
## STE_IAP2_involve       4.286e-01  7.021e-02   6.104  2.15e-09 ***
## STE_IAP2_collab       4.286e-01  7.021e-02   6.104  2.15e-09 ***
## STE_IAP2_empower       3.333e-01  7.574e-02   4.401  1.33e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1841 on 476 degrees of freedom
## Multiple R-squared:  0.3191, Adjusted R-squared:  0.3105
## F-statistic: 37.18 on 6 and 476 DF, p-value: < 2.2e-16
##
##
## Response ST_experts :
##
## Call:
## lm(formula = ST_experts ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.2857  0.0000  0.0000  0.0000  0.8750
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   -3.031e-17  8.078e-03   0.000  1.0000
## STE_IAP2_data_gathering  1.250e-01  2.958e-02   4.226  2.85e-05 ***
## STE_IAP2_inform       -3.821e-17  1.612e-01   0.000  1.0000

```

```

## STE_IAP2_consult      2.727e-01  2.916e-02   9.353  < 2e-16 ***
## STE_IAP2_involve      1.429e-01  6.137e-02   2.328   0.0203 *
## STE_IAP2_collab       2.857e-01  6.137e-02   4.656  4.19e-06 ***
## STE_IAP2_empower      2.252e-17  6.620e-02   0.000   1.0000
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.161 on 476 degrees of freedom
## Multiple R-squared:  0.2029, Adjusted R-squared:  0.1928
## F-statistic: 20.19 on 6 and 476 DF,  p-value: < 2.2e-16

```

# Stakeholder Engagement Modeling - Local

## Regression Testing - Stakeholder type vs level of engagement (local)

```
## Response ST_farmers :
##
## Call:
## lm(formula = ST_farmers ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.71652 -0.00334 -0.00334 -0.00334  0.73536
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.003339   0.010003   0.334  0.738686
## SC_researcher    0.261297   0.037237   7.017 7.87e-12 ***
## SC_datagathering  0.451879   0.049398   9.148 < 2e-16 ***
## SC_inform      -0.003339   0.100361  -0.033 0.973474
## SC_perspectives  0.996661   0.199972   4.984 8.75e-07 ***
## SC_plan         0.269388   0.061044   4.413 1.26e-05 ***
## SC_identify     0.441106   0.048126   9.166 < 2e-16 ***
## SC_envision     0.996661   0.199972   4.984 8.75e-07 ***
## SC_implement    0.344402   0.089975   3.828 0.000147 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1997 on 474 degrees of freedom
## Multiple R-squared:  0.3672, Adjusted R-squared:  0.3565
## F-statistic: 34.38 on 8 and 474 DF, p-value: < 2.2e-16
##
##
## Response ST_combined_gov :
##
## Call:
## lm(formula = ST_combined_gov ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.83333 -0.00254 -0.00254 -0.00254  0.66920
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.002540   0.009348   0.272   0.786
## SC_researcher    0.376479   0.034799  10.819 < 2e-16 ***
## SC_datagathering  0.328255   0.046164   7.111 4.28e-12 ***
## SC_inform       0.997460   0.093790  10.635 < 2e-16 ***
## SC_perspectives  0.997460   0.186879   5.337 1.46e-07 ***
## SC_plan         0.633823   0.057047  11.111 < 2e-16 ***
## SC_identify     0.830793   0.044975  18.472 < 2e-16 ***
```

```

## SC_envision      0.997460   0.186879   5.337 1.46e-07 ***
## SC_implement     0.922164   0.084084  10.967 < 2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1866 on 474 degrees of freedom
## Multiple R-squared:  0.638, Adjusted R-squared:  0.6319
## F-statistic: 104.4 on 8 and 474 DF, p-value: < 2.2e-16
##
##
## Response ST_tribal :
##
## Call:
## lm(formula = ST_tribal ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.17478 -0.00056 -0.00056 -0.00056  0.93874
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.0005626   0.0043947    0.128  0.898194
## SC_researcher  0.0607016   0.0163595    3.710  0.000231 ***
## SC_datagathering 0.1135138   0.0217020    5.231  2.54e-07 ***
## SC_inform     -0.0005626   0.0440915   -0.013  0.989825
## SC_perspectives -0.0005626   0.0878538   -0.006  0.994894
## SC_plan       -0.0005626   0.0268183   -0.021  0.983273
## SC_identify    -0.0005626   0.0211432   -0.027  0.978784
## SC_envision    -0.0005626   0.0878538   -0.006  0.994894
## SC_implement   -0.0127029   0.0395288   -0.321  0.748081
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.08774 on 474 degrees of freedom
## Multiple R-squared:  0.08005, Adjusted R-squared:  0.06453
## F-statistic: 5.156 on 8 and 474 DF, p-value: 3.494e-06
##
##
## Response ST_combined_coalition :
##
## Call:
## lm(formula = ST_combined_coalition ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.38889 -0.00146 -0.00146 -0.00146  0.95208
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.001465   0.008570    0.171  0.86434

```

```

## SC_researcher      0.185377    0.031902    5.811 1.14e-08 ***
## SC_datagathering   0.046454    0.042321    1.098 0.27291
## SC_inform          0.248535    0.085982    2.891 0.00402 **
## SC_perspectives    0.998535    0.171322    5.828 1.04e-08 ***
## SC_plan            0.271262    0.052298    5.187 3.17e-07 ***
## SC_identify         0.387424    0.041231    9.396 < 2e-16 ***
## SC_envision        -0.001465    0.171322   -0.009 0.99318
## SC_implement        0.161460    0.077084    2.095 0.03674 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1711 on 474 degrees of freedom
## Multiple R-squared:  0.2761, Adjusted R-squared:  0.2639
## F-statistic: 22.6 on 8 and 474 DF, p-value: < 2.2e-16
##
##
## Response ST_combined_industry :
##
## Call:
## lm(formula = ST_combined_industry ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.72222 -0.00501 -0.00501 -0.00501  0.99499
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.005006   0.009833   0.509   0.611
## SC_researcher  0.202319   0.036604   5.527 5.38e-08 ***
## SC_datagathering 0.218387   0.048558   4.497 8.66e-06 ***
## SC_inform      0.494994   0.098653   5.018 7.42e-07 ***
## SC_perspectives -0.005006   0.196570  -0.025   0.980
## SC_plan        0.449539   0.060005   7.492 3.36e-13 ***
## SC_identify     0.717216   0.047307  15.161 < 2e-16 ***
## SC_envision     0.994994   0.196570   5.062 5.95e-07 ***
## SC_implement    0.354530   0.088444   4.009 7.10e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1963 on 474 degrees of freedom
## Multiple R-squared:  0.4372, Adjusted R-squared:  0.4277
## F-statistic: 46.03 on 8 and 474 DF, p-value: < 2.2e-16
##
##
## Response ST_migrants :
##
## Call:
## lm(formula = ST_migrants ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:

```

```

##      Min      1Q  Median      3Q      Max
##      0       0       0       0       0
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)          0          0     NaN    NaN
## SC_researcher          0          0     NaN    NaN
## SC_datagathering        0          0     NaN    NaN
## SC_inform              0          0     NaN    NaN
## SC_perspectives         0          0     NaN    NaN
## SC_plan                 0          0     NaN    NaN
## SC_identify             0          0     NaN    NaN
## SC_envision             0          0     NaN    NaN
## SC_implement           0          0     NaN    NaN
##
## Residual standard error: 0 on 474 degrees of freedom
## Multiple R-squared:  NaN, Adjusted R-squared:  NaN
## F-statistic:  NaN on 8 and 474 DF, p-value: NA
##
##
## Response ST_youth :
##
## Call:
## lm(formula = ST_youth ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.09091 -0.00014 -0.00014 -0.00014  0.96746
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)  0.0001421  0.0038639   0.037  0.970682
## SC_researcher  0.0323956  0.0143835   2.252  0.024762 *
## SC_datagathering -0.0020477  0.0190807  -0.107  0.914582
## SC_inform      -0.0001421  0.0387659  -0.004  0.997077
## SC_perspectives -0.0001421  0.0772425  -0.002  0.998533
## SC_plan        0.0907670  0.0235791   3.849  0.000135 ***
## SC_identify     0.0554135  0.0185894   2.981  0.003022 **
## SC_envision     -0.0001421  0.0772425  -0.002  0.998533
## SC_implement    -0.0066212  0.0347544  -0.191  0.848988
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.07715 on 474 degrees of freedom
## Multiple R-squared:  0.05379, Adjusted R-squared:  0.03782
## F-statistic: 3.368 on 8 and 474 DF, p-value: 0.0009066
##
##
## Response ST_public :
##
## Call:
## lm(formula = ST_public ~ SC_researcher + SC_datagathering + SC_inform +

```

```

##      SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement,
##      data = crcdata)
##
## Residuals:
##      Min        1Q      Median        3Q        Max
## -0.59294 -0.00236 -0.00236 -0.00236  0.90909
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.002362   0.008159   0.289  0.77236
## SC_researcher  0.241171   0.030372   7.941 1.47e-14 ***
## SC_datagathering 0.101099   0.040290   2.509  0.01243 *
## SC_inform      0.247638   0.081857   3.025  0.00262 **
## SC_perspectives -0.002362   0.163104  -0.014  0.98845
## SC_plan        0.088547   0.049789   1.778  0.07597 .
## SC_identify     0.108749   0.039253   2.770  0.00582 **
## SC_envision     -0.002362   0.163104  -0.014  0.98845
## SC_implement    0.349404   0.073387   4.761 2.56e-06 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1629 on 474 degrees of freedom
## Multiple R-squared:  0.1869, Adjusted R-squared:  0.1732
## F-statistic: 13.62 on 8 and 474 DF,  p-value: < 2.2e-16
##
##
## Response ST_university :
##
## Call:
## lm(formula = ST_university ~ SC_researcher + SC_datagathering +
##      SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##      SC_implement, data = crcdata)
##
## Residuals:
##      Min        1Q      Median        3Q        Max
## -0.51355 -0.00207 -0.00207 -0.00207  0.85599
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.002075   0.009208   0.225  0.82185
## SC_researcher  0.141939   0.034279   4.141 4.10e-05 ***
## SC_datagathering 0.166047   0.045473   3.652  0.00029 ***
## SC_inform      0.497925   0.092387   5.390 1.12e-07 ***
## SC_perspectives -0.002075   0.184084  -0.011  0.99101
## SC_plan        0.361562   0.056194   6.434 3.04e-10 ***
## SC_identify     0.442370   0.044302   9.985 < 2e-16 ***
## SC_envision     0.997925   0.184084   5.421 9.45e-08 ***
## SC_implement    0.369538   0.082827   4.462 1.02e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1839 on 474 degrees of freedom
## Multiple R-squared:  0.3241, Adjusted R-squared:  0.3127
## F-statistic: 28.41 on 8 and 474 DF,  p-value: < 2.2e-16

```



```
##
##
## Response ST_experts :
##
## Call:
## lm(formula = ST_experts ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.50000 -0.00099 -0.00099 -0.00099  0.89164
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.0009888  0.0077993   0.127  0.89917
## SC_researcher  0.1578885  0.0290334   5.438 8.64e-08 ***
## SC_datagathering 0.1073707  0.0385149   2.788  0.00552 **
## SC_inform      0.4990112  0.0782498   6.377 4.29e-10 ***
## SC_perspectives -0.0009888  0.1559155  -0.006  0.99494
## SC_plan        0.4535566  0.0475948   9.530 < 2e-16 ***
## SC_identify     0.1101223  0.0375231   2.935  0.00350 **
## SC_envision     -0.0009888  0.1559155  -0.006  0.99494
## SC_implement    -0.0325665  0.0701524  -0.464  0.64270
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1557 on 474 degrees of freedom
## Multiple R-squared:  0.257, Adjusted R-squared:  0.2445
## F-statistic: 20.5 on 8 and 474 DF, p-value: < 2.2e-16
```

## Regression Testing - Stakeholder type vs solution

```
##
## Call:
## glm(formula = solution_proposed_YN ~ ST_farmers + ST_combined_gov +
##      ST_tribal + ST_combined_coalition + ST_combined_industry +
##      ST_migrants + ST_youth + ST_public + ST_university + ST_experts,
##      family = binomial, data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.2308  -0.1333  -0.1333  -0.1333   3.0748
##
## Coefficients: (1 not defined because of singularities)
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -4.7183     0.5068  -9.310 < 2e-16 ***
## ST_farmers       0.7904     0.7745   1.020  0.308
## ST_combined_gov  3.5784     0.7733   4.627 3.7e-06 ***
## ST_tribal      -14.4256    1810.3784  -0.008  0.994
## ST_combined_coalition -0.2779     0.7639  -0.364  0.716
## ST_combined_industry -0.6386     0.7963  -0.802  0.423
## ST_migrants           NA          NA      NA      NA
## ST_youth        -15.6653    1939.1448  -0.008  0.994
## ST_public         0.7992     0.7884   1.014  0.311
## ST_university     0.2918     0.7387   0.395  0.693
## ST_experts        0.4654     0.8261   0.563  0.573
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 101.16  on 473  degrees of freedom
## AIC: 121.16
##
## Number of Fisher Scoring iterations: 16
```

## Geographic Location Modeling - solution proposed

QUESTION: Does the geographic location of the study increase the likelihood of proposed/implemented solutions?

```
##
## Call:
## glm(formula = solution_proposed_YN ~ G_notdescribed + G_local +
##       G_regional + G_national + G_multination + G_global, family = binomial,
##       data = crcdata)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5008  -0.3131  -0.2456  -0.2456   2.6930
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)    -3.5993     0.9175  -3.923 8.75e-05 ***
## G_notdescribed -15.4485    3226.2802  -0.005  0.996
## G_local         0.6080     0.9937   0.612  0.541
## G_regional      0.1129     1.0068   0.112  0.911
## G_national      0.9784     1.0100   0.969  0.333
## G_multination -14.9668    1232.6632  -0.012  0.990
## G_global       -14.9668    1966.6497  -0.008  0.994
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 153.75  on 482  degrees of freedom
## Residual deviance: 148.00  on 476  degrees of freedom
## AIC: 162
##
## Number of Fisher Scoring iterations: 17
```

# **ODDS RATIOS: Does the geographic location of the study increase the likelihood of proposed/implemented solutions?**

```
##
## Logistic regression predicting solution_proposed_YN : Y vs N
##
##           crude OR(95%CI)    adj. OR(95%CI)    P(Wald's test)
## G_notdescribed: 1 vs 0  0 (0,Inf)          0 (0,Inf)          0.996
##
## G_local: 1 vs 0          1.45 (0.53,3.96)    1.84 (0.26,12.88)    0.541
##
## G_regional: 1 vs 0       0.68 (0.25,1.84)    1.12 (0.16,8.05)    0.911
##
## G_national: 1 vs 0       2.21 (0.76,6.39)    2.66 (0.37,19.26)    0.333
##
## G_multination: 1 vs 0    0 (0,Inf)          0 (0,Inf)          0.99
##
## G_global: 1 vs 0         0 (0,Inf)          0 (0,Inf)          0.994
##
##           P(LR-test)
## G_notdescribed: 1 vs 0  0.554
##
## G_local: 1 vs 0          0.52
##
## G_regional: 1 vs 0       0.91
##
## G_national: 1 vs 0       0.3
##
## G_multination: 1 vs 0    0.277
##
## G_global: 1 vs 0         0.466
##
## Log-likelihood = -74.0016
## No. of observations = 483
## AIC value = 162.0032
```

## DECISON TREE: Geographic area Ensembled Decision Tree - Geographic area vs solution


```
##
## Call:
## randomForest(formula = solution_proposed_YN ~ G_notdescribed + G_local + G_regional + G_national,
##               data = data, type = "classification",
##               number = 500,
##               variables.tried = 2,
##               oob.error = 0.0364,
##               confusion.matrix =
##               N Y class.error
## N 318 0      0
## Y  12 0      1

## Confusion Matrix and Statistics
##
##               Reference
## Prediction    N    Y
##      N 147    6
##      Y   0    0
##
##               Accuracy : 0.9608
##               95% CI : (0.9166, 0.9855)
##               No Information Rate : 0.9608
##               P-Value [Acc > NIR] : 0.60632
##
##               Kappa : 0
##
## Mcnemar's Test P-Value : 0.04123
##
##               Sensitivity : 1.0000
##               Specificity : 0.0000
##               Pos Pred Value : 0.9608
##               Neg Pred Value : NaN
##               Prevalence : 0.9608
##               Detection Rate : 0.9608
##               Detection Prevalence : 1.0000
##               Balanced Accuracy : 0.5000
##
##               'Positive' Class : N
##
```

### No. of Nodes for the Trees




## Top 10 – Variable Importance




```
##          N Y MeanDecreaseAccuracy MeanDecreaseGini
## G_notdescribed 0 0              0      0.007652842
## G_local        0 0              0      0.065447728
## G_regional     0 0              0      0.062428508
## G_national     0 0              0      0.287483917
## G_multination  0 0              0      0.031157997
## G_global       0 0              0      0.011364672
```

### Balanced Model – No. of Nodes for the Trees





## Balanced Model – Top 10 – Variable Importance



##		N	Y	MeanDecreaseAccuracy	MeanDecreaseGini
##	G_notdescribed	0.000000	0.000000	0.000000	0.000000
##	G_local	1.254796	-5.645543	-2.9845769	0.3021136
##	G_regional	2.870286	-4.609497	-0.4339099	0.4947078
##	G_national	-2.420674	-2.591003	-3.6063496	0.3910752
##	G_multination	0.000000	0.000000	0.000000	0.000000
##	G_global	0.000000	0.000000	0.000000	0.000000

# Multivariate Stakeholder Engagement Modeling - geographic area

## Regression Testing - stakeholder type vs geographic area - interactions and effects

```
## Response ST_farmers :
##
## Call:
## lm(formula = ST_farmers ~ G_notdescribed + G_local + G_regional +
##     G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.13957 -0.07417 -0.07417 -0.03995  0.96429
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.004541   0.037574   0.121   0.9039
## G_notdescribed -0.055704   0.124998  -0.446   0.6561
## G_local        0.099621   0.043344   2.298   0.0220 *
## G_regional     0.069625   0.041384   1.682   0.0931 .
## G_national     0.035406   0.046920   0.755   0.4509
## G_multination  0.031173   0.060133   0.518   0.6044
## G_global      -0.004541   0.083801  -0.054   0.9568
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2484 on 476 degrees of freedom
## Multiple R-squared:  0.0168, Adjusted R-squared:  0.00441
## F-statistic: 1.356 on 6 and 476 DF, p-value: 0.2309
##
##
## Response ST_combined_gov :
##
## Call:
## lm(formula = ST_combined_gov ~ G_notdescribed + G_local + G_regional +
##     G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.18908 -0.12027 -0.11380 -0.07143  0.94671
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)   0.05329   0.04662   1.143   0.254
## G_notdescribed -0.10237   0.15510  -0.660   0.510
## G_local        0.06698   0.05378   1.245   0.214
## G_regional     0.06052   0.05135   1.179   0.239
## G_national     0.06881   0.05822   1.182   0.238
## G_multination  0.01814   0.07461   0.243   0.808
## G_global      -0.05329   0.10398  -0.512   0.609
##
## Residual standard error: 0.3083 on 476 degrees of freedom
## Multiple R-squared:  0.008435, Adjusted R-squared: -0.004063
## F-statistic: 0.6749 on 6 and 476 DF, p-value: 0.67
```

```

##
##
## Response ST_tribal :
##
## Call:
## lm(formula = ST_tribal ~ G_notdescribed + G_local + G_regional +
##     G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.02407 -0.01991 -0.00496 -0.00071  0.99504
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.0007098  0.0137302   0.052   0.959
## G_notdescribed -0.0073807  0.0456767  -0.162   0.872
## G_local         0.0233566  0.0158386   1.475   0.141
## G_regional      0.0042527  0.0151224   0.281   0.779
## G_national     -0.0009257  0.0171455  -0.054   0.957
## G_multination  -0.0007098  0.0219738  -0.032   0.974
## G_global       -0.0007098  0.0306223  -0.023   0.982
##
## Residual standard error: 0.09078 on 476 degrees of freedom
## Multiple R-squared:  0.0111, Adjusted R-squared:  -0.001364
## F-statistic: 0.8906 on 6 and 476 DF,  p-value: 0.5015
##
##
## Response ST_combined_coalition :
##
## Call:
## lm(formula = ST_combined_coalition ~ G_notdescribed + G_local +
##     G_regional + G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.09636 -0.04945 -0.04945 -0.03179  0.96821
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.003125  0.030220   0.103   0.9177
## G_notdescribed -0.038014  0.100535  -0.378   0.7055
## G_local         0.028663  0.034861   0.822   0.4114
## G_regional      0.046323  0.033285   1.392   0.1647
## G_national      0.064569  0.037738   1.711   0.0877 .
## G_multination   0.032589  0.048365   0.674   0.5007
## G_global       -0.003125  0.067400  -0.046   0.9630
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1998 on 476 degrees of freedom
## Multiple R-squared:  0.008745, Adjusted R-squared:  -0.00375
## F-statistic: 0.6999 on 6 and 476 DF,  p-value: 0.6498
##
##

```

```

## Response ST_combined_industry :
##
## Call:
## lm(formula = ST_combined_industry ~ G_notdescribed + G_local +
##     G_regional + G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.27272 -0.08285 -0.08285 -0.07800  0.97754
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.02246    0.03920   0.573   0.567
## G_notdescribed  0.18133    0.13039   1.391   0.165
## G_local         0.05554    0.04521   1.228   0.220
## G_regional      0.06039    0.04317   1.399   0.162
## G_national      0.06894    0.04895   1.408   0.160
## G_multination  -0.02246    0.06273  -0.358   0.721
## G_global       -0.02246    0.08742  -0.257   0.797
##
## Residual standard error: 0.2592 on 476 degrees of freedom
## Multiple R-squared:  0.01527,    Adjusted R-squared:  0.002858
## F-statistic:  1.23 on 6 and 476 DF,  p-value: 0.2892
##
##
## Response ST_migrants :
##
## Call:
## lm(formula = ST_migrants ~ G_notdescribed + G_local + G_regional +
##     G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
##       0       0       0       0       0
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)           0           0      NaN     NaN
## G_notdescribed         0           0      NaN     NaN
## G_local                 0           0      NaN     NaN
## G_regional              0           0      NaN     NaN
## G_national              0           0      NaN     NaN
## G_multination           0           0      NaN     NaN
## G_global                0           0      NaN     NaN
##
## Residual standard error: 0 on 476 degrees of freedom
## Multiple R-squared:    NaN,    Adjusted R-squared:    NaN
## F-statistic:    NaN on 6 and 476 DF,  p-value: NA
##
##
## Response ST_youth :
##
## Call:
## lm(formula = ST_youth ~ G_notdescribed + G_local + G_regional +

```

```

##      G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min        1Q      Median        3Q        Max
## -0.01605 -0.01574 -0.00495 -0.00048  0.99505
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.0004829  0.0119327   0.040   0.968
## G_notdescribed -0.0053362  0.0396970  -0.134   0.893
## G_local         0.0155648  0.0137651   1.131   0.259
## G_regional      0.0044695  0.0131427   0.340   0.734
## G_national      -0.0006211  0.0149009  -0.042   0.967
## G_multination  -0.0004829  0.0190971  -0.025   0.980
## G_global        -0.0004829  0.0266133  -0.018   0.986
##
## Residual standard error: 0.0789 on 476 degrees of freedom
## Multiple R-squared:  0.006176,    Adjusted R-squared:  -0.006351
## F-statistic: 0.493 on 6 and 476 DF,  p-value: 0.8137
##
##
## Response ST_public :
##
## Call:
## lm(formula = ST_public ~ G_notdescribed + G_local + G_regional +
##      G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min        1Q      Median        3Q        Max
## -0.06458 -0.04810 -0.02482 -0.01380  0.98620
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.04810    0.02707   1.777  0.0763 .
## G_notdescribed -0.03782    0.09006  -0.420  0.6747
## G_local         0.01648    0.03123   0.528  0.5979
## G_regional      -0.02328    0.02982  -0.781  0.4353
## G_national      -0.03429    0.03380  -1.014  0.3109
## G_multination  -0.04810    0.04332  -1.110  0.2675
## G_global        -0.04810    0.06038  -0.797  0.4261
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.179 on 476 degrees of freedom
## Multiple R-squared:  0.01426,    Adjusted R-squared:  0.001839
## F-statistic: 1.148 on 6 and 476 DF,  p-value: 0.3333
##
##
## Response ST_university :
##
## Call:
## lm(formula = ST_university ~ G_notdescribed + G_local + G_regional +
##      G_national + G_multination + G_global, data = crcdata)
##

```

```

## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.10030 -0.05938 -0.05938 -0.03188  0.97317
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.026829   0.033556   0.800   0.424
## G_notdescribed -0.053333   0.111632  -0.478   0.633
## G_local         0.005051   0.038709   0.130   0.896
## G_regional      0.032547   0.036958   0.881   0.379
## G_national      0.068418   0.041903   1.633   0.103
## G_multination   0.008886   0.053703   0.165   0.869
## G_global       -0.026829   0.074839  -0.358   0.720
##
## Residual standard error: 0.2219 on 476 degrees of freedom
## Multiple R-squared:  0.01161,    Adjusted R-squared:  -0.0008453
## F-statistic: 0.9322 on 6 and 476 DF,  p-value: 0.4714
##
##
## Response ST_experts :
##
## Call:
## lm(formula = ST_experts ~ G_notdescribed + G_local + G_regional +
##      G_national + G_multination + G_global, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.05472 -0.04939 -0.04072 -0.01591  0.98409
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.00190   0.02713   0.070   0.944
## G_notdescribed -0.02698   0.09026  -0.299   0.765
## G_local         0.01401   0.03130   0.448   0.655
## G_regional      0.04749   0.02988   1.589   0.113
## G_national      0.03882   0.03388   1.146   0.252
## G_multination   0.03381   0.04342   0.779   0.436
## G_global       -0.00190   0.06051  -0.031   0.975
##
## Residual standard error: 0.1794 on 476 degrees of freedom
## Multiple R-squared:  0.009928,    Adjusted R-squared:  -0.002552
## F-statistic: 0.7955 on 6 and 476 DF,  p-value: 0.5737

```

# Multivariate Geographic Modeling - Ghodsvali

## Regression Testing - Geographic area vs engagment (Ghodsvali) - interactions and effects

```
## Response G_notdescribed :
##
## Call:
## lm(formula = G_notdescribed ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.01008 -0.01008 -0.01008 -0.01008  0.98992
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.010076   0.004568   2.206   0.0279 *
## STE_G_nominal  -0.010076   0.017797  -0.566   0.5716
## STE_G_instrumental -0.010076   0.015455  -0.652   0.5148
## STE_G_representation -0.010076   0.027820  -0.362   0.7174
## STE_G_transformative -0.010076   0.030681  -0.328   0.7428
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.09102 on 478 degrees of freedom
## Multiple R-squared:  0.001809, Adjusted R-squared:  -0.006544
## F-statistic: 0.2166 on 4 and 478 DF, p-value: 0.9292
##
##
## Response G_local :
##
## Call:
## lm(formula = G_local ~ STE_G_nominal + STE_G_instrumental + STE_G_representation +
##     STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5556 -0.2343 -0.2343  0.4444  0.8182
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.23426   0.02176  10.763 < 2e-16 ***
## STE_G_nominal    0.26574   0.08479   3.134  0.00183 **
## STE_G_instrumental  0.05522   0.07364   0.750  0.45371
## STE_G_representation -0.05244   0.13255  -0.396  0.69256
## STE_G_transformative  0.32130   0.14618   2.198  0.02843 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4336 on 478 degrees of freedom
## Multiple R-squared:  0.02981, Adjusted R-squared:  0.02169
## F-statistic: 3.671 on 4 and 478 DF, p-value: 0.005873
```

```

##
##
## Response G_regional :
##
## Call:
## lm(formula = G_regional ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5454 -0.4156 -0.4156  0.5844  0.8889
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.41562    0.02477   16.782  <2e-16 ***
## STE_G_nominal      0.01295    0.09649    0.134  0.8933
## STE_G_instrumental  0.08438    0.08379    1.007  0.3144
## STE_G_representation 0.12984    0.15083    0.861  0.3898
## STE_G_transformative -0.30451    0.16634   -1.831  0.0678 .
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4935 on 478 degrees of freedom
## Multiple R-squared:  0.01092,    Adjusted R-squared:  0.00264
## F-statistic: 1.319 on 4 and 478 DF,  p-value: 0.2619
##
##
## Response G_national :
##
## Call:
## lm(formula = G_national ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.2727 -0.1587 -0.1587 -0.1579  0.8421
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.1586902    0.0180451   8.794  <2e-16 ***
## STE_G_nominal     -0.1586902    0.0703031  -2.257  0.0244 *
## STE_G_instrumental -0.0007954    0.0610536  -0.013  0.9896
## STE_G_representation 0.1140371    0.1098987   1.038  0.3000
## STE_G_transformative 0.0635320    0.1211994   0.524  0.6004
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3595 on 478 degrees of freedom
## Multiple R-squared:  0.01388,    Adjusted R-squared:  0.005632
## F-statistic: 1.682 on 4 and 478 DF,  p-value: 0.1528
##
##
## Response G_multination :
##

```



```

## Call:
## lm(formula = G_multination ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.11111 -0.06297 -0.06297 -0.06297  0.97368
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.06297    0.01176   5.354 1.34e-07 ***
## STE_G_nominal    -0.02726    0.04582  -0.595   0.552
## STE_G_instrumental -0.03666    0.03980  -0.921   0.357
## STE_G_representation -0.06297    0.07163  -0.879   0.380
## STE_G_transformative  0.04814    0.07900   0.609   0.543
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2344 on 478 degrees of freedom
## Multiple R-squared:  0.004711, Adjusted R-squared:  -0.003618
## F-statistic: 0.5656 on 4 and 478 DF, p-value: 0.6877
##
##
## Response G_global :
##
## Call:
## lm(formula = G_global ~ STE_G_nominal + STE_G_instrumental +
##     STE_G_representation + STE_G_transformative, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.02771 -0.02771 -0.02771 -0.02771  0.97229
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.027708    0.007507   3.691 0.000249 ***
## STE_G_nominal    -0.027708    0.029248  -0.947 0.343949
## STE_G_instrumental -0.027708    0.025400  -1.091 0.275890
## STE_G_representation -0.027708    0.045721  -0.606 0.544793
## STE_G_transformative -0.027708    0.050423  -0.550 0.582913
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1496 on 478 degrees of freedom
## Multiple R-squared:  0.005048, Adjusted R-squared:  -0.003277
## F-statistic: 0.6064 on 4 and 478 DF, p-value: 0.6582

```

## Multivariate Geographic Modeling - IAP2

### Regression Testing - Geographic area vs engagment (IAP2) - interactions and effects

```
## Response G_notdescribed :
##
## Call:
## lm(formula = G_notdescribed ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.01008 -0.01008 -0.01008 -0.01008  0.98992
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.010076   0.004578   2.201   0.0282 *
## STE_IAP2_data_gathering -0.010076   0.016760  -0.601   0.5480
## STE_IAP2_inform      -0.010076   0.091322  -0.110   0.9122
## STE_IAP2_consult     -0.010076   0.016524  -0.610   0.5423
## STE_IAP2_involve     -0.010076   0.034776  -0.290   0.7721
## STE_IAP2_collab      -0.010076   0.034776  -0.290   0.7721
## STE_IAP2_empower     -0.010076   0.037515  -0.269   0.7884
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.09121 on 476 degrees of freedom
## Multiple R-squared:  0.001809, Adjusted R-squared:  -0.01077
## F-statistic: 0.1438 on 6 and 476 DF, p-value: 0.9902
##
##
## Response G_local :
##
## Call:
## lm(formula = G_local ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.8333 -0.2343 -0.2343  0.1667  0.7657
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.23426   0.02158  10.856 < 2e-16 ***
## STE_IAP2_data_gathering 0.23449   0.07901   2.968 0.003149 **
## STE_IAP2_inform      0.76574   0.43049   1.779 0.075913 .
## STE_IAP2_consult     0.03847   0.07789   0.494 0.621612
## STE_IAP2_involve     0.05146   0.16393   0.314 0.753737
## STE_IAP2_collab     -0.23426   0.16393  -1.429 0.153660
## STE_IAP2_empower     0.59908   0.17685   3.388 0.000764 ***
```

```

## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4299 on 476 degrees of freedom
## Multiple R-squared:  0.0503, Adjusted R-squared:  0.03832
## F-statistic: 4.201 on 6 and 476 DF,  p-value: 0.0003936
##
##
## Response G_regional :
##
## Call:
## lm(formula = G_regional ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.5714 -0.4156 -0.4156  0.5844  0.5938
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.415617   0.024749  16.793  <2e-16 ***
## STE_IAP2_data_gathering -0.009367   0.090619  -0.103   0.918
## STE_IAP2_inform      -0.415617   0.493751  -0.842   0.400
## STE_IAP2_consult       0.129837   0.089339   1.453   0.147
## STE_IAP2_involve       0.155811   0.188022   0.829   0.408
## STE_IAP2_collab        0.012954   0.188022   0.069   0.945
## STE_IAP2_empower      -0.415617   0.202835  -2.049   0.041 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4931 on 476 degrees of freedom
## Multiple R-squared:  0.01639,  Adjusted R-squared:  0.003992
## F-statistic: 1.322 on 6 and 476 DF,  p-value: 0.2456
##
##
## Response G_national :
##
## Call:
## lm(formula = G_national ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.4286 -0.1587 -0.1587 -0.1515  0.9688
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)      0.158690   0.018057   8.788  <2e-16 ***
## STE_IAP2_data_gathering -0.127440   0.066117  -1.928   0.0545 .
## STE_IAP2_inform      -0.158690   0.360245  -0.441   0.6598
## STE_IAP2_consult     -0.007175   0.065183  -0.110   0.9124
## STE_IAP2_involve     -0.015833   0.137182  -0.115   0.9082

```

```

## STE_IAP2_collab          0.269881  0.137182  1.967  0.0497 *
## STE_IAP2_empower        0.007976  0.147990  0.054  0.9570
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3598 on 476 degrees of freedom
## Multiple R-squared:  0.01666,    Adjusted R-squared:  0.004267
## F-statistic: 1.344 on 6 and 476 DF,  p-value: 0.2358
##
##
## Response G_multination :
##
## Call:
## lm(formula = G_multination ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.14286 -0.06297 -0.06297 -0.06297  0.93750
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.0629723   0.0117653   5.352 1.35e-07 ***
## STE_IAP2_data_gathering -0.0004723   0.0430780  -0.011   0.991
## STE_IAP2_inform      -0.0629723   0.2347165  -0.268   0.789
## STE_IAP2_consult     -0.0629723   0.0424697  -1.483   0.139
## STE_IAP2_involve     -0.0629723   0.0893807  -0.705   0.481
## STE_IAP2_collab       0.0798849   0.0893807   0.894   0.372
## STE_IAP2_empower     -0.0629723   0.0964227  -0.653   0.514
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2344 on 476 degrees of freedom
## Multiple R-squared:  0.008302,    Adjusted R-squared:  -0.004199
## F-statistic: 0.6641 on 6 and 476 DF,  p-value: 0.6787
##
##
## Response G_global :
##
## Call:
## lm(formula = G_global ~ STE_IAP2_data_gathering + STE_IAP2_inform +
##     STE_IAP2_consult + STE_IAP2_involve + STE_IAP2_collab + STE_IAP2_empower,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.02771 -0.02771 -0.02771 -0.02771  0.97229
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.027708   0.007523   3.683 0.000257 ***
## STE_IAP2_data_gathering -0.027708   0.027545  -1.006 0.314977
## STE_IAP2_inform      -0.027708   0.150085  -0.185 0.853610

```

```

## STE_IAP2_consult      -0.027708    0.027156   -1.020  0.308103
## STE_IAP2_involve      -0.027708    0.057153   -0.485  0.628040
## STE_IAP2_collab       -0.027708    0.057153   -0.485  0.628040
## STE_IAP2_empower      -0.027708    0.061656   -0.449  0.653351
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1499 on 476 degrees of freedom
## Multiple R-squared:  0.005048,    Adjusted R-squared:  -0.007493
## F-statistic: 0.4025 on 6 and 476 DF,  p-value: 0.8774

```

## Multivariate Geographic Modeling - Local

### Regression Testing - Geographic area vs engagment (local) - interactions and effects

```
## Response G_notdescribed :
##
## Call:
## lm(formula = G_notdescribed ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.01003 -0.01003 -0.01003 -0.01003  0.98997
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.010034   0.004578   2.192   0.0289 *
## SC_researcher  -0.009466   0.017041  -0.555   0.5788
## SC_datagathering -0.009477   0.022607  -0.419   0.6752
## SC_inform       -0.010034   0.045929  -0.218   0.8272
## SC_perspectives -0.010034   0.091516  -0.110   0.9127
## SC_plan         -0.010034   0.027936  -0.359   0.7196
## SC_identify     -0.010034   0.022024  -0.456   0.6489
## SC_envision     -0.010034   0.091516  -0.110   0.9127
## SC_implement    -0.008141   0.041176  -0.198   0.8434
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.0914 on 474 degrees of freedom
## Multiple R-squared:  0.001767, Adjusted R-squared:  -0.01508
## F-statistic: 0.1049 on 8 and 474 DF, p-value: 0.9991
##
##
## Response G_local :
##
## Call:
## lm(formula = G_local ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement,
##     data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.7622 -0.2350 -0.2350  0.5093  0.7650
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.23503   0.02182  10.770 <2e-16 ***
## SC_researcher   0.20270   0.08124   2.495   0.0129 *
## SC_datagathering 0.10599   0.10776   0.984   0.3258
## SC_inform       -0.23503   0.21894  -1.073   0.2836
## SC_perspectives -0.23503   0.43625  -0.539   0.5903
```

```

## SC_plan          0.03770    0.13317    0.283    0.7772
## SC_identify      0.15386    0.10499    1.465    0.1435
## SC_envision      -0.23503    0.43625   -0.539    0.5903
## SC_implement     0.32443    0.19629    1.653    0.0990 .
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4357 on 474 degrees of freedom
## Multiple R-squared:  0.02877,    Adjusted R-squared:  0.01238
## F-statistic: 1.755 on 8 and 474 DF,  p-value: 0.08374
##
##
## Response G_regional :
##
## Call:
## lm(formula = G_regional ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.7500 -0.4150 -0.4150  0.5850  0.8489
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.41496    0.02472  16.790  <2e-16 ***
## SC_researcher  -0.06119    0.09201  -0.665   0.5063
## SC_datagathering 0.23569    0.12205   1.931   0.0541 .
## SC_inform       0.33504    0.24797   1.351   0.1773
## SC_perspectives 0.58504    0.49409   1.184   0.2370
## SC_plan        -0.05133    0.15083  -0.340   0.7338
## SC_identify     0.02948    0.11891   0.248   0.8043
## SC_envision     -0.41496    0.49409  -0.840   0.4014
## SC_implement    -0.20273    0.22231  -0.912   0.3623
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.4935 on 474 degrees of freedom
## Multiple R-squared:  0.01917,    Adjusted R-squared:  0.002619
## F-statistic: 1.158 on 8 and 474 DF,  p-value: 0.3229
##
##
## Response G_national :
##
## Call:
## lm(formula = G_national ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.2727 -0.1589 -0.1589 -0.1001  0.8999
##
## Coefficients:

```

```

##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.158936   0.017990   8.834  <2e-16 ***
## SC_researcher -0.058851   0.066971  -0.879   0.3800
## SC_datagathering -0.155474   0.088842  -1.750   0.0808 .
## SC_inform      -0.158936   0.180498  -0.881   0.3790
## SC_perspectives -0.158936   0.359648  -0.442   0.6587
## SC_plan        0.113791   0.109786   1.036   0.3005
## SC_identify     0.007731   0.086554   0.089   0.9289
## SC_envision     0.841064   0.359648   2.339   0.0198 *
## SC_implement    0.052834   0.161819   0.327   0.7442
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.3592 on 474 degrees of freedom
## Multiple R-squared:  0.02403,    Adjusted R-squared:  0.007556
## F-statistic: 1.459 on 8 and 474 DF,  p-value: 0.1699
##
##
## Response G_multination :
##
## Call:
## lm(formula = G_multination ~ SC_researcher + SC_datagathering +
##     SC_inform + SC_perspectives + SC_plan + SC_identify + SC_envision +
##     SC_implement, data = crcdata)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.09091 -0.06300 -0.06300 -0.06300  0.93700
##
## Coefficients:
##               Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.06300   0.01178   5.350 1.37e-07 ***
## SC_researcher    0.00563   0.04383   0.128   0.898
## SC_datagathering -0.06333   0.05815  -1.089   0.277
## SC_inform      -0.06300   0.11813  -0.533   0.594
## SC_perspectives -0.06300   0.23539  -0.268   0.789
## SC_plan        0.02791   0.07185   0.388   0.698
## SC_identify     -0.06300   0.05665  -1.112   0.267
## SC_envision     -0.06300   0.23539  -0.268   0.789
## SC_implement    -0.06412   0.10591  -0.605   0.545
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.2351 on 474 degrees of freedom
## Multiple R-squared:  0.00682,    Adjusted R-squared:  -0.009942
## F-statistic: 0.4069 on 8 and 474 DF,  p-value: 0.9167
##
##
## Response G_global :
##
## Call:
## lm(formula = G_global ~ SC_researcher + SC_datagathering + SC_inform +
##     SC_perspectives + SC_plan + SC_identify + SC_envision + SC_implement,
##     data = crcdata)

```



```

##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -0.02759 -0.02759 -0.02759 -0.02759  0.97241
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    0.027594   0.007524   3.667 0.000273 ***
## SC_researcher -0.026031   0.028008  -0.929 0.353155
## SC_datagathering -0.026062   0.037155  -0.701 0.483363
## SC_inform      -0.027594   0.075486  -0.366 0.714868
## SC_perspectives -0.027594   0.150409  -0.183 0.854518
## SC_plan        -0.027594   0.045914  -0.601 0.548137
## SC_identify    -0.027594   0.036198  -0.762 0.446262
## SC_envision    -0.027594   0.150409  -0.183 0.854518
## SC_implement   -0.022387   0.067675  -0.331 0.740935
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.1502 on 474 degrees of freedom
## Multiple R-squared:  0.004932,    Adjusted R-squared:  -0.01186
## F-statistic: 0.2936 on 8 and 474 DF,  p-value: 0.968


```

## ADDITIONAL ANALYSIS - ALL VARIABLES


Looking at Decision Tree for all variables - with Ghodsvali scale - with solution proposed as dependent variable

```
##
## Call:
## randomForest(formula = solution_proposed_YN ~ STE_G_nominal + STE_G_instrumental + STE_G_repres
##           Type of random forest: classification
##           Number of trees: 500
## No. of variables tried at each split: 4
##
## OOB estimate of error rate: 2.12%
## Confusion matrix:
##      N Y class.error
## N 318 0   0.0000000
## Y   7 5   0.5833333
```

### Balanced Model – No. of Nodes for the Trees



## Balanced Model – Top 10 – Variable Importance



##	N	Y	MeanDecreaseAccuracy
## STE_G_nominal	4.8554138	1.3894250	5.06883612
## STE_G_instrumental	8.0220713	-3.9196530	7.35674443
## STE_G_representation	-2.1202110	-1.9016141	-2.49953809
## STE_G_transformative	16.6582763	19.5062408	19.04435396
## ST_combined_gov	5.6453235	10.1422604	7.93651515
## ST_tribal	0.0000000	0.0000000	0.00000000
## ST_combined_coalition	6.8023264	-2.0133803	5.77406498
## ST_combined_industry	7.8635089	-4.9835226	6.47809335
## ST_migrants	0.0000000	0.0000000	0.00000000
## ST_youth	1.0010015	0.0000000	1.00100150
## ST_public	0.4176962	-0.2141061	0.01335316
## ST_university	3.2046927	-1.7572875	2.43042817
## ST_experts	-0.2595131	1.1667806	0.14321696
## G_local	-0.7036245	0.6056629	-0.53499206
## G_regional	0.5920184	0.9558760	0.93192942
## G_national	-0.2234867	-0.6061078	-0.36417604
## G_multination	-1.4162054	1.0010015	0.03370623
## G_global	0.0000000	0.0000000	0.00000000
## G_nogeography	-2.0071168	1.0010015	-1.23507407
## year	3.1674408	-2.3758472	1.89003099
##	MeanDecreaseGini		
## STE_G_nominal	0.220531754		
## STE_G_instrumental	0.795389804		
## STE_G_representation	0.753212685		
## STE_G_transformative	5.034476409		

## ST_combined_gov	1.678333863
## ST_tribal	0.020634382
## ST_combined_coalition	0.974498269
## ST_combined_industry	0.696634304
## ST_migrants	0.000000000
## ST_youth	0.041172087
## ST_public	0.240393542
## ST_university	1.044523409
## ST_experts	0.761590323
## G_local	0.291703202
## G_regional	0.474288112
## G_national	0.593252396
## G_multination	0.008427647
## G_global	0.000803557
## G_nogeography	0.032492049
## year	1.561583819

““