

High Altitude Ballooning: A Comprehensive Review

Amanda Maxham^{*} Eric Lujan, Han Oel Lee, and Ian Rabago

Department of Physics and Astronomy, University of Nevada, Las Vegas, Las Vegas, NV, 89124, U.S.A.

Accepted . Received ;

ABSTRACT

This will be re-written after the paper is completed

1 INTRODUCTION

With the recent interest in high altitude ballooning from universities, companies, and amateur scientists, many are seeking for more information on the science behind high altitude ballooning. This paper reviews some of the science, equipment and calculations behind a successful launch and features a few interesting student projects.

2 BALLOON LIFT

2.1 Net Lift

A free-floating balloon is acted upon by three forces along the z-axis. The upwards buoyant force, F_B , the gravitational force, F_g , and the drag force, F_d . These forces can be combined to find the net lift force of the balloon:

$$\Sigma F = F_B - F_g \quad (1)$$

The buoyant force, F_B , can be calculated by using the Archimedes Equation:

$$F_B = \rho V \quad (2)$$

where ρ is the density of the displaced fluid in kg/m^3 (air, in the case of the balloon), V is the volume of the balloon in m^3 , and g is the acceleration due to gravity in m/s^2 . F_B is in kilograms, as it is more convenient for our application. The density and pressure of the atmosphere changes with altitude, causing the buoyant force to change throughout the flight. The data for density and pressure is available in the 1976 US Standard Atmosphere for up to 86 kilometers. The volume of the gas in the balloon can be measured with a flowmeter attached to the gas source.

The gravitational force, F_g , is the mass of the entire balloon, including the payloads, the balloon itself, and the gas inside the balloon:

$$F_g = m_b - m_p - \left(\frac{n * M}{1000}\right) \quad (3)$$

where m_b is the mass of the balloon, m_p is the mass of the payload, n is the moles of gas in the balloon, and M is the mass of the gas in grams.

When both of these forces are combined into equation

1, we end up with the net lift, or ΣF . This value can be used for various calculations regarding the balloon.

2.2 Change In Lift With Altitude

During several launches, it was observed that the latex balloon

2.3 Neutral Buoyancy

Achieving neutral buoyancy is the foundation of achieving long-distance balloon flight. When a balloon is neutrally buoyant, it is able maintain suspension in the atmosphere and thus be exposed to high-altitude wind currents for a larger duration. Most trans-continental and trans-oceanic flights attain near-neutral buoyancy and maintain it for long periods of time, allowing them to travel long distances for extended periods of time.

Neutral buoyancy is achieved when the forces on the balloon along the z-axis reach a point of equilibrium so that:

$$F = 0 = F_B - F_g \quad (4)$$

Which can be manipulated to show equivalence between buoyant force and gravity:

$$F_B = F_g \quad (5)$$

In practice, this is achieved by filling the balloon with an excess of gas that creates a small net initial upwards force (in excess of gravity) that diminishes over the course of the flight (see Section 2.2).

Initial net upwards lift is critical to the balloon's buoyancy at a target altitude. Adding too much gas at the launch point will cause the balloon to burst before it can become neutrally buoyant. A shortage of initial gas will cause the force of gravity to exceed the buoyant force at the target altitude and cause the balloon to sink.

There is no "magic amount" of extra lift that guarantees neutral buoyancy. The amount of extra lift required is dependent on the size of the balloon, atmospheric conditions, the type of lift gas used, and the mass of the payload.

In our calculations, adding a net excess of approximately 200g of lift at the launch point would cause a 1600g hydrogen balloon with an attached 150g payload to reach neutral buoyancy at an altitude of 30,000m.

2 *Amanda Maxham, etc.*

3 BURST ALTITUDE

3.1 Balloon Elasticity

3.2 Flight Applications

4 THE EFFECT OF WIND VECTORS ON THE ASCENT AND DESCENT PATHS OF HIGH-ALTITUDE BALLOONS

4.1 Mathematical Modeling

4.2 Experimental Examples

This is a test of the in-line citation and referencing system.?