

## Case Summary: Measles (Rubeola)

- Download as PDF
- Download as DOCX

### Background

#### Etiology

Measles, also known as rubeola, is an acute viral respiratory illness caused by the measles virus, a paramyxovirus of the genus Morbillivirus. It is highly infectious and spreads through respiratory droplets from coughs and sneezes.

#### Epidemiology

Before the introduction of the measles vaccine, measles was a common childhood illness worldwide. Although the incidence has significantly decreased due to vaccination efforts, outbreaks still occur, particularly in regions with low vaccination rates.

#### Transmission

The measles virus is transmitted via respiratory droplets or direct contact with nasal or throat secretions from infected individuals. The virus remains viable on surfaces for up to two hours. The incubation period is typically 10-12 days, followed by the onset of symptoms.

### Patient Profile and Additional Details

#### Initial Case

**Patient:** Mia, 6-year-old female

**Background:** Mia was not vaccinated due to parental hesitancy. She attends a local elementary school.

**Symptoms at Presentation:** - High fever (up to 104°F) - Cough - Runny nose (coryza) - Conjunctivitis (pink eye) - Koplik spots (small white lesions with a red base inside the mouth on the inner cheek) - A maculopapular rash that started on the face and neck and spread downwards to the trunk and extremities

#### Physical Examination

- Multiple erythematous maculopapular lesions spread throughout the body
- Presence of Koplik spots inside the mouth
- Inflamed conjunctiva

**Laboratory and Diagnostic Tests:** - Positive measles-specific IgM antibodies in a blood sample - Reverse transcription-polymerase chain reaction (RT-PCR) test confirming the presence of the measles virus in a throat swab

## Treatment and Management

- Isolation to prevent further transmission
- Supportive care, including hydration, antipyretics for fever, and management of cough and conjunctivitis
- Administration of Vitamin A to reduce the severity of the disease, particularly in children

## Subsequent Cases

Following Mia's diagnosis, four additional children in her school presented with symptoms consistent with measles. Laboratory tests confirmed the diagnosis in all four cases, indicating an outbreak within the school.

## Learning Objectives

1. **Understand the Clinical Presentation and Diagnosis of Measles:**
  - Recognize the typical symptoms and diagnostic stages of measles.
  - Identify appropriate serological and molecular diagnostic tests.
2. **Promote the Importance of Vaccination:**
  - Comprehend the significance of the MMR (Measles, Mumps, Rubella) vaccine in preventing measles.
  - Discuss strategies to improve vaccination coverage and address vaccine hesitancy.
3. **Manage and Control Measles Outbreaks:**
  - Implement effective isolation and quarantine measures.
  - Conduct thorough contact tracing and provide post-exposure prophylaxis if needed.
  - Understand public health measures to control and prevent the spread of measles.
4. **Public Health Education and Advocacy:**
  - Educate communities and caregivers about the symptoms, transmission, and prevention of measles.
  - Advocate for vaccination and providing accurate, evidence-based information to counteract misinformation.

## Actions and Outcomes

### Actions Taken

1. **Isolation and Quarantine:**
  - Mia and subsequently affected children were isolated until they were no longer contagious (four days after the rash onset).
  - Contacts within the school and household settings were identified and monitored for symptoms.
2. **Vaccination Campaign and Public Health Education:**

- An urgent vaccination campaign was initiated at the affected school and surrounding community.
- Educational sessions were organized for parents and school staff to emphasize the importance of the MMR vaccine and to dispel vaccine myths.

### Outcomes

- No further cases were reported after the public health interventions were put in place.
- Increased MMR vaccination coverage in the affected community.
- Heightened awareness among parents, school staff, and the broader community regarding measles prevention.

### Reflection

This measles outbreak within Mia's school demonstrates the critical importance of vaccination in preventing communicable diseases. The episode underscores the need for robust public health education, timely intervention strategies, and the relentless effort required to combat vaccine hesitancy.

### Discussion Questions

- 1. Clinical and Diagnostic:**
  - What are the hallmark clinical features of measles that distinguish it from other febrile illnesses with rash?
  - When should serological and molecular diagnostic tests be utilized to confirm a measles diagnosis?
- 2. Vaccination Strategies:**
  - What are the most effective methods to address and reduce vaccine hesitancy within communities?
  - How can healthcare professionals and public health authorities encourage higher vaccination rates?
- 3. Outbreak Management:**
  - What are the steps involved in effective isolation and outbreak containment in a school setting?
  - How do public health authorities balance individual rights and community safety during a measles outbreak?
- 4. Public Health Education:**
  - What approaches can be used to communicate the importance of the MMR vaccine to parents and caregivers?
  - How can public health nurses advocate for vaccination and counteract misinformation about vaccines?