

Supplementary information

Jhoanata M. Bolivar^{a,b}, Carlos A. Sierra^{a,b}

^a*Max Planck Institute for Biogeochemistry, Hans-Knöll-Str. 10, 07745 Jena, Germany*

^b*Research Center on Ecosystems and Global Change Carbono & Bosques, Medellín, Colombia*

References

- Blanco, J. F., Estrada, E. a., Ortiz, L. F., Urrego, L. E., 2012. Ecosystem-Wide Impacts of Deforestation in Mangroves: The Urabá Gulf (Colombian Caribbean) Case Study. *ISRN Ecology* 2012, 1–14.
- Bolivar, J., Yepes, A., Sierra, C. A., Urrego, L., Moreno, F., Monsalve, A., Espinosa, S., Agudelo, C., Betancur, S., Posada, J., Herrera, D., Mira, J., Sierra-Correa, P., In preparation. Carbon stock in mangroves of cispatá delta estuarine system., in preparation.
- Carbono & Bosques, 2015. Caracterización de la estructura y contenido de carbono de diez parcelas permanentes establecidas en el área de jurisdicción del consejo comunitario la plata, bahía Málaga, valle del Cauca. Tech. rep., INVEMAR-Fundación Natura.
- De la Peña, A., Rojas, C. A., De la Peña, M., 2010. Valoración económica del manglar por el almacenamiento de carbono ,. *Clío America* 4 (7), 133–150.
- INVEMAR, 2007. Informe del Estado de los Recursos Marinos y Costeros en Colombia: Año 2006. Tech. rep., Instituto de investigaciones Marinas y Costeras "José Benito Vives de Andrés".
- Lema, L. F., Polanía, J., 2007. Estructura y dinámica del manglar del delta del río Ranchería , Caribe colombiano. *Revista de Biología Tropical* 55 (1), 11–21.

Table 1: Above ground biomass (AGB) data sources used to estimation of total AGB carbon stock in Colombian mangroves and development of predictive models.

Department	Coast	Location	Coordinates		AGB (Mg ha ⁻¹)	Source
			X	Y		
La Guajira	Caribbean	Brazo Riito-Rancherfa river delta	-72.8931	11.5578	70.98	Lema and Polanfa (2007)
La Guajira	Caribbean	Valle de los cangrejos-Rancherfa river delta	-72.8914	11.5588	26.78	Lema and Polanfa (2007)
Magdalena	Caribbean	CGSM-Rinconada	-74.4938	10.9615	91.40	De la Peña et al. (2010)
Magdalena	Caribbean	CGSM-Aguas Negras	-74.6075	10.8089	16.10	De la Peña et al. (2010)
Magdalena	Caribbean	CGSM-Caño Grande	-74.4814	10.8619	75.80	De la Peña et al. (2010)
Magdalena	Caribbean	CGSM-Luna	-74.938	10.9071	13.80	De la Peña et al. (2010)
Magdalena	Caribbean	Chengue bay- Tayrona NNP	-74.1284	11.3178	132.10	INVEMAR (2007)
Córdoba	Caribbean	Cispatá bay-Caño Tijó 1	-75.8378	9.3566	147.50	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Caño Tijó 2	-75.8284	9.3606	186.60	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Caño Palermo	-75.8423	9.3525	129.70	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Caño Grande 1	-75.8505	9.3712	153.20	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-El Claval	-75.7912	9.3874	80.20	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Caño Garzal 1	-75.8563	9.382	122.80	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Caño Garzal 2	-75.8588	9.3811	159.30	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-La Flotante-Caño Nisperal	-75.8029	9.3906	90.40	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Vertel-Caño el Nene	-75.8397	9.3823	151.20	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Caño Salado 1	-75.8721	9.4155	131.70	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Ciénaga Galo	-75.8266	9.3673	101.80	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Ostional	-75.8639	9.3961	89.30	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-La Zona, Rincón el grillo	-75.8384	9.397	72.00	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-La Camaronera	-75.7914	9.3844	74.00	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Ciénaga Remediapobres	-75.8435	9.3679	133.20	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Ciénaga Soledad	-75.8464	9.3407	171.40	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Caño Garzal 3	-75.8447	9.3954	102.10	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Caño Grande 2	-75.854	9.3690	220.80	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Jesús Primera	-75.8439	9.3784	128.50	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Caño Salado 2	-75.8276	9.4183	69.30	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Angostura	-75.5885	9.4221	246.90	Bolivar et al. (In preparation)
Córdoba	Caribbean	Cispatá bay-Caño el Soldado	-75.8548	9.3557	77.70	Bolivar et al. (In preparation)
Antioquia	Caribbean	Atrato river delta	-77.1005	8.0508	178.60	Blanco et al. (2012)
Antioquia	Caribbean	Puerto Cesar - Punta Coquito	-76.7407	7.9592	41.60	Blanco et al. (2012)
Antioquia	Caribbean	Punta Yarumal-Punta Las Vacas	-76.7478	8.1111	61.60	Blanco et al. (2012)
Antioquia	Caribbean	Punta Yarumal-Punta Las Vacas 2	-76.7478	8.1111	35.00	Blanco et al. (2012)
Antioquia	Caribbean	Rionegro cove 1	-76.9292	8.5458	21.20	Blanco et al. (2012)
Antioquia	Caribbean	Rionegro cove 2	-76.9292	8.5458	43.80	Blanco et al. (2012)
Antioquia	Caribbean	Rionegro cove 3	-76.9292	8.5458	30.80	Blanco et al. (2012)
Valle del Cauca	Pacific	Málaga bay-Luisico	-77.2148	4.0678	109.60	Carbono & Bosques (2015)
Valle del Cauca	Pacific	Málaga bay-Luisico-Winul	-77.2055	4.0842	45.30	Carbono & Bosques (2015)
Valle del Cauca	Pacific	Málaga bay-Luisico-Cangrejal	-77.2051	4.0874	295.90	Carbono & Bosques (2015)
Valle del Cauca	Pacific	Málaga bay-El Morro-Aserrio	-77.1927	4.0506	4.00	Carbono & Bosques (2015)
Valle del Cauca	Pacific	Málaga bay-Corozal	-77.2678	4.0805	63.40	Carbono & Bosques (2015)
Valle del Cauca	Pacific	Málaga bay-Gegenera	-77.266	4.0543	51.00	Carbono & Bosques

Table 2: Statistical regression models for AGB. When log is the natural logarithm; AGB is the above ground biomass (Mg/ha); BIO9 is the mean temperature of driest quarter (°C); BIO10 mean temperature of warmest quarter (°C); BIO11 mean temperature of coldest quarter (°C); BIO16 is the precipitation of the wettest quarter (mm); EVI is the enhanced vegetation index; Lat is the absolute value of latitude (decimal degrees); n is the number of observations; R_a^2 is the adjusted coefficient of determination; MSE is the mean squared error; F is the F-statistic calculated; AIC is the akaike information criterion

Model	n	R_a^2	MSE	F	AIC
(1) $AGB = -2.210^{e+03} + 2.946^{e+00}BIO10 + 4.687^{e+00}BIO11 + 2.108^{e-01}BIO16 - 2.334^{e-01}BIO17 + 2.465^{e+02}EVI$	40	0.04163	4157	1.34	
(2) $AGB = -1.876^{e+03} + 7.766^{e+00}BIO1 + 7.64^{e-02}BIO4 + 5.413^{e-03}BIO12 - 2.908^{e-00}BIO15$	43	-0.0278	4338	0.72	
(3) $AGB = -3.260^{e+03} + 1.233^{e+01}BIO1 + 1.61^{e-01}BIO4 + 1.934^{e-02}BIO12 - 3.805^{e+00}BIO15 + 2.835^{e+02}EVI$	40	0.07695	4003	1.65	
(4) $AGB = -1.920^{e+03} - 7.292^{e+01}Lat + 7.878^{e+00}BIO10 + 1.846^{e+00}BIO11 - 1.115^{e-01}BIO16 + 2.404^{e-02}BIO17 + 1.561^{e-02}EVI$	40	0.1288	3779	1.961	
(5) $AGB = -1.372^{e+03} + 6.358^{e+00}BIO10 + 1.789^{e+00}BIO11 - 7.389^{e-02}BIO16 - 1.229^{e-01}BIO17 - 7.746^{e+01}Lat$	43	0.154	3571	2.529	
(6) $AGB = -1.286^{e+03} - 9.594^{e+01}Lat + 8.621^{e+00}BIO1 + 1.161^{e-01}BIO4 - 6.145^{e-02}BIO12 - 4.687^{e-01}BIO15$	43	0.1819	3453	2.868	
(7) $AGB = -2.219^{e+03} - 7.703^{e+01}Lat + 1.113^{e+00}BIO1 + 1.885^{e-01}BIO4 - 4.071^{e-02}BIO12 - 1.735^{e-01}BIO15 + 1.813^{e+02}EVI$	41	0.1762	3573	2.39	
(8) $AGB = 35338.8860 - 155.9330 Lat - 2490.0405 \frac{BIO1}{10} + 49.1282(\frac{BIO1}{10})^2 - 85.6399 \frac{BIO11}{10} - 0.1171BIO12 + 0.4483BIO15$	43	0.1975	3387	2.72	479.88247
(9) $AGB = 60064.4482 - 127.7343 Lat - 4376.4264 \frac{BIO1}{10} + 81.8955(\frac{BIO1}{10})^2 - 17.3961 \frac{BIO11}{10} - 0.1014BIO12 + 1.9823BIO15 + 320.5646EVI$	41	0.2835	3046	3.26	454.33614
(10) $AGB = -1916.5321 + 7.3424BIO9 + 0.1126BIO17$	43	0.1456	3607	4.58	479.11018
(11) $AGB = -1.693^{e+03} - 2.897^{e+01}Lat + 7.567^{e+00}BIO9 - 4.108^{e-02}BIO17$	43	0.2072	3346	4.66	476.80085
(12) $AGB = -1.485^{e+03} - 1.662^{e+00}Lat + 5.443^{e+00}BIO9 + 5.658^{e-02}BIO17 + 2.770^{e+02}EVI$	41	0.2755	3080	4.80	452.36112
(13) $AGB = -1368.411 - 11.799Lat + 5.451BIO9 + 231.860EVI$	41	0.2889	3023	6.42	450.71764
(14) $AGB = -716.047 + 2.522BIO9 + 335.402EVI$	41	0.2713	3098	8.44	450.81526
(15) $AGB = -1860.211 + 7.958BIO9 - 22.944Lat$	43	0.2225	3282	7.01	475.05212
(16) $AGB = -423.235 + 1.943BIO9$	43	0.01697	4149	1.72	484.20182
(17) $AGB = -856.79518 - 6.53917BIO11 + 0.01171BIO16 + 9.62033BIO9 + 200.26658EVI$	41	0.2859	3036	5.00	451.76863
(18) $AGB = -1364.4334 + 4.8624BIO11 + 0.0324BIO16 + 358.2106EVI$	46	0.2492	3192	5.42	452.94654
(19) $AGB = -822.9927 + 3.0227BIO11 + 0.2433BIO16 - 0.4077BIO17$	43	0.04791	4019	1.70	484.67591
(20) $AGB = -319.78271 - 13.78940BIO11 - 0.00399BIO16 + 9.78050BIO9 + 4.98395BIO1 + 231.90575EVI$	41	0.2792	3064	4.10	452.99699
(21) $AGB = 4.173^{e+04} - 1.606^{e+02} \frac{BIO11}{10} - 4.733^{e-02}BIO16 + 1.602^{e+02} \frac{BIO9}{10} - 3.083^{e+03} \frac{BIO1}{10} + 5.685^{e+01}(\frac{BIO1}{10})^2 + 2.826^{e+02}EVI$	41	0.3096	2935	3.99	452.03760
(22) $AGB = -3.485^{e+02} + 1.954^{e-03}BIO10^2 + 3.104^{e-03}BIO11^2 - 6.339^{e-05}BIO16^2 + 3.609^{e-04}BIO17^2 + 5.595^{e+02}EVI^2$	41	0.233	3261	3.43	455.54124
(23) $\log AGB = -54.802662 + 5.751671 \log BIO10 + 5.097236 \log BIO11 - 0.003928 \log BIO16 - 0.004322 \log BIO17 + 1.691458 \log EVI$	41	0.2164	0.585	3.21	101.88486
(24) $AGB = -3301.918 + 718.549 \log BIO10 - 122.657 \log BIO11 + 30.615 \log BIO16 - 6.271 \log BIO17 + 131.200 \log EVI$	41	0.2008	3397	3.01	457.22750
(25) $\log AGB = -100.7499 + 18.7172 \log BIO9 + 0.2023 \log BIO16 + 1.1821 \log EVI$	41	0.3038	0.520	6.82	95.31651
(26) $\log AGB = -25.6202 + 12.1786 \log BIO9 - 4.1606 \log BIO16 + 0.9976 \log EVI - 1.1664 Lat $	41	0.3777	0.465	7.07	91.59005
(27) $\log AGB = 26.5733 + 29.8163 \log BIO9 - 3.8958 \log BIO16 + 0.7998 \log EVI - 0.9563 Lat - 27.7092 \log BIO11$	41	0.3701	0.470	5.70	92.93683
(28) $AGB = 1098.74 - 284068.51 \frac{1}{BIO9} + 35004.17 \frac{1}{BIO16} - 36.37 \frac{1}{EVI} + 713.59 \frac{1}{ Lat }$	41	0.256	3163	4.44	453.44744
(29) $\frac{1}{AGB} = 1.763^{e-01} - 6.966^{e-04}BIO9 + 3.451^{e-05}BIO16 - 1.008^{e-01}EVI + 5.315^{e-03} Lat $	41	0.1325	0.0014	2.53	-
(30) $\frac{1}{AGB} = -0.12246 + 28.07379 \frac{1}{BIO9} - 10.38792 \frac{1}{BIO16} + 0.01322 \frac{1}{EVI} + 0.18235 \frac{1}{ Lat }$	41	0.0917	0.0014	2.01	-
(31) $\log AGB = 55.0753 + 0.3973 \log BIO9 - 5.0320 \log BIO16 + 2.0524 \log EVI - 8.5249 \log Lat $	41	0.3756	0.466	7.01	91.73306
(32) $\log AGB = -1.615^{e+01} + 7.970^{e-02} \log BIO9 - 3.738^{e-04} \log BIO16 + 2.816^{e+00} \log EVI - 2.259^{e-01} Lat $	41	0.3193	0.508	5.69	95.26750
(33) $AGB = 2577.5 + 186.7 \log BIO9 - 325.0 \log BIO16 + 142.5 \log EVI - 593.8 \log Lat $	41	0.3223	2881	5.76	449.62118
(34) $AGB = -2541.15 + 178.36\sqrt{BIO9} - 2.78\sqrt{BIO16} + 259.48\sqrt{EVI} - 130.84\sqrt{ Lat }$	41	0.2699	3104	4.70	452.67672
(35) $\sqrt{AGB} = -7.719^{e+01} + 3.201^{e-01}BIO9 - 7.403^{e-05}BIO16 + 1.253^{e+01}EVI - 5.965^{e-01} Lat $	41	0.3357	7.53	6.05	205.81366
(36) $\log AGB = 20.8619 - 4507.8468 \frac{1}{BIO9} + 324.2172 \frac{1}{BIO16} - 0.4312 \frac{1}{ Lat } + 5.6351 \frac{1}{ Lat }$	41	0.2717	0.544	4.73	98.04207