

Esha Adhawade
Lab 7
ECEN 454 - 503
November 6, 2022

Introduction

The purpose of this lab was to learn about Design Vision which is the graphical interface to the Synopsys family of logic synthesis tools.

Result

Part A

Constraint

```
*****
Report : constraint
        -all_violators
        -verbose
Design : cruisecontrol
Version: 0-2018.06-SP3
Date   : Thu Nov 3 14:23:31 2022
*****
```

This design has no violated constraints.

Area

```
Number of ports:          58
Number of nets:           355
Number of cells:          304
Number of combinational cells: 382
Number of sequential cells:   20
Number of macros/black boxes: 0
Number of buf/inv:         73
Number of references:      18

Combinational area:       8543.000000
Buf/Inv area:             1576.000000
Noncombinational area:    1920.000000
Macro/Black Box area:     0.000000
Net Interconnect area:    undefined (Wire load has zero net area)

Total cell area:          10463.000000
Total area:               undefined

**** End Of Report ****
```

Final Synthesized Netlist

```
////////////////////////////////////
// Created by: Synopsys DC Expert(TM) in wire load mode
// Version   : O-2018.06-SP3
// Date      : Thu Nov 3 15:16:33 2022
////////////////////////////////////
```

```
module cruisecontrol_DW01_inc_0 ( A, SUM);
    input [7:0] A;
    output [7:0] SUM;

    wire [7:2] carry;
```

```

HAX1 U1_1_6 ( .A(A[6]), .B(carry[6]), .YC(carry[7]), .YS(SUM[6]) );
HAX1 U1_1_5 ( .A(A[5]), .B(carry[5]), .YC(carry[6]), .YS(SUM[5]) );
HAX1 U1_1_4 ( .A(A[4]), .B(carry[4]), .YC(carry[5]), .YS(SUM[4]) );
HAX1 U1_1_3 ( .A(A[3]), .B(carry[3]), .YC(carry[4]), .YS(SUM[3]) );
HAX1 U1_1_2 ( .A(A[2]), .B(carry[2]), .YC(carry[3]), .YS(SUM[2]) );
HAX1 U1_1_1 ( .A(A[1]), .B(A[0]), .YC(carry[2]), .YS(SUM[1]) );
INVX1 U1 ( .A(A[0]), .Y(SUM[0]) );
XOR2X1 U2 ( .A(carry[7]), .B(A[7]), .Y(SUM[7]) );
endmodule

```

```

module cruisecontrol_DW01_inc_1 ( A, SUM );
    input [7:0] A;
    output [7:0] SUM;

    wire [7:2] carry;

    HAX1 U1_1_6 ( .A(A[6]), .B(carry[6]), .YC(carry[7]), .YS(SUM[6]) );
    HAX1 U1_1_5 ( .A(A[5]), .B(carry[5]), .YC(carry[6]), .YS(SUM[5]) );
    HAX1 U1_1_4 ( .A(A[4]), .B(carry[4]), .YC(carry[5]), .YS(SUM[4]) );
    HAX1 U1_1_3 ( .A(A[3]), .B(carry[3]), .YC(carry[4]), .YS(SUM[3]) );
    HAX1 U1_1_2 ( .A(A[2]), .B(carry[2]), .YC(carry[3]), .YS(SUM[2]) );
    HAX1 U1_1_1 ( .A(A[1]), .B(A[0]), .YC(carry[2]), .YS(SUM[1]) );
    INVX2 U1 ( .A(A[0]), .Y(SUM[0]) );
    XOR2X1 U2 ( .A(carry[7]), .B(A[7]), .Y(SUM[7]) );
endmodule

```

```

module cruisecontrol ( clk, reset, throttle, set, accel, coast, cancel, resume,
    brake, speed, cruisespeed, cruisectl );
    output [7:0] speed;
    output [7:0] cruisespeed;
    input clk, reset, throttle, set, accel, coast, cancel, resume, brake;
    output cruisectl;
    wire n297, n298, n299, n300, n301, n302, n303, n304, n305, n306, n307,
        n308, n309, n310, n311, n312, N49, N62, N64, N66, N120, N122, N123,
        N124, N125, N126, N127, N138, N139, N140, N141, N142, N143, N144,
        N145, N155, N156, N157, N158, N159, N160, N161, N162, N181, N182, n2,
        n3, n4, n5, n6, n7, n8, n9, n18, n19, n20, n21, n24, n25, n26, n27,
n29, n30, n31, n32, n35, n36, n37, n38, n39, n41, n42, n44, n45, n46,
        n48, n49, n51, n52, n54, n55, n57, n61, n64, n65, n66, n67, n68, n70,
        n72, n73, n75, n77, n78, n80, n82, n83, n85, n87, n88, n90, n91, n92,

```

n93, n94, n95, n97, n100, n102, n104, n105, n107, n108, n111, n112, n113, n114, n115, n116, n118, n119, n121, n122, n123, n124, n125, n126, n128, n129, n130, n131, n132, n133, n134, n135, n137, n138, n139, n140, n141, n142, n143, n144, n145, n146, n147, n148, n149, n150, n151, n152, n153, n154, n155, n156, n158, n159, n160, n161, n162, n163, n164, n165, n166, n167, n168, n169, n170, n171, n172, n173, n174, n175, n176, n177, n178, n179, n182, n187, n189, n191, n193, n195, n197, n199, n201, n203, n205, n207, n209, n210, n211, n212, n213, n214, n215, n216, n217, n218, n219, n220, n221, n222, n223, n224, n225, n226, n227, n228, n229, n230, n231, n232, n233, n234, n235, n236, n237, n238, n239, n240, n241, n242, n243, n244, n245, n246, n247, n248, n249, n250, n251, n252, n253, n254, n255, n256, n257, n258, n259, n260, n261, n262, n263, n264, n265, n266, n267, n268, n269, n270, n271, n272, n273, n274, n275, n276, n277, n278, n279, n280, n281, n282, n283, n284, n285, n286, n287, n288, n289, n290, n291, n292, n293, n294, n295, n296;

wire [2:0] state;

wire [8:0] \r130/carry ;

```

DFFPOSX1 \cruisespeed_reg[0] ( .D(n177), .CLK(clk), .Q(n311) );
DFFPOSX1 \cruisespeed_reg[7] ( .D(n176), .CLK(clk), .Q(n304) );
DFFPOSX1 \cruisespeed_reg[6] ( .D(n175), .CLK(clk), .Q(n305) );
DFFPOSX1 \speed_reg[1] ( .D(n174), .CLK(clk), .Q(n303) );
DFFPOSX1 \state_reg[1] ( .D(n173), .CLK(clk), .Q(state[1]) );
DFFPOSX1 \speed_reg[0] ( .D(n172), .CLK(clk), .Q(N120) );
DFFPOSX1 \speed_reg[7] ( .D(n171), .CLK(clk), .Q(n297) );
DFFPOSX1 \speed_reg[6] ( .D(n170), .CLK(clk), .Q(n298) );
DFFPOSX1 \speed_reg[5] ( .D(n169), .CLK(clk), .Q(n299) );
DFFPOSX1 \state_reg[0] ( .D(n168), .CLK(clk), .Q(state[0]) );
DFFPOSX1 \state_reg[2] ( .D(n167), .CLK(clk), .Q(state[2]) );
DFFPOSX1 cruisectl_reg ( .D(n166), .CLK(clk), .Q(n312) );
DFFPOSX1 \speed_reg[4] ( .D(n165), .CLK(clk), .Q(n300) );
DFFPOSX1 \cruisespeed_reg[4] ( .D(n164), .CLK(clk), .Q(n307) );
DFFPOSX1 \speed_reg[3] ( .D(n163), .CLK(clk), .Q(n301) );
DFFPOSX1 \cruisespeed_reg[3] ( .D(n162), .CLK(clk), .Q(n308) );
DFFPOSX1 \speed_reg[2] ( .D(n161), .CLK(clk), .Q(n302) );
DFFPOSX1 \cruisespeed_reg[2] ( .D(n160), .CLK(clk), .Q(n309) );
DFFPOSX1 \cruisespeed_reg[5] ( .D(n159), .CLK(clk), .Q(n306) );
DFFPOSX1 \cruisespeed_reg[1] ( .D(n158), .CLK(clk), .Q(n310) );
NAND2X1 U3 ( .A(n18), .B(n19), .Y(n158) );
AOI22X1 U4 ( .A(N139), .B(n20), .C(N156), .D(n21), .Y(n19) );
AOI22X1 U5 ( .A(n303), .B(n271), .C(n310), .D(n272), .Y(n18) );

```

NAND2X1 U6 (.A(n24), .B(n25), .Y(n159));
AOI22X1 U7 (.A(N143), .B(n20), .C(N160), .D(n21), .Y(n25));
AOI22X1 U8 (.A(n299), .B(n271), .C(n306), .D(n272), .Y(n24));
NAND2X1 U9 (.A(n26), .B(n27), .Y(n160));
AOI22X1 U10 (.A(N140), .B(n20), .C(N157), .D(n21), .Y(n27));
AOI22X1 U11 (.A(n302), .B(n271), .C(cruisespeed[2]), .D(n272), .Y(n26));
OAI21X1 U12 (.A(n193), .B(n29), .C(n30), .Y(n161));
NAND2X1 U13 (.A(n31), .B(n32), .Y(n30));
OAI21X1 U14 (.A(n276), .B(n210), .C(n35), .Y(n32));

AOI22X1 U15 (.A(N122), .B(n36), .C(n7), .D(n37), .Y(n35));
NAND2X1 U18 (.A(n38), .B(n39), .Y(n162));
AOI22X1 U19 (.A(N141), .B(n20), .C(N158), .D(n21), .Y(n39));
AOI22X1 U20 (.A(n301), .B(n271), .C(n308), .D(n272), .Y(n38));
OAI21X1 U21 (.A(n29), .B(n195), .C(n41), .Y(n163));
NAND2X1 U22 (.A(n31), .B(n42), .Y(n41));
OAI21X1 U23 (.A(n276), .B(n289), .C(n44), .Y(n42));
AOI22X1 U24 (.A(N123), .B(n36), .C(n6), .D(n37), .Y(n44));
NAND2X1 U30 (.A(n45), .B(n46), .Y(n164));
AOI22X1 U31 (.A(N142), .B(n20), .C(N159), .D(n21), .Y(n46));
AOI22X1 U32 (.A(n300), .B(n271), .C(cruisespeed[4]), .D(n272), .Y(n45));
OAI21X1 U33 (.A(n29), .B(n197), .C(n48), .Y(n165));
NAND2X1 U34 (.A(n31), .B(n49), .Y(n48));
OAI21X1 U35 (.A(n276), .B(n213), .C(n51), .Y(n49));
AOI22X1 U36 (.A(N124), .B(n36), .C(n5), .D(n37), .Y(n51));
OAI21X1 U38 (.A(n52), .B(n275), .C(n54), .Y(n166));
NAND3X1 U39 (.A(n55), .B(n273), .C(cruisectl), .Y(n54));
AOI22X1 U40 (.A(n57), .B(n281), .C(resume), .D(state[2]), .Y(n52));
NOR2X1 U41 (.A(n295), .B(n278), .Y(n57));
OAI22X1 U42 (.A(n61), .B(n274), .C(n286), .D(n275), .Y(n167));
OAI21X1 U44 (.A(brake), .B(n274), .C(n65), .Y(n168));
NAND2X1 U45 (.A(n66), .B(n273), .Y(n65));
OAI22X1 U46 (.A(n67), .B(n68), .C(n68), .D(n292), .Y(n66));
NOR2X1 U47 (.A(throttle), .B(state[2]), .Y(n68));
OAI21X1 U49 (.A(n199), .B(n29), .C(n72), .Y(n169));
NAND2X1 U50 (.A(n31), .B(n73), .Y(n72));
OAI21X1 U51 (.A(n276), .B(n290), .C(n75), .Y(n73));
AOI22X1 U52 (.A(N125), .B(n36), .C(n4), .D(n37), .Y(n75));
OAI21X1 U54 (.A(n29), .B(n201), .C(n77), .Y(n170));
NAND2X1 U55 (.A(n31), .B(n78), .Y(n77));

OAI21X1 U56 (.A(n276), .B(n178), .C(n80), .Y(n78));
 AOI22X1 U57 (.A(N126), .B(n36), .C(n3), .D(n37), .Y(n80));
 OAI21X1 U60 (.A(n29), .B(n203), .C(n82), .Y(n171));
 NAND2X1 U61 (.A(n31), .B(n83), .Y(n82));
 OAI21X1 U62 (.A(n276), .B(n179), .C(n85), .Y(n83));
 AOI22X1 U63 (.A(N127), .B(n36), .C(n2), .D(n37), .Y(n85));
 OAI21X1 U66 (.A(n29), .B(n294), .C(n87), .Y(n172));
 NAND2X1 U67 (.A(n31), .B(n88), .Y(n87));
 OAI21X1 U68 (.A(n276), .B(N120), .C(n90), .Y(n88));
 AOI22X1 U69 (.A(N120), .B(n36), .C(n9), .D(n37), .Y(n90));
 OAI21X1 U71 (.A(reset), .B(n91), .C(n92), .Y(n173));
 AOI22X1 U72 (.A(n64), .B(n93), .C(n70), .D(n94), .Y(n92));
 NOR2X1 U74 (.A(n97), .B(reset), .Y(n70));
 OAI22X1 U75 (.A(n296), .B(n285), .C(n295), .D(n100), .Y(n93));
 OAI21X1 U76 (.A(n281), .B(n279), .C(n296), .Y(n100));
 NOR2X1 U78 (.A(reset), .B(state[1]), .Y(n64));
 OAI21X1 U79 (.A(n207), .B(n29), .C(n104), .Y(n174));
 NAND2X1 U80 (.A(n31), .B(n105), .Y(n104));
 OAI21X1 U81 (.A(n276), .B(n288), .C(n107), .Y(n105));
 AOI22X1 U82 (.A(n207), .B(n36), .C(n8), .D(n37), .Y(n107));
 NAND2X1 U83 (.A(n108), .B(n67), .Y(n37));
 AOI21X1 U84 (.A(n293), .B(n280), .C(n111), .Y(n67));
 OAI21X1 U85 (.A(n112), .B(n113), .C(n114), .Y(n111));
 AOI22X1 U86 (.A(n293), .B(n115), .C(n116), .D(n291), .Y(n108));

 OAI21X1 U87 (.A(N181), .B(n118), .C(n119), .Y(n115));
 OAI21X1 U88 (.A(n97), .B(n287), .C(n121), .Y(n36));
 NAND3X1 U92 (.A(n123), .B(n91), .C(n124), .Y(n122));
 AOI22X1 U93 (.A(n125), .B(n278), .C(n293), .D(n126), .Y(n124));
 OAI21X1 U94 (.A(brake), .B(n283), .C(n128), .Y(n126));
 NAND3X1 U96 (.A(state[1]), .B(n279), .C(n129), .Y(n91));
 AND2X1 U97 (.A(n29), .B(n273), .Y(n31));
 NAND3X1 U98 (.A(n130), .B(n131), .C(n132), .Y(n29));
 NOR2X1 U99 (.A(n133), .B(n134), .Y(n132));
 OAI21X1 U100 (.A(n292), .B(n135), .C(n123), .Y(n134));
 NAND3X1 U101 (.A(n277), .B(n293), .C(N181), .Y(n123));
 NAND3X1 U103 (.A(n282), .B(n279), .C(n137), .Y(n118));
 OAI21X1 U104 (.A(n138), .B(n139), .C(n285), .Y(n135));
 NAND3X1 U106 (.A(n294), .B(n207), .C(n140), .Y(n139));
 NOR2X1 U107 (.A(speed[3]), .B(speed[2]), .Y(n140));
 NAND3X1 U109 (.A(n197), .B(n199), .C(n141), .Y(n138));

```

NOR2X1 U110 ( .A(speed[7]), .B(speed[6]), .Y(n141) );
NAND3X1 U113 ( .A(n121), .B(n273), .C(n114), .Y(n133) );
NAND2X1 U114 ( .A(n116), .B(n295), .Y(n114) );
NOR2X1 U117 ( .A(n296), .B(resume), .Y(n113) );
AOI22X1 U118 ( .A(N182), .B(n142), .C(n129), .D(state[1]), .Y(n131) );
NOR2X1 U119 ( .A(state[2]), .B(state[0]), .Y(n129) );
OAI21X1 U120 ( .A(n296), .B(n112), .C(n97), .Y(n142) );
NAND2X1 U121 ( .A(n295), .B(n291), .Y(n112) );
AOI21X1 U123 ( .A(n293), .B(n95), .C(n143), .Y(n130) );
NAND3X1 U126 ( .A(n137), .B(n282), .C(throttle), .Y(n145) );
NAND2X1 U129 ( .A(n146), .B(n147), .Y(n175) );
AOI22X1 U130 ( .A(N144), .B(n20), .C(N161), .D(n21), .Y(n147) );
AOI22X1 U131 ( .A(n298), .B(n271), .C(n305), .D(n272), .Y(n146) );
NAND2X1 U132 ( .A(n148), .B(n149), .Y(n176) );
AOI22X1 U133 ( .A(N145), .B(n20), .C(N162), .D(n21), .Y(n149) );
AOI22X1 U134 ( .A(n297), .B(n271), .C(cruisespeed[7]), .D(n272), .Y(n148) );
NAND2X1 U135 ( .A(n150), .B(n151), .Y(n177) );
AOI22X1 U136 ( .A(N138), .B(n20), .C(N155), .D(n21), .Y(n151) );
NOR2X1 U137 ( .A(n128), .B(n152), .Y(n21) );
NOR2X1 U138 ( .A(n152), .B(n119), .Y(n20) );
NAND2X1 U139 ( .A(n293), .B(n273), .Y(n152) );
AOI22X1 U140 ( .A(N120), .B(n271), .C(n311), .D(n272), .Y(n150) );
NAND3X1 U143 ( .A(n153), .B(n273), .C(n143), .Y(n154) );
OAI21X1 U144 ( .A(state[2]), .B(n292), .C(n55), .Y(n143) );
NAND3X1 U146 ( .A(n55), .B(n273), .C(n155), .Y(n153) );
AOI22X1 U147 ( .A(n156), .B(n125), .C(n293), .D(n144), .Y(n155) );
NAND2X1 U148 ( .A(n119), .B(n128), .Y(n144) );
NAND2X1 U149 ( .A(coast), .B(n137), .Y(n128) );
NOR2X1 U150 ( .A(n284), .B(accel), .Y(n137) );
NAND2X1 U151 ( .A(accel), .B(n61), .Y(n119) );
NOR2X1 U152 ( .A(n295), .B(state[1]), .Y(n125) );
NOR2X1 U154 ( .A(n278), .B(n102), .Y(n156) );
NAND2X1 U155 ( .A(set), .B(N49), .Y(n102) );
NOR2X1 U157 ( .A(n279), .B(state[2]), .Y(n116) );
NAND2X1 U160 ( .A(n293), .B(n284), .Y(n55) );
NOR2X1 U162 ( .A(cancel), .B(brake), .Y(n61) );
NAND3X1 U164 ( .A(state[0]), .B(n296), .C(state[1]), .Y(n97) );
OR2X2 U73 ( .A(n95), .B(n277), .Y(n94) );
OR2X2 U115 ( .A(n112), .B(n286), .Y(n121) );
OR2X2 U124 ( .A(n144), .B(n280), .Y(n95) );
cruisecontrol_DW01_inc_0 add_118 ( .A({cruisespeed[7], n305, n306,

```

```

    cruisespeed[4], n308, cruisespeed[2], n310, n311}), .SUM({N145, N144,
    N143, N142, N141, N140, N139, N138})) );
cruisecontrol_DW01_inc_1 r127 ( .A({speed[7], n298, speed[5:0]}), .SUM({n2,
    n3, n4, n5, n6, n7, n8, n9})) );
XOR2X1 U166 ( .A(n298), .B(n215), .Y(n178) );
XNOR2X1 U167 ( .A(speed[7]), .B(n216), .Y(n179) );
INVX8 U168 ( .A(n225), .Y(cruisespeed[1]) );
INVX1 U169 ( .A(n310), .Y(n225) );
INVX8 U170 ( .A(n264), .Y(cruisespeed[6]) );
INVX1 U171 ( .A(n305), .Y(n264) );
INVX2 U172 ( .A(n312), .Y(n182) );
INVX8 U173 ( .A(n182), .Y(cruisectl) );
INVX8 U174 ( .A(n227), .Y(cruisespeed[3]) );
INVX1 U175 ( .A(n308), .Y(n227) );
INVX8 U176 ( .A(n226), .Y(cruisespeed[5]) );
INVX1 U177 ( .A(n306), .Y(n226) );
INVX8 U178 ( .A(N155), .Y(cruisespeed[0]) );
INVX1 U179 ( .A(n311), .Y(N155) );
INVX2 U180 ( .A(n304), .Y(n187) );
INVX8 U181 ( .A(n187), .Y(cruisespeed[7]) );
INVX2 U182 ( .A(n307), .Y(n189) );
INVX8 U183 ( .A(n189), .Y(cruisespeed[4]) );
OR2X2 U184 ( .A(n197), .B(cruisespeed[4]), .Y(n237) );
INVX2 U185 ( .A(n309), .Y(n191) );
INVX8 U186 ( .A(n191), .Y(cruisespeed[2]) );
OR2X2 U187 ( .A(n193), .B(cruisespeed[2]), .Y(n234) );
INVX2 U188 ( .A(n302), .Y(n193) );
INVX2 U189 ( .A(n301), .Y(n195) );
INVX2 U190 ( .A(n300), .Y(n197) );
INVX2 U191 ( .A(n299), .Y(n199) );
INVX2 U192 ( .A(n303), .Y(n207) );
INVX2 U193 ( .A(N120), .Y(n205) );
INVX2 U194 ( .A(n298), .Y(n201) );
INVX2 U195 ( .A(n297), .Y(n203) );
INVX8 U196 ( .A(n193), .Y(speed[2]) );
INVX8 U197 ( .A(n195), .Y(speed[3]) );
INVX8 U198 ( .A(n197), .Y(speed[4]) );
INVX8 U199 ( .A(n199), .Y(speed[5]) );
INVX8 U200 ( .A(n201), .Y(speed[6]) );
INVX8 U201 ( .A(n203), .Y(speed[7]) );
INVX8 U202 ( .A(n205), .Y(speed[0]) );

```


INVX8 U203 (.A(n207), .Y(speed[1]));
 XNOR2X1 U204 (.A(speed[7]), .B(\r130/carry [7]), .Y(N127));
 OR2X1 U205 (.A(\r130/carry [6]), .B(n298), .Y(\r130/carry [7]));
 XNOR2X1 U206 (.A(n298), .B(\r130/carry [6]), .Y(N126));
 OR2X1 U207 (.A(\r130/carry [5]), .B(speed[5]), .Y(\r130/carry [6]));
 XNOR2X1 U208 (.A(speed[5]), .B(\r130/carry [5]), .Y(N125));
 OR2X1 U209 (.A(\r130/carry [4]), .B(speed[4]), .Y(\r130/carry [5]));
 XNOR2X1 U210 (.A(speed[4]), .B(\r130/carry [4]), .Y(N124));
 OR2X1 U211 (.A(\r130/carry [3]), .B(speed[3]), .Y(\r130/carry [4]));
 XNOR2X1 U212 (.A(speed[3]), .B(\r130/carry [3]), .Y(N123));

OR2X1 U213 (.A(speed[1]), .B(speed[2]), .Y(\r130/carry [3]));
 XNOR2X1 U214 (.A(speed[2]), .B(speed[1]), .Y(N122));
 NAND2X1 U215 (.A(n207), .B(n294), .Y(n209));
 OAI21X1 U216 (.A(n294), .B(n207), .C(n209), .Y(N62));
 NOR2X1 U217 (.A(n209), .B(speed[2]), .Y(n211));
 AOI21X1 U218 (.A(n209), .B(n302), .C(n211), .Y(n210));
 NAND2X1 U219 (.A(n211), .B(n195), .Y(n212));
 OAI21X1 U220 (.A(n211), .B(n195), .C(n212), .Y(N64));
 NOR2X1 U221 (.A(n212), .B(n300), .Y(n214));
 AOI21X1 U222 (.A(n212), .B(n300), .C(n214), .Y(n213));
 NAND2X1 U223 (.A(n214), .B(n199), .Y(n215));
 OAI21X1 U224 (.A(n214), .B(n199), .C(n215), .Y(N66));
 NOR2X1 U225 (.A(n298), .B(n215), .Y(n216));
 NAND2X1 U226 (.A(n225), .B(N155), .Y(n217));
 OAI21X1 U227 (.A(N155), .B(n225), .C(n217), .Y(N156));
 NOR2X1 U228 (.A(n217), .B(cruisespeed[2]), .Y(n219));
 AOI21X1 U229 (.A(n217), .B(cruisespeed[2]), .C(n219), .Y(n218));
 NAND2X1 U230 (.A(n219), .B(n227), .Y(n220));
 OAI21X1 U231 (.A(n219), .B(n227), .C(n220), .Y(N158));
 NOR2X1 U232 (.A(n220), .B(cruisespeed[4]), .Y(n222));
 AOI21X1 U233 (.A(n220), .B(cruisespeed[4]), .C(n222), .Y(n221));
 NAND2X1 U234 (.A(n222), .B(n226), .Y(n223));
 OAI21X1 U235 (.A(n222), .B(n226), .C(n223), .Y(N160));
 XNOR2X1 U236 (.A(n305), .B(n223), .Y(N161));
 NOR2X1 U237 (.A(n305), .B(n223), .Y(n224));
 XOR2X1 U238 (.A(cruisespeed[7]), .B(n224), .Y(N162));
 INVX2 U239 (.A(n221), .Y(N159));
 INVX2 U240 (.A(n218), .Y(N157));
 NOR2X1 U241 (.A(speed[7]), .B(n298), .Y(n230));
 NAND3X1 U242 (.A(speed[3]), .B(speed[2]), .C(speed[1]), .Y(n228));

OAI21X1 U243 (.A(n231), .B(speed[4]), .C(speed[5]), .Y(n229));
 NAND2X1 U244 (.A(n230), .B(n229), .Y(N49));
 INVX2 U245 (.A(n228), .Y(n231));
 NAND2X1 U246 (.A(cruisespeed[7]), .B(n203), .Y(n260));
 NAND2X1 U247 (.A(speed[5]), .B(n226), .Y(n255));
 AND2X1 U248 (.A(n237), .B(n255), .Y(n240));
 NAND2X1 U249 (.A(cruisespeed[2]), .B(n193), .Y(n246));
 NAND2X1 U250 (.A(n234), .B(n246), .Y(n248));
 NAND2X1 U251 (.A(speed[0]), .B(N155), .Y(n232));
 OAI21X1 U252 (.A(n207), .B(n232), .C(n310), .Y(n233));
 OAI21X1 U253 (.A(speed[1]), .B(n270), .C(n233), .Y(n236));
 NAND2X1 U254 (.A(speed[3]), .B(n227), .Y(n249));
 AND2X1 U255 (.A(n234), .B(n249), .Y(n235));
 OAI21X1 U256 (.A(n248), .B(n236), .C(n235), .Y(n238));
 NOR2X1 U257 (.A(n227), .B(speed[3]), .Y(n251));
 NAND2X1 U258 (.A(cruisespeed[4]), .B(n197), .Y(n252));
 NAND2X1 U259 (.A(n237), .B(n252), .Y(n254));
 NAND3X1 U260 (.A(n238), .B(n262), .C(n263), .Y(n239));
 NOR2X1 U261 (.A(n226), .B(speed[5]), .Y(n257));
 AOI21X1 U262 (.A(n240), .B(n239), .C(n257), .Y(n241));
 XOR2X1 U263 (.A(speed[6]), .B(n264), .Y(n243));
 AOI22X1 U264 (.A(speed[6]), .B(n264), .C(n241), .D(n243), .Y(n242));
 NOR2X1 U265 (.A(n203), .B(cruisespeed[7]), .Y(n261));
 OAI21X1 U266 (.A(n266), .B(n242), .C(n267), .Y(N181));

 NOR2X1 U267 (.A(N155), .B(speed[0]), .Y(n245));
 AOI21X1 U268 (.A(n207), .B(n245), .C(n310), .Y(n244));
 OAI21X1 U269 (.A(n245), .B(n207), .C(n268), .Y(n247));
 OAI21X1 U270 (.A(n248), .B(n247), .C(n246), .Y(n250));
 OAI21X1 U271 (.A(n251), .B(n250), .C(n249), .Y(n253));
 OAI21X1 U272 (.A(n254), .B(n253), .C(n252), .Y(n256));
 OAI21X1 U273 (.A(n257), .B(n256), .C(n255), .Y(n258));
 OAI22X1 U274 (.A(n265), .B(n258), .C(speed[6]), .D(n264), .Y(n259));
 OAI21X1 U275 (.A(n261), .B(n269), .C(n260), .Y(N182));
 INVX2 U276 (.A(n251), .Y(n262));
 INVX2 U277 (.A(n254), .Y(n263));
 INVX2 U278 (.A(n243), .Y(n265));
 INVX2 U279 (.A(n260), .Y(n266));
 INVX2 U280 (.A(n261), .Y(n267));
 INVX2 U281 (.A(n244), .Y(n268));
 INVX2 U282 (.A(n259), .Y(n269));

```

INVX2 U283 ( .A(n232), .Y(n270) );
INVX2 U284 ( .A(n154), .Y(n271) );
INVX2 U285 ( .A(n153), .Y(n272) );
INVX2 U286 ( .A(reset), .Y(n273) );
INVX2 U287 ( .A(n70), .Y(n274) );
INVX2 U288 ( .A(n64), .Y(n275) );
INVX2 U289 ( .A(n122), .Y(n276) );
INVX2 U290 ( .A(n118), .Y(n277) );
INVX2 U291 ( .A(n116), .Y(n278) );
INVX2 U292 ( .A(throttle), .Y(n279) );
INVX2 U293 ( .A(n145), .Y(n280) );
INVX2 U294 ( .A(n102), .Y(n281) );
INVX2 U295 ( .A(coast), .Y(n282) );
INVX2 U296 ( .A(cancel), .Y(n283) );
INVX2 U297 ( .A(n61), .Y(n284) );
INVX2 U298 ( .A(resume), .Y(n285) );
INVX2 U299 ( .A(n113), .Y(n286) );
INVX2 U300 ( .A(brake), .Y(n287) );
INVX2 U301 ( .A(N62), .Y(n288) );
INVX2 U302 ( .A(N64), .Y(n289) );
INVX2 U303 ( .A(N66), .Y(n290) );
INVX2 U304 ( .A(state[1]), .Y(n291) );
INVX2 U305 ( .A(n125), .Y(n292) );
INVX2 U306 ( .A(n97), .Y(n293) );
INVX2 U307 ( .A(speed[0]), .Y(n294) );
INVX2 U308 ( .A(state[0]), .Y(n295) );
INVX2 U309 ( .A(state[2]), .Y(n296) );

```

endmodule

Register Count

```

NAND2X1 U3 ( .A(n18), .B(n19), .Y(n158) );
AOI22X1 U4 ( .A(N139), .B(n20), .C(N156), .D(n21), .Y(n19) );
AOI22X1 U5 ( .A(n303), .B(n271), .C(n310), .D(n272), .Y(n18) );
NAND2X1 U6 ( .A(n24), .B(n25), .Y(n159) );
AOI22X1 U7 ( .A(N143), .B(n20), .C(N160), .D(n21), .Y(n25) );
AOI22X1 U8 ( .A(n299), .B(n271), .C(n306), .D(n272), .Y(n24) );
NAND2X1 U9 ( .A(n26), .B(n27), .Y(n160) );
AOI22X1 U10 ( .A(N140), .B(n20), .C(N157), .D(n21), .Y(n27) );
AOI22X1 U11 ( .A(n302), .B(n271), .C(cruisespeed[2]), .D(n272), .Y(n26) );
20 matches on 20 lines

```

67.10

20%

Register Count: 20

Part B

Critical Max Path

Startpoint: cruisespeed_reg[6]
(rising edge-triggered flip-flop clocked by clk)
Endpoint: cruisespeed[6]
(output port clocked by clk)
Path Group: clk
Path Type: max

Point	Incr	Path

clock clk (rise edge)	0.00	0.00
clock network delay (ideal)	0.00	0.00
cruisespeed_reg[6]/CLK (DFFPOSX1)	0.00	0.00 r
cruisespeed_reg[6]/Q (DFFPOSX1)	0.18	0.18 r
U171/Y (INVX1)	0.27	0.44 f
U170/Y (INVX8)	0.77	1.21 r
cruisespeed[6] (out)	0.00	1.21 r
data arrival time		1.21

clock clk (rise edge)	10.00	10.00
clock network delay (ideal)	0.00	10.00
clock reconvergence pessimism	0.00	10.00
output external delay	-5.00	5.00
data required time		5.00

data required time		5.00
data arrival time		-1.21

slack (MET)		3.79

Startpoint: cruisespeed_reg[0]
(rising edge-triggered flip-flop clocked by clk)
Endpoint: cruisespeed[0]
(output port clocked by clk)
Path Group: clk
Path Type: max

Point	Incr	Path

clock clk (rise edge)	0.00	0.00
clock network delay (ideal)	0.00	0.00
cruisespeed_reg[0]/CLK (DFFPOSX1)	0.00	0.00 r
cruisespeed_reg[0]/Q (DFFPOSX1)	0.14	0.14 r
U179/Y (INVX1)	0.26	0.40 f
U178/Y (INVX8)	0.77	1.17 r
cruisespeed[0] (out)	0.00	1.17 r
data arrival time		1.17
clock clk (rise edge)	10.00	10.00
clock network delay (ideal)	0.00	10.00
clock reconvergence pessimism	0.00	10.00
output external delay	-5.00	5.00
data required time		5.00

data required time		5.00
data arrival time		-1.17

slack (MET)		3.83

Startpoint: cruisespeed_reg[5]
 (rising edge-triggered flip-flop clocked by clk)
 Endpoint: cruisespeed[5]
 (output port clocked by clk)
 Path Group: clk
 Path Type: max

Point	Incr	Path

clock clk (rise edge)	0.00	0.00
clock network delay (ideal)	0.00	0.00
cruisespeed_reg[5]/CLK (DFFPOSX1)	0.00	0.00 r
cruisespeed_reg[5]/Q (DFFPOSX1)	0.14	0.14 r
U177/Y (INVX1)	0.23	0.37 f
U176/Y (INVX8)	0.76	1.12 r
cruisespeed[5] (out)	0.00	1.12 r
data arrival time		1.12
clock clk (rise edge)	10.00	10.00
clock network delay (ideal)	0.00	10.00
clock reconvergence pessimism	0.00	10.00
output external delay	-5.00	5.00
data required time		5.00

data required time		5.00
data arrival time		-1.12

slack (MET)		3.88

Warning: report_timing has satisfied the max_paths criteria. There are 31 further endpoints which have paths of interest with slack less than 5.00 that were not considered when generating this report. (UITE-502)

Critical Min Path

Startpoint: reset (input port clocked by clk)

Endpoint: state_reg[1]

(rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Point	Incr	Path

clock clk (rise edge)	0.00	0.00
clock network delay (ideal)	0.00	0.00
input external delay	0.00	0.00 f
reset (in)	0.06	0.06 f
U71/Y (OAI21X1)	0.08	0.13 r
state_reg[1]/D (DFFPOSX1)	0.00	0.13 r
data arrival time		0.13
clock clk (rise edge)	0.00	0.00
clock network delay (ideal)	0.00	0.00
clock reconvergence pessimism	0.00	0.00
state_reg[1]/CLK (DFFPOSX1)		0.00 r
library hold time	0.00	0.00
data required time		0.00

data required time		0.00
data arrival time		-0.13

slack (MET)		0.13

Startpoint: brake (input port clocked by clk)

Endpoint: state_reg[0]

(rising edge-triggered flip-flop clocked by clk)

Path Group: clk

Path Type: min

Point	Incr	Path

clock clk (rise edge)	0.00	0.00
clock network delay (ideal)	0.00	0.00

input external delay	0.00	0.00 f
brake (in)	0.06	0.06 f
U44/Y (OAI21X1)	0.08	0.14 r
state_reg[0]/D (DFFPOSX1)	0.00	0.14 r
data arrival time		0.14

clock clk (rise edge)	0.00	0.00
clock network delay (ideal)	0.00	0.00
clock reconvergence pessimism	0.00	0.00
state_reg[0]/CLK (DFFPOSX1)		0.00 r
library hold time	0.00	0.00
data required time		0.00

data required time		0.00
data arrival time		-0.14

slack (MET)		0.13

Startpoint: resume (input port clocked by clk)
Endpoint: cruisectl_reg
(rising edge-triggered flip-flop clocked by clk)
Path Group: clk
Path Type: min

Point	Incr	Path

clock clk (rise edge)	0.00	0.00
clock network delay (ideal)	0.00	0.00
input external delay	0.00	0.00 r
resume (in)	0.05	0.05 r
U40/Y (AOI22X1)	0.06	0.11 f
U38/Y (OAI21X1)	0.07	0.18 r
cruisectl_reg/D (DFFPOSX1)	0.00	0.18 r
data arrival time		0.18

clock clk (rise edge)	0.00	0.00
clock network delay (ideal)	0.00	0.00
clock reconvergence pessimism	0.00	0.00
cruisectl_reg/CLK (DFFPOSX1)		0.00 r
library hold time	0.00	0.00
data required time		0.00

data required time		0.00
data arrival time		-0.18

slack (MET)		0.18

Warning: report_timing has satisfied the max_paths criteria. There are 17 further endpoints which have paths of interest with slack less than 5.00 that were not considered when generating this report. (UITE-502)

Part C

Standard Cell & Length

```
#Post Route wire spread is done.
#Total wire length = 9292 um.
#Total half perimeter of net bounding box = 10143 um.
#Total wire length on LAYER metal1 = 815 um.
#Total wire length on LAYER metal2 = 4285 um.
#Total wire length on LAYER metal3 = 4036 um.
#Total wire length on LAYER metal4 = 136 um.
#Total wire length on LAYER metal5 = 21 um.
#Total wire length on LAYER metal6 = 0 um.
#Total number of vias = 1437
#Up-Via Summary (total 1437):
_

#std cell=302 (0 fixed + 302 movable) #block=0 (0 floating + 0 preplaced)
#ioInst=0 #net=323 #term=1008 #term/net=3.12, #fixedIo=0, #floatIo=0, #fixedPin=
0, #floatPin=26
stdCell: 302 single + 0 double + 0 multi
Total standard cell length = 1.0808 (mm), area = 0.0108 (mm^2)
Average module density = 0.713.
Density for the design = 0.713.
    = stdcell_area 1351 sites (10808 um^2) / alloc_area 1896 sites (15168 um^
2).
Pin Density = 0.5207.
    = total # of pins 1008 / total area 1936.
```

Route Length = 9.292 mm

Total standard cell count = 302

Layout



