

Name: Esha asif

Roll no:034

Section:BSAI 4A

Subject:Programming for Al

LAB TASK 1

HOW AND WHY:

This is for a kaggle competition House pricing its for prediction the house sale price for each house based on the dataset. It starts by loading the data and checking for missing values and then filling them by using me sales price is log-transformed for better modeling. After that it splits the data into training and validation set and handles the missing values in categorical columns and encodes them similarly in both the training and test datasets. Then it trains the xg boost model to predict house prices. And in the end it preprocesses the test data makes predictions and creates a submission file with the predicted prices, saving it as submission.csv as you can see it in the last few lines.

Output:

Submission and Description

Submission.csv
Complete · now

Public Score ①

182906.49789

```
MiscFeature MiscVal MoSold YrSold SaleType
     MSSubClass MSZoning LotFrontage LotArea Street Alley LotShape LandContour Utilities LotConfig ... PoolArea PoolQC Fence
                                                                                                            NaN NaN
                                                                                                                              NaN
                                                                                                                                                              WD
                                                                                                             NaN GdPrv
                                                                                                                                                              WD
                                                                                        Inside
                                                                                                                              Shed
                                                                                                                                      2500
                                       9717 Pave NaN
1458
                                                                              AllPub
                                                                                        Inside
                                                                                                                              NaN
                                                                              AllPub
                                                                                                             NaN
                                                                                                                   NaN
                                                                                                                              NaN
                                                                                                                                                              WD
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 1460 entries, 0 to 1459
Data columns (total 80 columns):
                    Non-Null Count Dtype
     Column
    MSSubClass
                                     int64
                    1460 non-null
0
                                     object
    MSZoning
                    1460 non-null
                                     float64
 2
     LotFrontage
                    1201 non-null
                    1460 non-null
                                     int64
     LotArea
     Street
                    1460 non-null
                                     object
4
     Alley
                    91 non-null
                                     object
 6
     LotShape
                    1460 non-null
                                     object
     LandContour
 7
                    1460 non-null
                                     object
    Utilities
                                     object
8
                    1460 non-null
9
     LotConfig
                    1460 non-null
                                     object
 10 LandSlope
                    1460 non-null
                                     object
    Neighborhood
                    1460 non-null
                                     object
 11
 12 Condition1
                    1460 non-null
                                     object
 13 Condition2
                    1460 non-null
                                     object
 14 BldgType
                    1460 non-null
                                     object
 15
    HouseStyle
                    1460 non-null
                                     object
 16 OverallQual
                    1460 non-null
                                     int64
    OverallCond
                    1460 non-null
                                     int64
 17
 18
    YearBuilt
                    1460 non-null
                                     int64
    YearRemodAdd
                    1460 non-null
                                     int64
 19
 78 SaleCondition 1460 non-null
                                     object
                    1460 non-null
 79 SalePrice
                                     int64
dtypes: float64(3), int64(34), object(43)
memory usage: 912.6+ KB
Output is truncated. View as a scrollable element or open in a text editor. Adjust cell output settings...
```

													Pj	ytnon
	MSSubClass	LotFrontage	LotArea	OverallQual	OverallCond	YearBuilt	YearRemodAdd	MasVnrArea	BsmtFinSF1	BsmtFinSF2	WoodDeckSF	OpenPorchSF	EnclosedPorch	35
count	1460.000000	1201.000000	1460.000000	1460.000000	1460.000000	1460.000000	1460.000000	1452.000000	1460.000000	1460.000000	1460.000000	1460.000000	1460.000000	1460
mean	56.897260	70.049958	10516.828082	6.099315	5.575342	1971.267808	1984.865753	103.685262	443.639726	46.549315	94.244521	46.660274	21.954110	
std	42.300571	24.284752	9981.264932	1.382997	1.112799	30.202904	20.645407	181.066207	456.098091	161.319273	125.338794	66.256028	61.119149	
min	20.000000	21.000000	1300.000000	1.000000	1.000000	1872.000000	1950.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	
25%	20.000000	59.000000	7553.500000	5.000000	5.000000	1954.000000	1967.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	
50%	50.000000	69.000000	9478.500000	6.000000	5.000000	1973.000000	1994.000000	0.000000	383.500000	0.000000	0.000000	25.000000	0.000000	
75%	70.000000	80.000000	11601.500000	7.000000	6.000000	2000.000000	2004.000000	166.000000	712.250000	0.000000	168.000000	68.000000	0.000000	
max	190.000000	313.000000	215245.000000	10.000000	9.000000	2010.000000	2010.000000	1600.000000	5644.000000	1474.000000	857.000000	547.000000	552.000000	
8 rows x	8 rows × 37 columns													

```
print(df.count())
MSSubClass
                 1460
MSZoning
                 1460
LotFrontage
                 1201
LotArea
                 1460
Street
                 1460
MoSold
                 1460
YrSold
                 1460
SaleType
                 1460
SaleCondition
                1460
SalePrice
                 1460
Length: 80, dtype: int64
   df.nunique()
MSSubClass
                   15
MSZoning
                    5
LotFrontage
                  110
LotArea
                 1073
                    2
Street
MoSold
                   12
YrSold
                    5
SaleType
                    9
SaleCondition
                    6
SalePrice
                  663
Length: 80, dtype: int64
```

```
MSSubClass
                    0
MSZoning
                    0
LotFrontage
                  259
LotArea
                    0
Street
                    0
MoSold
                    0
YrSold
                    0
SaleType
                    0
SaleCondition
                    0
SalePrice
Length: 80, dtype: int64
```

```
'Neighborhood', 'Condition1', 'Condition2', 'BldgType', 'HouseStyle', 'OverallQual', 'OverallCond', 'YearBuilt', 'YearRemodAdd', 'RoofStyle', 'RoofMatl', 'Exterior1st', 'Exterior2nd', 'MasVnrType', 'MasVnrArea',
          'ExterQual', 'ExterCond', 'Foundation', 'BsmtQual', 'BsmtCond',
          'BsmtExposure', 'BsmtFinType1', 'BsmtFinSF1', 'BsmtFinType2',
          'BsmtFinSF2', 'BsmtUnfSF', 'TotalBsmtSF', 'Heating', 'HeatingQC', 'CentralAir', 'Electrical', '1stFlrSF', '2ndFlrSF', 'LowQualFinSF', 'GrLivArea', 'BsmtFullBath', 'BsmtHalfBath', 'FullBath', 'HalfBath',
          'BedroomAbvGr', 'KitchenAbvGr', 'KitchenQual', 'TotRmsAbvGrd',
         'Functional', 'Fireplaces', 'FireplaceQu', 'GarageType', 'GarageYrBlt', 'GarageFinish', 'GarageCond', 'GarageFinish', 'GarageCond', 'PavedDrive', 'WoodDeckSF', 'OpenPorchSF', 'EnclosedPorch', '3SsnPorch', 'ScreenPorch', 'PoolArea', 'PoolQC', 'Fence', 'MiscFeature', 'MiscVal',
          'MoSold', 'YrSold', 'SaleType', 'SaleCondition', 'SalePrice'],
        dtype='object')
'Neighborhood', 'Condition1', 'Condition2', 'BldgType', 'HouseStyle', 'OverallQual', 'OverallCond', 'YearBuilt', 'YearRemodAdd', 'RoofStyle', 'RoofMatl', 'Exterior1st', 'Exterior2nd', 'MasVnrType', 'MasVnrArea',
          'ExterQual', 'ExterCond', 'Foundation', 'BsmtQual', 'BsmtCond',
          'BsmtExposure', 'BsmtFinType1', 'BsmtFinSF1', 'BsmtFinType2',
          'BsmtFinSF2', 'BsmtUnfSF', 'TotalBsmtSF', 'Heating', 'HeatingQC',
          'PavedDrive', 'WoodDeckSF', 'OpenPorchSF', 'EnclosedPorch', '3SsnPorch',
          'ScreenPorch', 'PoolArea', 'PoolQC', 'Fence', 'MiscFeature', 'MiscVal',
          'MoSold', 'YrSold', 'SaleType', 'SaleCondition'],
        dtype='object')
Output is truncated. View as a <u>scrollable element</u> or open in a <u>text editor</u>, Adjust cell output <u>settings</u>...
```

XGBRegressor

0

XGBRegressor(base_score=None, booster=None, callbacks=None, colsample_bylevel=None, colsample_bynode=None, colsample_bytree=None, device=None, early_stopping_rounds=None, enable_categorical=False, eval_metric=None, feature_types=None, gamma=None, grow_policy=None, importance_type=None, interaction_constraints=None, learning_rate=0.05, max_bin=None, max_cat_threshold=None, max_cat_to_onehot=None, max_delta_step=None, max_depth=4, max_leaves=None, min_child_weight=None, missing=nan, monotone_constraints=None, multi_strategy=None, n_estimators=500, n_jobs=None, num_parallel_tree=None, random_state=None, ...)

MSSubClass	int64							
MSZoning	object							
LotFrontage f	loat64							
LotArea	int64							
Street	object							
MiscVal	int64							
MoSold	int64							
YrSold	int64							
SaleType	object							
SaleCondition	object							
Length: 79, dtype:	object							
MSSubClass	int64							
MSZoning	int32							
LotFrontage f.	loat64							
LotArea	int64							
Street	int32							
MiscVal	int64							
MoSold	int64							
YrSold	int64							
SaleType	int32							
SaleCondition	int32							
Length: 79, dtype: object								
Submission file sa	Submission file saved as submission.csv							