

Properties of Triangles

EE24Btech11022 - Eshan sharma

I. MCQs WITH ONE OR MORE THAN ONE ANSWER

- There exists a triangle ABC satisfying the conditions (1986 - 2 mark)
 - $b \sin A = a$, $A < \pi/2$
 - $b \sin A > a$, $A > \pi/2$
 - $b \sin A > a$, $A < \pi/2$
 - $b \sin A < a$, $A < \pi/2$, $b > a$
 - $b \sin A < a$, $A > \pi/2$, $b = a$
- In a triangle, the lengths of two larger sides are 10 and 9 respectively. If the angles are in AP, Then length of third side is (1987 - 2 mark)
 - $5 - \sqrt{6}$
 - $3\sqrt{3}$
 - 3
 - $5 + \sqrt{6}$
 - none
- If in a triangle PQR, $\sin P$, $\sin Q$, $\sin R$ are in AP, then (1998 - 2 mark)
 - The altitudes are in AP
 - The altitudes are in HP
 - The medians are in GP
 - The medians are in AP
- Let $A_0A_1A_2A_3A_4A_5$ be a regular hexagon inscribed in a circle of unit radius. Then the product of the lengths of the line segments A_0A_1 , A_0A_2 and A_0A_4 is (1998 - 2 mark)
 - $\frac{3}{4}$
 - $3\sqrt{3}$
 - 3
 - $\frac{3\sqrt{3}}{2}$
- In $\triangle ABC$, internal angle bisector of $\angle A$ meets side BC in D. $DE \perp AD$ meets AC in E and AB in F. Then (2006-5M,-1)
 - AE is HM of b and c
 - $AD = \frac{2bc}{b+c} \cos \frac{A}{2}$
 - $EF = \frac{4bc}{b+c} \sin \frac{A}{2}$
 - $\triangle AEF$ is isosceles
- Let ABC be a triangle such that $\angle ACB = \pi/6$ and let a,b and c denote lengths of the sides opposite to A,B and C respectively. The value(s) of x for which $a = x^2+x+1$, $b = x^2-1$, $c = 2x+1$ is(are) (2010)
 - $-(2 + \sqrt{3})$
 - $1 + \sqrt{3}$
 - $2 + \sqrt{3}$
 - $4\sqrt{3}$
- In a triangle PQR, P is the largest angle and $\cos P = \frac{1}{3}$. Further the incircle of the triangle touches the sides PQ,QR and RP at N,L and M respectively, such that the lengths of PN, QL and RM are consecutive even integers. Then possible length(s) of the side(s) of the triangle is(are) (Jee Adv. 2013)
 - 16
 - 24
 - 18
 - 22
- In a triangle XYZ, let x,y,z be the lengths of sides opposite to angles X,Y,Z and $2s = x+y+z$. If $\frac{s-x}{4} = \frac{s-y}{3} = \frac{s-z}{2}$ and area of the incircle of the triangle XYZ is $\frac{8\pi}{3}$ (Jee Adv. 2016)
 - area of the triangle is $6\sqrt{6}$
 - the radius of circumcircle of XYZ is $\frac{35\sqrt{6}}{6}$
 - $\sin \frac{X}{2} \sin \frac{Y}{2} \sin \frac{Z}{2} = \frac{4}{35}$
 - $\sin^2 \left(\frac{X+Y}{2} \right) = \frac{3}{5}$
- In a triangle PQR, let $\angle PQR = 30^\circ$ and the sides PQ and QR have lengths $10\sqrt{3}$ and 10 respectively. Then which of the following statements is(are) TRUE? (Jee Adv. 2018)
 - $\angle QPR = 45^\circ$
 - the area of the triangle PQR is $25\sqrt{3}$ and $\angle QRP = 120^\circ$
 - the radius of the incircle of triangle PQR is $10\sqrt{3} - 15$
 - the radius of circumcircle PQR is 100π
- In a non-right-angle triangle $\triangle PQR$, let p,q,r denote the lengths of the sides opposite to the angles at P,Q,R respectively. The median from R meets the side PQ at S, the perpendicular from P meets the side QR at E, RS and PE intersect at O. If $p = \sqrt{3}$, $q = 1$ and the radius of the circumcircle at $\triangle PQR$ equals 1, then

which of the following options is(are)

correct. (Jee Adv. 2018)

- (a) Radius of incircle of $\Delta PQR = \frac{\sqrt{3}}{2}(2 - \sqrt{3})$
- (b) Area of $\Delta SOE = \frac{\sqrt{3}}{12}$
- (c) Length of OE = $\frac{1}{6}$
- (d) Length of RS = $\frac{\sqrt{7}}{2}$

II. SUBJECTIVE PROBLEMS

1. A triangle ABC has sides $AB = AC = 5\text{cm}$ and $BC = 6\text{cm}$. Triangle $A'B'C'$ is the reflection of the triangle ABC in a line parallel to AB placed at a distance of 2 cm from AB, outside the triangle ABC. Triangle $A''B''C''$ is the reflection of the triangle $A'B'C'$ in a line parallel to $B'C'$ placed at a distance of 2 cm from $B'C'$ outside the triangle $A'B'C'$. Find the distance between A and A'' . (1978)
- 2.(a) If a circle is inscribed in a right angled triangle ABC right angled at B, show that the diameter of the circle is equal to $AB+BC-AC$.
(b) If a triangle is inscribed in a circle, then the product of any two sides of the triangle is equal to the product of the diameter and perpendicular distance of the third side from the opposite vertex. Prove the above statement. (1979)
- 3.(a) A balloon is observed simultaneously from three points A, B and C on a straight road directly beneath it. The angular elevation at B is twice that at A and angular elevation at C is thrice that of A. If the distance between A and B is a and the distance between B and C is b, find height of balloon in terms of a and b.
(b) Find the area of the smaller part of a disc of radius 10 cm, cut off by a chord AB which subtends an angle of $22\frac{1}{2}^\circ$ at the circumference. (1980)
4. ABC is a triangle. D is the middle point of BC. If AD is perpendicular to AC, then prove that $\cos A \cos C = \frac{2(c^2 - a^2)}{3ac}$. (1980)
5. ABC is a triangle with $AB=AC$. D is any point on the side BC. E and F are points on the side AB and AC, respectively, such that DE is parallel to AC, and DF is parallel to AB. Prove that $DF + FA + AE + ED = AB + AC$ (1980)