

## Number of populations

	Batillaria attr	Battr_HL1	Battr_HL6	Ceramium kondoi	Crassostrea gigas	Cutleria cylindrica	Gracilaria vermiculophylla	Ruditapes philippinarum	Sargassum muticum	Ulva pertusa	Undaria pinnatifida
<i>Introduced_Argentina</i>	0	0	0	0	2	0	0	0	0	0	0
<i>Introduced_Chile</i>	0	0	0	0	1	0	0	0	0	0	0
<i>Introduced_EuropeNorth</i>	0	0	0	0	4	0	7	0	8	2	0
<i>Introduced_EuropeSouth</i>	0	0	0	0	5	0	10	4	9	2	0
<i>Introduced_France</i>	0	0	0	0	0	0	0	0	0	0	2
<i>Introduced_NAm_north</i>	2	2	2	2	4	0	4	2	2	0	0
<i>Introduced_NAm_south</i>	2	2	2	0	5	1	4	0	2	3	3
<i>Introduced_New Zealand</i>	0	0	0	0	3	0	0	0	0	0	21
<i>Introduced_NZ</i>	0	0	0	0	0	0	0	0	0	77	0
<i>Native_hok</i>	0	0	0	7	2	1	5	2	1	5	5
<i>Native_hon</i>	6	6	6	0	4	0	4	0	0	5	2
<i>Native_kag</i>	1	1	1	1	1	4	8	1	0	5	3
<i>Native_nonSource</i>	1	1	1	14	4	2	9	15	0	11	16
<i>Native_sea</i>	4	4	3	0	4	4	7	1	4	8	5
<i>Native_tok</i>	2	1	2	1	2	2	4	3	2	10	6

## Mean# sample per population, averaged by region

	Batillaria attr	Battr_HL1	Battr_HL6	Ceramium kondoi	Crassostrea gigas	Cutleria cylindrica	Gracilaria vermiculophylla	Ruditapes philippinarum	Sargassum muticum	Ulva pertusa	Undaria pinnatifida
<i>Introduced_Argentina</i>	0	0	0	0	17	0	0	0	0	0	0
<i>Introduced_Chile</i>	0	0	0	0	18	0	0	0	0	0	0
<i>Introduced_EuropeNorth</i>	0	0	0	0	17.2	0	18.3	0	50.5	1	0
<i>Introduced_EuropeSouth</i>	0	0	0	0	12.2	0	16.3	27.8	75.9	1	0
<i>Introduced_France</i>	0	0	0	0	0	0	0	0	0	0	2
<i>Introduced_NAm_north</i>	10	21	8.5	1.5	15.2	0	12.5	33	21.5	0	0
<i>Introduced_NAm_south</i>	10	44.5	117.5	0	15	15	20	0	36	1	3.7
<i>Introduced_New Zealand</i>	0	0	0	0	18.7	0	0	0	0	0	3.6
<i>Introduced_NZ</i>	0	0	0	0	0	0	0	0	0	1	0
<i>Native_hok</i>	0	0	0	1.1	26.5	10	25.2	8.5	32	1	6.6
<i>Native_hon</i>	10	11.2	20	0	26.2	0	11.8	0	0	1	5.5
<i>Native_kag</i>	10	13	18	1	1	2.2	22	5	0	1	3
<i>Native_nonSource</i>	10	6	6	1.7	17	4.5	22.8	11.7	0	1	1.9
<i>Native_sea</i>	10	3	7.7	0	21.8	5.5	13.3	7	30.5	1	4.2
<i>Native_tok</i>	10	1	4.5	2	19	10	16.8	13.7	32	1	2.8