


Lecture 1

- Syllabus overview
- O Introduction to decision models
- O Bland brewery linear programming model
- Spreadsheet optimization
- O Summary and preparation for next class

What is Decision Modeling?

- Decision modeling refers to the use of mathematical or scientific methods to determine an allocation of scarce resources that improves or optimizes the performance of a system.
- The terms *operations research* and *management science* are also used to refer to decision modeling.



A sample of systems to which decision models have been applied include:


- Financial systems
 - 4 Portfolio optimization, security pricing (e.g., options, mortgagebacked securities), cash-flow matching (e.g., pension planning and bond refunding)
 - 4 Example: LibertyView Capital Management uses a spreadsheet optimization model developed by a 1995 Columbia MBA to hedge bond investments using stock and options
- Production systems
 - 4 oil, steel, chemical, and many other industries
 - 4 Example: Citgo uses linear programming to improve refining operations. Total benefit: approximately \$70 million annually.

Applications of Decision Models (continued)

- Distribution systems
 - 4 airlines, paper, school systems, and others
 - 4 Example: Westvaco, a Fortune 200 paper company, uses linear programming to optimize its selection of motor carriers. The result: 3-6% savings on trucking costs of \$15 million annually. This work was done by a 1992 Columbia MBA.
- Marketing systems
 - 4 sales-force design, forecasting new-product sales, telecommunications strategies, brand choice, merchandising strategies
- Graduate school admissions
 - 4 Example: The director of CBS admissions uses linear programming to aid in the admissions process.

References: The journal *Interfaces*, and the book *Excellence in Management Science Practice*, by Assad, Wasil, and Lilien, Prentice Hall, Englewood Cliffs, NJ (both are in the business school library).

Overview of Decision Models




Main solution tools

- Optimization
 - 4 Linear programming, Integer programming, Nonlinear programming
- Simulation

Bland Brewery Decision Problem

O Consider the situation of a small brewery whose ale and beer are always in demand but whose production is limited by certain raw materials that are in short supply. The scarce ingredients are corn, hops, and barley malt. The recipe for a barrel of ale calls for the ingredients in proportions different from those in the recipe for a barrel of beer. For instance, ale requires more malt per barrel than beer does. Furthermore, the brewer sells ale at a profit of \$13 per barrel and beer at a profit of \$23 per barrel. Subject to these conditions, how can the brewery maximize profit?

Bland Brewery Model



What if Bland decides to produce all ale? Then

- o their corn supply limits production to at most 480/5 =96 barrels,
- o their hops supply limits production to at most 160/4 =40 barrels, and
- their malt supply limits production to at most 1190/35 = 34 barrels. Therefore, they can produce only 34 barrels of ale, which makes a profit of $34 \times $13 = 442 .

What if Bland decides to produce all beer? Then

- their corn supply limits production to at most 480/15 = 32 barrels,
- their hops supply limits production to at most 160/4 = 40 barrels, and
- their malt supply limits production to at most 1190/20 = 59.5 barrels. Therefore, they can produce only 32 barrels of beer, which makes a profit of $32 \times $23 = 736 .

Is there a better production plan? One way to simplify the computations is to set up a spreadsheet.

Figure 1. The preliminary spreadsheet BLAND.XLS

=SUMPRODUCT(C4:D4, C5:D5) Z M X 也也 E 在 計引 随便利 1970年 次 ・ロ・ラノミ 医芸芸団 半%,以の 原体 口・5・4・ BLAND XLS Bland Brewery Production Problem 2 Product: Beer Total Barrels to Produce: Profit: 5 10 \$13 \$23 Profit per Barrel: \$295 6 **Product Ingredient Requirements** 8 Total Quantity Ingredients: Ale Beer Usage Available: 10 Corn (bs) 5 15 480 175 60 Hops (ozs) 4 4 160 Spreadsheet 1190 Malt (bs) 35 20 375 13 copy 14 15 command 16 17 18 0 19 H # F FF Version ST Version 2.0 / Version 3.0 / Ready Cell E10

Cell F5

Figure 2. The spreadsheet ${\tt BLAND.XLS}$ with formulas

=SUMPRODUCT(\$C\$4:\$D\$4, C10:D10)




Figure 3. The Solver Parameters dialog box

A description of the Excel spreadsheet optimizer is given in the reading "An introduction to Spreadsheet Optimization using Excel".




Figure 4. The Solver Parameters dialog box with constraints added




Figure 5. The Solver Options dialog box




Figure 6. The spreadsheet after optimizing




Figure 7. The spreadsheet with constraints indicated


Bland Brewery LP Standard Notation

Decision Variables

Let A = # of barrels of ale to produce, and

B = # of barrels of beer to produce.

Note: Use suggestive (mnemonic) variable names for readability.



Terminology

Feasible and Infeasible Solutions

A production plan (A,B) that satisfies all of the constraints is called a *feasible solution*.

For example, in the Bland Brewery LP, the solution (A=10, B=10) is feasible. The production plan (A=40, B=10) is not feasible, i.e. it is *infeasible* because the hops and malt constraints are *violated*.

Optimal Solution

For a maximization (respectively, minimization) problem, an *optimal* solution is a feasible solution that has the largest (respectively, smallest) objective function value among all feasible solutions.

The optimal solution for the Bland Brewery production model is (A=12, B=28). This means that Bland's optimal production plan is to produce 12 barrels of ale and 28 barrels of beer. The optimal objective function value is \$800.

Assumptions in a Linear Program

- O Continuity: the decision variables are continuous, i.e., fractional values are allowed.
- Proportionality: for example, it takes twice as much hops to make twice as much beer or ale; there are no economies of scale.
- Additivity: profit is the *sum* of the profit contributions from ale and beer.

In short, the objective function and constraints must be *linear*. For example, 13A + 23B is a linear function of A and B. The functions $13A^2 + 23AB$ and log(A) + cos(B) are nonlinear functions. The function max(A,0) is not differentiable at A=0 and =IF(A<5,0,10) is a discontinuous function.

Allowable variations:

- Objective function can be maximized or minimized.
- O Constraints can be , , or =.
- Noninteger or integer coefficients and righthand sides are allowed.
- O Negative or positive coefficients and righthand sides are allowed.

Summary

- O Understand LP terminology: decision variables, objective function, constraints, feasible and infeasible solutions, optimal solution.
- Formulate simple linear programs.
- O Solve simple linear programs in a spreadsheet.

Preparation for next class.

- Formulate and solve the "Shelby shelving" case (in the readings book or on pp.108-109 in the W&A text). Prepare to discuss the case in class, but do not write up a formal solution.
- O Readings: "an introduction to spread-sheet optimization using excel" in the readings book. Read sections 3.1-3.5, 3.7, 5.1-5.2 in the W&A text.
- Optional readings: "OR brews success for san Miguel" and "logistics" steps onto retail battlefield" in the readings book.