

European Urban Fabric Classification Using Artificial Intelligence

Technical Note D6
Software and Example datasets
generated during Verification Exercises

Software and Example datasets generated during Verification Exercises

Technical Note D6

Krasen Samardzhiev¹, Barbara Metzler², Martin Fleischmann^{1,*} and Daniel Arribas-Bel²

1. Faculty of Science, Charles University, Social Geography and Regional Development, Albertov 6, 128 00, Praha, Czechia
2. The Alan Turing Institute, Science of Cities and Regions, British Library, 96 Euston Road, London NW1 2DB, UK

* Correspondence: Martin Fleischmann martin.fleischmann@natur.cuni.cz



The activities reported in this document were carried under a programme of, and funded by, the European Space Agency. View expressed in the publication can in no way be taken to reflect the official opinion of the European Space Agency.

eurofab.org

Table of contents

1 Executive summary	1
2 Software	2
2.1 Morphometrics	2
2.1.1 Interactive web application	2
2.1.2 Morphometric characterisation pipeline for Microsoft Building footprints	2
2.1.3 Morphometric characterisation pipeline for OvertureMaps Building footprints	2
2.2 EO	2
2.3 Software: AI Method for Urban Fabric classification and morphometric characterization	3
3 Example datasets	4
3.1 Morphometric model	4
3.2 AI model	4
3.3 Example datasets generated during Verification Exercises	4
3.4 London	6
3.5 Liverpool	8
References	10

1 Executive summary

In this note we present the software and datasets generated for the project and described in the relevant technical notes:

- Interactive morphometric web application
- Morphometric characterisation pipeline for Microsoft Building footprints
- Morphometric characterisation pipeline for OvertureMaps Building footprints
- AI Method for Urban Fabric classification and morphometric characterization
- AI temporal data cube of Urban Fabric classifications

2 Software

2.1 Morphometrics

2.1.1 Interactive web application

We developed an interactive web app that displays the entire ground truth morphometric classification for Central Europe - [HiMOC](#). The web app make possible the sharing of the Central European data with an even wider audience, than the original specified stakeholders, regardless of their technical expertise. Furthermore, it allowed stakeholders to visually explore the geospatial data, zoom in and out, pan across areas, and overlay different layers. It was the focus of multiple stakeholder consultations and enabled them to see final results, propose features, highlight mistakes. Furthermore, it allowed them to specify what format at what scale the final results would be most useful for them.

2.1.2 Morphometric characterisation pipeline for Microsoft Building footprints

The entire morphometric characterisation pipeline for the processing of Microsoft Building Footprints, including reproducible notebooks and an environment is open-sourced and available on the [EuroFab GitHub](#).

2.1.3 Morphometric characterisation pipeline for OvertureMaps Building footprints

The above reproducible pipeline was further adapted to process OvertureMaps data and is also available at the [EuroFab GitHub](#).

2.2 EO

All EO analyses presented are supported by openly accessible software hosted on [GitHub](#). The AI prediction pipeline, including preprocessing, embedding generation, and prediction of spatial signatures, is fully documented and accessible at EO repository.

2.3 Software: AI Method for Urban Fabric classification and morphometric characterization

All the work supporting this analysis can be found on GitHub. The main prediction pipeline, which includes data preprocessing, embedding creation, and spatial signature prediction, can be used as follows:

```
# Run the pipeline
pipeline.spatial_sig_prediction(
    geo_path= "../spatial_signatures/eo/data/example/london_25_25_grid_clipped.geojson",
    vrt_file= "../satellite_demoland/data/mosaic_cube/vrt_allbands/2017_combined.vrt", #
    xgb_weights = "../spatial_signatures/classifier/k12_h5_slided_gb_xgb_model.bin", ## M
    model_weights = "../satellite_demoland/models/satlas/weights/satlas-model-v1-lowres.p
    output_path= "../vjgo8416-demoland/spatial_signatures/eo/data/predictions/test_london
    h3_resolution=5 ## h3 resolution to be added to analysis (spatial context)
) `
```

More details and documentation on how to run the pipeline can be found in the example on the [EuroFab project EO repository](#).

3 Example datasets

3.1 Morphometric model

The final morphometric model is around 40GB and takes around 10 hours to train. The full script and notebooks, including a reproducible environment is available at the project [GitHub](#). A non-interactive version of the notebooks used in the pipeline is available on the [EuroFab Project Website](#).

3.2 AI model

The final data cube including predictions for the years 2016 to 2021 for 7 and 12 classes can be found on the [GitHub repository](#).

3.3 Example datasets generated during Verification Exercises

Here are some example visualisations showing London and Liverpool from the dataset:

3 Example datasets




Figure 3.1: Example Level 4 predictions for the areas around Vienna (Austria), Munich (Germany), Wroclaw (Poland) and Brno (Czechia)

3 Example datasets

3.4 London




Figure 3.2: London, 7 classes

3 Example datasets




Figure 3.3: London, 12 classes

3 Example datasets

3.5 Liverpool




Figure 3.4: Liverpool, 7 classes

3 Example datasets




Figure 3.5: Liverpool, 12 classes

References