

```

!DOCTYPE html>
html>
head>
style>
flex-container {
display: flex;
justify-content: space-around;
background-color: DodgerBlue;


flex-container > div {
background-color: #f1f1f1;
width: 100px;
margin: 10px;
text-align: center;
line-height: 75px;
font-size: 30px;

/style>
/head>

```

The justify-content Property

The "justify-content: space-around;" displays the flex items with space before, between, and after the lines:



```


<!DOCTYPE html>
<html>
<head>
<style>
.flex-container {
display: flex;
justify-content: space-between;
background-color: DodgerBlue;
}

.flex-container > div {
background-color: #f1f1f1;
width: 100px;
margin: 10px;
text-align: center;
line-height: 75px;
font-size: 30px;
}

```

The justify-content Property

The "justify-content: space-between;" displays the flex items with space between the lines:



```

<!DOCTYPE html>
<html>
<head>
<style>
.flex-container {
display: flex;
justify-content: space-evenly;
background-color: DodgerBlue;
}


.flex-container > div {
background-color: #f1f1f1;
width: 100px;
margin: 10px;
text-align: center;
line-height: 75px;
font-size: 30px;
}
</style>
</head>
<body>


<h1>The justify-content Property</h1>

```

The justify-content Property

The "justify-content: space-around;" displays the flex items with space before, between, and after the lines:





FLEXBOX FROGGY

Level 15 of 24

Use the **order** property to send the red frog to his lilypad.

```
1 #pond {
2   display: flex;
3 }
4
5 .red {
6   order: -1;
7 }
8
9
10
```

Next

Flexbox Froggy is created by Codecademy • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

FLEXBOX FROGGY

Level 16 of 24

Another property you can apply to individual items is **align-self**. This property accepts the same values as **align-items** and its value for the specific item.

```
1 #pond {
2   display: flex;
3   align-items: flex-start;
4 }
5
6 .yellow {
7   align-self: flex-end;
8 }
9
10
```

Next

Flexbox Froggy is created by Codecademy • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

FLEXBOX FROGGY

◀ Level 17 of 24 ▶

Combine `order` with `align-self` to help the frogs to their destinations.

```
1 #pond {
2   display: flex;
3   align-items: flex-start;
4 }
5
6 .yellow {
7   order: 1;
8   align-self: flex-end;
9 }
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



FLEXBOX FROGGY

◀ Level 18 of 24 ▶

Oh no! The frogs are all squeezed onto a single row of lily pads. Spread them out using the `flex-wrap` property, which accepts the following values:


- `nowrap`: Every item is fit to a single line.
- `wrap`: Items wrap around to additional lines.
- `wrap-reverse`: Items wrap around to additional lines in reverse.

```
1 #pond {
2   display: flex;
3   flex-wrap: wrap;
4 }
5
6
7
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



FLEXBOX FROGGY

◀ Level 19 of 24 ▶

Help this army of frogs form three orderly columns using a combination of `flex-direction` and `flex-wrap`.

```
1 #pond {
2   display: flex;
3   flex-direction: column;
4   flex-wrap: wrap;
5 }
6
7
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



FLEXBOX FROGGY

◀ Level 20 of 24 ▶

The two properties `flex-direction` and `flex-wrap` are used so often together that the shorthand property `flex-flow` was created to combine them. This shorthand property accepts the value of the two properties separated by a space.

For example, you can use `flex-flow: row wrap` to set rows and wrap them.


Try using `flex-flow` to repeat the previous level.

```
1 #pond {
2   display: flex;
3   flex-flow: column wrap;
4 }
5
6
7
8
9
10
```

Next

Flexbox Froggy is created by [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



FLEXBOX FROGGY

◀ Level 21 / 24 ▶

青蛙們在池塘裏到處都是，然而荷葉都在頂部。你可以使用 `align-content` 來決定行與行之間隔多遠。這個屬性接受這些值：

- `flex-start`: 多行都集中在頂部。
- `flex-end`: 多行都集中在底部。
- `center`: 多行居中。
- `space-between`: 行與行之間保持相等距離。
- `space-around`: 每行的周圍保持相等距離。
- `stretch`: 每一行都被拉伸以填滿容器。

這可能有些容易混淆，但 `align-content` 決定行之間的間隔，而 `align-items` 決定元素整體在容器的什麼位置。只有一行的時候 `align-content` 沒有任何效果。

```
1 #pond {
2   display: flex;
3   flex-wrap: wrap;
4   align-content: flex-start;
5 }
6
7
8
9
10
```

繼續

Flexbox Froggy的作者是 [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).



FLEXBOX FROGGY

◀ Level 23 / 24 ▶

青蛙們開完了派對，現在該回家了。用 `flex-direction` 和 `align-content` 的組合來把它們帶回各自的家。


```
1 #pond {
2   display: flex;
3   flex-wrap: wrap;
4   flex-direction: column-reverse;
5   align-content: center;
6 }
7
8
9
10
```

繼續

Flexbox Froggy的作者是 [Codecademy](#) • [GitHub](#) • [Twitter](#) • [Settings](#)

Want to learn CSS grid? Play [Grid Garden](#).





flex-direction: column-reverse;

flex-wrap: wrap-reverse;

align-content: space-between;

justify-content: center;

函數程式庫		已定義之名稱
=IF(C3<60,"不及格","及格")		
B	C	D
	<i>score</i>	
	50	不及格
	60	及格
	70	及格
	80	及格

=SUMIF(休假名字,D2,休假天數)

B	C	D	E	F	G
		姓名	總休假天數	總公假天數	
		amy	5	2	
		bob	12	6	
		cat	20	8	

	C	D	E	F	
	休假名字	休假天數	公假姓名	公假天數	
	amy	1	amy	1	
	bob	3	bob	3	
	cat	4	cat	4	
	amy	1	amy	1	
	bob	3	bob	3	
	cat	4	cat	4	
	amy	1			
	bob	3			
	cat	4			
	cat	4			
	amy	1			
	amy	1			
	bob	3			
	cat	4			

公式

資料

校閱

檢視

告訴我您想要執行的動作...

?

A

日期及時間

查閱與參照

數學與三角函數

其他函數

名稱管理員

定義名稱

用於公式

從選取範圍建立

已定義之名稱

教程式庫

D	E	F	G	H	I
姓名	休假天數	公假姓名	公假天數		

公式資料校閱檢視告訴我您想要執行的動作...

?

A

邏輯文字日期及時間查閱與參照數學與三角函數其他函數

名稱管理員

定義名稱

用於公式

公假天數

公假姓名

休假天數

休假名字

貼上名稱(P)...

追蹤

追蹤

移動

數程式庫

	D	E	F	G
字	休假天數	公假姓名	公假天數	
	1	amy	1	
	3	bob	3	
	4	cat	4	
	1	amv	1	