COVID-19 subject UPHS-0642

2021-06-23


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Туре	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP1827-1	single experiment	NA	VTM	2021-03-25	29.80	B.1.1.7	99.7%	99.5%

Variants shared across samples

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



VTM 2021–03–25


	2021-03-25
241 intergenic	53
820 ORF1ab silent	206
913 ORF1ab silent	262
3037 ORF1ab silent	208
3267 ORF1ab T1001I	223
5388 ORF1ab A1708D	284
5986 ORF1ab silent	153
6954 ORF1ab I2230T	179
14408 ORF1ab P314L	211
14676 ORF1ab silent	131
15096 ORF1ab silent	241
15279 ORF1ab silent	277
16176 ORF1ab silent	440
21765 S del 6	99
21991 S del 3	66
23063 S N501Y	27
23271 S A570D	261
23403 S D614G	330
23604 S P681H	259
23709 S T716I	250
24506 S S982A	100
24914 S D1118H	667
25785 ORF3a W131C	252
27972 ORF8 Q27stop	266
28048 ORF8 R52I	273
28095 ORF8 K68stop	282
28111 ORF8 Y73C	217
28271 intergenic del 1	111
28280 N D3L	57
28281 N D3L	57
28282 N D3L	61
28881 N R203K	24
28882 N R203K	24
28883 N G204R	24
28977 N S235F	28
29272 N silent	99
29764 intergenic	19
.,	
	.72
	VSP1827-1
	Sγ




Analyses of individual experiments and composite results

$VSP1827\text{-}1 \mid 2021\text{-}03\text{-}25 \mid VTM \mid UPHS\text{-}0642 \mid genomes \mid single \ experiment$


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version				
R	3.4.0				
bwa	0.7.17-r1198-dirty				
samtools	1.10 Using htslib 1.10				
bcftools	1.10.2-34-g1a12af0-dirty Using htslib $1.10.2-57-gf58a6f3$				
pangolin	3.1.3				
genbankr	1.4.0				
optparse	1.6.0				
forcats	0.3.0				
stringr	1.4.0				
dplyr	0.8.1				
purrr	0.2.5				
readr	1.1.1				
tidyr	0.8.1				
tibble	2.1.2				
ggplot2	3.3.3				
tidyverse	1.2.1				
ShortRead	1.34.2				
GenomicAlignments	1.12.2				
${\bf Summarized Experiment}$	1.6.5				
DelayedArray	0.2.7				
matrixStats	0.54.0				
Biobase	2.36.2				
Rsamtools	1.28.0				
GenomicRanges	1.28.6				
GenomeInfoDb	1.12.3				
Biostrings	2.44.2				
XVector	0.16.0				
IRanges	2.10.5				
S4Vectors	0.14.7				
BiocParallel	1.10.1				
BiocGenerics	0.22.1				