COVID-19 subject UPHS-0308

2021-05-05


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Type	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP1353-1	single experiment	NA	Saline	2021-03-15	28.91	B.1.1.265	97.0%	96.8%

Variants shared across samples

The heat map below shows how variants (reference genome /home/everett/projects/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



Saline 2021–03–15


241 intergenic	475
-	
1673 ORF1ab N470D	3140
1738 ORF1ab silent	1905
1884 ORF1ab A540V	3484
2086 ORF1ab Q607H	1167
2642 ORF1ab I793V	4845
3037 ORF1ab silent	763
5085 ORF1ab I1607T	1044
11005 ORF1ab H3580Q	2161
11195 ORF1ab L3644F	1597
14408 ORF1ab P314L	3191
14877 ORF1ab silent	2148
16329 ORF1ab silent	1730
20936 ORF1ab T2490M	4674
22432 S silent	24
22713 S P384L	2022
23403 S D614G	2297
28245 ORF8 L118I	32
28435 N silent	10412
28624 N silent	9278
28881 N R203K	452
28882 N R203K	451
28883 N G204R	451
29296 N silent	4004
	VSP1353-1




Analyses of individual experiments and composite results

VSP1353-1 | 2021-03-15 | Saline | UPHS-0308 | genomes | single experiment


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	2.3.8
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.0.0
tidyverse	1.2.1
ShortRead	1.34.2
${\it Genomic Alignments}$	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
$\operatorname{GenomeInfoDb}$	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1