COVID-19 subject UPHS-1546

2021-06-23


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Туре	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP2843-1	single experiment	NA	VTM	2021-04-26	29.87	B.1.526	99.8%	99.8%

Variants shared across samples

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



VTM 2021-04-26


	2021 04 20
241 intergenic	993
1059 ORF1ab T265I	3246
3037 ORF1ab silent	2504
3052 ORF1ab E929D	1681
3053 ORF1ab D930C	1586
3054 ORF1ab D930C	1615
9867 ORF1ab L3201P	1484
14408 ORF1ab P314L	3165
14973 ORF1ab silent	2983
15026 ORF1ab A520V	2339
16500 ORF1ab Q1011H	4521
19554 ORF1ab silent	1993
20262 ORF1ab silent	1384
20598 ORF1ab silent	5473
21575 S L5F	938
21846 S T95I	1679
22320 S D253G	451
23012 S E484K	482
23403 S D614G	4070
23664 S A701V	2767
25517 ORF3a P42L	1470
25563 ORF3a Q57H	2429
27925 ORF8 T11I	2356
28271 intergenic del 1	1809
28869 N P199L	372
28975 N M234I	464
	VSP2843-1
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \




Analyses of individual experiments and composite results

$VSP2843-1 \mid 2021-04-26 \mid VTM \mid UPHS-1546 \mid genomes \mid single \; experiment$


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	3.1.3
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.3.3
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
${\bf Summarized Experiment}$	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1