COVID-19 subject AHS19005093

2021-06-23


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Туре	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP0638	composite	NA	VTM	2021-01-22	22.30	B.1.243	99.8%	99.3%
VSP0638-1	single experiment	NA	VTM	2021-01-22	1.14	NA	13.0%	11.7%
VSP0638-2	single experiment	NA	VTM	2021-01-22	22.30	B.1.243	99.8%	99.3%

Variants shared across samples

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.




VTM 2021-01-22

241 intergenic	0	903	
913 ORF1ab silent	991	1974	
2110 ORF1ab silent	0	1599	
3037 ORF1ab silent	8226	832	
5986 ORF1ab silent	0	838	
6954 ORF1ab I2230T	0	320	
7042 ORF1ab M2259I	0	391	
11102 ORF1ab P3613S	0	12249	
14408 ORF1ab P314L	0	1574	Base change Expected
19875 ORF1ab silent	0	12473	A T
20268 ORF1ab silent	0	4006	C
23063 S N501Y	0	1196	N Ins/Del
23403 S D614G	0	12366	No data
23604 S P681H	0	1288	
23709 S T716I	0	1202	
24076 S silent	0	7290	
24914 S D1118H	0	2754	
27972 ORF8 Q27stop	0	2183	
28048 ORF8 R52I	0	1745	
28854 N S194L	0	771	
29044 N silent	0	1038	
	VSP0638-1	VSP0638-2	


Analyses of individual experiments and composite results

$VSP0638 \mid 2021-01-22 \mid VTM \mid H2101191203 \mid composite result$


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




$VSP0638-1 \mid 2021-01-22 \mid VTM \mid H2101191203 \mid genomes \mid single experiment$


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




$VSP0638-2 \mid 2021-01-22 \mid VTM \mid H2101191203 \mid genomes \mid single experiment$


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	3.1.3
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.3.3
tidyverse	1.2.1
ShortRead	1.34.2
$\operatorname{GenomicAlignments}$	1.12.2
${\bf Summarized Experiment}$	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
$\operatorname{GenomeInfoDb}$	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1