COVID-19 subject UPHS-0843

2021-05-21

The table below provides a summary of subject samples for which sequencing data is available.
The experiments column shows the number of sequencing experiments performed for each specimen.
Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Type	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP2057-2	single experiment	NA	Saline	2021-04-05	5.34	NA	76.0%	75.1%

Variants shared across samples

The heat map below shows how variants (reference genome /home/everett/projects/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.


Saline
2021−04−05
241 intergenic
291
1059 ORF1ab T265I
1007
7038 ORF1ab G2258V
2499
10943 ORF1ab V3560F
1327
11535 ORF1ab G3757V
110
16390 ORF1ab A975S
81
16500 ORF1ab Q1011H
869
17612 ORF1ab N1382S
567
18145 ORF1ab E1560stop
1126
20262 ORF1ab silent
715
22320 S D253G
207
23403 S D614G
1791
23824 S L754F
414
24432 S Q957R
661
25400 ORF3a L3S
639
25517 ORF3a P42L
500
25563 ORF3a Q57H
716
25968 ORF3a silent
2076
27739 ORF7a L116F
3244
27925 ORF8 T11I
3898
28271 intergenic del 1
686
28311 N P13L
553
28879 N S202R
185
29090 N A273S
1010
29721 intergenic
244
VSP2057−2
Base change
Expected
A
T
C
G
N
Ins/Del
No data

Analyses of individual experiments and composite results

VSP2057-2 | 2021-04-05 | Saline | UPHS-0843 | genomes | single experiment

The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	2.3.8
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.3.3
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1