# COVID-19 subject UPHS-0571

2021-06-23


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Type	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP1696-1	single experiment	NA	NA	2021-03-28	29.84	B.1.1.519	99.8%	99.8%

#### Variants shared across samples

The heat map below shows how variants (reference genome /home/common/SARS-CoV-2-Philadelphia/Wuhan-Hu-1) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



#### NA 2021-03-28


	2021-03-20
203 intergenic	2065
222 intergenic	2364
241 intergenic	1956
3037 ORF1ab silent	6222
3140 ORF1ab P959S	5787
5974 ORF1ab silent	2889
10029 ORF1ab T3255I	1342
10369 ORF1ab silent	4678
10954 ORF1ab silent	14554
11117 ORF1ab I3618V	8449
12789 ORF1ab T4175I	2943
14408 ORF1ab P314L	5622
19839 ORF1ab silent	5564
21306 ORF1ab silent	3511
22995 S T478K	1900
23403 S D614G	6735
23604 S P681H	5198
23756 S T732A	6193
24202 S silent	3427
27904 ORF8 L4P	3922
28087 ORF8 A65V	5539
28881 N R203K	202
28882 N R203K	202
28883 N G204R	202
29197 N silent	883
29370 N T366I	930
	VSP1696-1
	S>




### Analyses of individual experiments and composite results

#### $VSP1696\text{-}1 \mid 2021\text{-}03\text{-}28 \mid NA \mid UPHS\text{-}0571 \mid genomes \mid single \ experiment$


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



## Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	3.1.3
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.3.3
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
${\bf Summarized Experiment}$	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1