COVID-19 subject UPHS-0079

2021-03-25


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Туре	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP1011-1	single experiment	NA	VTM	2021-03-08	29.91	B.1.409	99.8%	99.8%

Variants shared across samples

The heat map below shows how variants (reference genome USA-WA1-2020) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



VTM 2021-03-08


241 intergenic	2474
3037 orf1ab silent	5729
3527 orf1ab D1088N	2483
5015 orf1ab V1584M	5929
5877 orf1ab N1871S	7100
8017 orf1ab silent	7755
8782 orf1ab silent	4908
11008 orf1ab silent	4098
14408 orf1ab P314L	5269
17256 orf1ab silent	21733
18060 orf1ab silent	5457
20268 orf1ab silent	2955
20283 orf1ab silent	2906
23403 S D614G	8140
25082 S A1174S	3566
25714 orf3a L108F	5357
25855 orf3a D155Y	8073
25906 orf3a G172C	3476
27434 orf7a T14I	5380
27998 orf8 silent	7777
28144 orf8 S84L	4610
28307 N A12S	3723
28854 N S194L	503
29741 intergenic	176
	<u></u>
	SP1011-1
	()




Analyses of individual experiments and composite results

VSP1011-1 | 2021-03-08 | VTM | UPHS-0079 | genomes | single experiment


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	2.3.3
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.0.0
tidyverse	1.2.1
ShortRead	1.34.2
$\operatorname{GenomicAlignments}$	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
$\operatorname{GenomeInfoDb}$	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1