COVID-19 subject H2102230858

2021-04-17


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Туре	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP0681	composite	NA	VTM	2021-03-01	29.86	B.1.526	99.9%	99.8%
VSP0681-1	single experiment	NA	VTM	2021-03-01	29.86	B.1.526	99.8%	99.8%
VSP0681-2	single experiment	NA	VTM	2021-03-01	29.84	B.1.526	99.9%	99.8%

Variants shared across samples

The heat map below shows how variants (reference genome /home/everett/projects/SARS-CoV-2-Philadelphia/USA-WA1-2020) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.




VTM 2021-03-01

	2021-	00-01	
241 intergenic	2606	923	
1059 orf1ab T265I	3605	1129	
3037 orf1ab silent	5011	1716	
8782 orf1ab silent	8794	2470	
9867 orf1ab L3201P	2698	1192	
11288 orf1ab del 9	9854	2879	
14408 orf1ab P314L	7473	2228	
16500 orf1ab Q1011H	7718	3123	
18060 orf1ab silent	7642	2741	
20262 orf1ab silent	1864	870	Base change Expected
21575 S L5F	2330	805	A T
21846 S T95I	5957	1822	С
22320 S D253G	505	246	G N
23012 S E484K	7801	2035	Ins/Del No data
23403 S D614G	9174	3174	
23664 S A701V	7857	2491	
25517 orf3a P42L	4034	1156	
25563 orf3a Q57H	3819	1223	
27925 orf8 T11I	10762	2914	
28144 orf8 S84L	6789	2889	
28271 intergenic del 1	5144	1874	
28869 N P199L	1043	316	
28975 N M234I	892	327	
	81–1	31–2	
	VSP0681-1	VSP0681-2	
	>	>	


Analyses of individual experiments and composite results

$VSP0681 \mid 2021-03-01 \mid VTM \mid H2102230858 \mid composite result$


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




$VSP0681\text{-}1 \mid 2021\text{-}03\text{-}01 \mid VTM \mid H2102230858 \mid genomes \mid single \ experiment$


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




$VSP0681-2 \mid 2021-03-01 \mid VTM \mid H2102230858 \mid genomes \mid single experiment$


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htslib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htslib 1.10.2-57-gf58a6f3
pangolin	2.3.8
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.0.0
tidyverse	1.2.1
ShortRead	1.34.2
${\it Genomic Alignments}$	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
$\operatorname{GenomeInfoDb}$	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1