

# COVID-19 subject AHTMV3AFX7

*2021-03-29*

The table below provides a summary of subject samples for which sequencing data is available.

The experiments column shows the number of sequencing experiments performed for each specimen.


Experiment specific analyses are shown at the end of this report. Lineages are called with the Pangolin software tool (Rambaut et al 2020) for genomes with > 90% sequence coverage.

Table 1. Sample summary.

Experiment	Type	Genomes	Sample type	Sample date	Largest contig (KD)	Lineage	Reference read coverage	Reference read coverage (>= 5 reads)
VSP9954-1	single experiment	NA	Negative control	NA	21.90	R.1	99.8%	98.6%

## Variants shared across samples

The heat map below shows how variants (reference genome USA-WA1-2020) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in  $> 50\%$  of read pairs and the variant yields a PHRED score  $> 20$ . Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



# Negative control

241 intergenic	77
3037 orf1ab silent	132
4795 orf1ab silent	383
8644 orf1ab silent	92
8782 orf1ab silent	162
14340 orf1ab silent	302
14408 orf1ab P314L	417
17551 orf1ab G1362R	458
18060 orf1ab silent	190
18647 orf1ab P1727L	133
18877 orf1ab silent	319
19167 orf1ab silent	425
19274 orf1ab P1936H	388
19839 orf1ab silent	374
22017 S W152L	68
23012 S E484K	21
23403 S D614G	565
23868 S G769V	204
26604 M F28L	258
27213 orf6 silent	332
28144 orf8 S84L	223
28271 intergenic del 1	151
28833 N S187L	32
28881 N R203K	16
28882 N R203K	16
28883 N G204R	16
29527 N Q418H	113

## Base change


- Expected
- A
- T
- C
- G
- N
- Ins/Del
- No data

VSP9954-1


## Analyses of individual experiments and composite results

VSP9954-1 | NA | Negative control | AHTMV3AFX7 | genomes | single experiment


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



## Software environment

Software/R package	Version
R	3.4.0
bwa	0.7.17-r1198-dirty
samtools	1.10 Using htlib 1.10
bcftools	1.10.2-34-g1a12af0-dirty Using htlib 1.10.2-57-gf58a6f3
pangolin	2.3.3
genbankr	1.4.0
optparse	1.6.0
forcats	0.3.0
stringr	1.4.0
dplyr	0.8.1
purrr	0.2.5
readr	1.1.1
tidyr	0.8.1
tibble	2.1.2
ggplot2	3.0.0
tidyverse	1.2.1
ShortRead	1.34.2
GenomicAlignments	1.12.2
SummarizedExperiment	1.6.5
DelayedArray	0.2.7
matrixStats	0.54.0
Biobase	2.36.2
Rsamtools	1.28.0
GenomicRanges	1.28.6
GenomeInfoDb	1.12.3
Biostrings	2.44.2
XVector	0.16.0
IRanges	2.10.5
S4Vectors	0.14.7
BiocParallel	1.10.1
BiocGenerics	0.22.1