

COVID-19 subject 234

2021-01-19


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. The code base for this analysis can be found ([here](#)).

Table 1. Sample summary.

Experiment	Type	Input genomes	Sample type	Sample date	Largest contig (KD)	Reference read coverage	Reference read coverage (>= 5 reads)
VSP0079	composite	NA	NP-OP-HI	2020-04-24	10.39	94.4%	92.9%
VSP0079-1	single experiment	147.5	NP-OP-HI	2020-04-24	2.11	58.1%	49.1%
VSP0079-2	single experiment	147.5	NP-OP-HI	2020-04-24	1.96	58.2%	55.7%
VSP0079-3	single experiment	147.5	NP-OP-HI	2020-04-24	2.93	74.0%	72.2%
VSP0079-4	single experiment	147.5	NP-OP-HI	2020-04-24	3.21	56.3%	54.1%

Variants shared across samples

The heat map below shows how variants (reference genome USA-WA1-2020) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



NP-OP-HI
2020-04-24

241 intergenic	1329	0	19659	0
4579 orf1ab silent	2	0	3886	0
6040 orf1ab silent	0	3004	0	0
7834 orf1ab silent	0	0	1757	0
8782 orf1ab silent	4	4625	13435	4128
18060 orf1ab silent	0	0	0	770
18106 orf1ab A1547P	0	0	0	965
18898 orf1ab V1811F	0	4979	7926	2194
23403 S D614G	1	12819	4542	27289
28144 orf8 S84L	2	619	20811	13277
28881 N R203K	409	397	752	1
28882 N R203K	407	397	752	1
28883 N G204R	407	399	754	1
	VSP0079-1	VSP0079-2	VSP0079-3	VSP0079-4


Base change

- Expected
- A
- T
- C
- G
- N
- Ins/Del
- No data


Analyses of individual experiments and composite results.

VSP0079 | 2020-04-24 | NP-OP-HI | 234noh-t | composite result


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according to variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.

