

# COVID-19 subject 247

*2021-01-19*


The table below provides a summary of subject samples for which sequencing data is available. The experiments column shows the number of sequencing experiments performed for each specimen. Experiment specific analyses are shown at the end of this report. The code base for this analysis can be found ([here](#)).

Table 1. Sample summary.

Experiment	Type	Input genomes	Sample type	Sample date	Largest contig (KD)	Reference read coverage	Reference read coverage (>= 5 reads)
VSP0050	composite	NA	NP-OP	2020-05-01	21.42	99.2%	99.1%
VSP0050-1	single experiment	2190	NP-OP	2020-05-01	4.73	83.3%	82.1%
VSP0050-2	single experiment	2190	NP-OP	2020-05-01	7.49	91.5%	90.6%
VSP0050-3	single experiment	2190	NP-OP	2020-05-01	10.14	97.7%	96.8%
VSP0050-4	single experiment	2190	NP-OP	2020-05-01	10.21	90.7%	90.3%

**Variants shared across samples**

The heat map below shows how variants (reference genome USA-WA1-2020) are shared across subject samples where the percent variance is colored. Variants are called if a variant position is covered by 5 or more reads, the alternative base is found in > 50% of read pairs and the variant yields a PHRED score > 20. Gray tiles denote positions where the variant was not the major variant or no variants were found. The relative base compositions of each experiment used to calculate tiles are shown in the following plot where the total number of position reads are shown atop of each plot.



NP-OP  
2020-05-01

241 intergenic	300	622	1287	978
1059 orf1ab T265I	116	850	219	476
3037 orf1ab silent	63	589	1152	195
8782 orf1ab silent	0	2	1967	0
14408 orf1ab P314L	407	1321	1163	2126
18060 orf1ab silent	101	646	392	672
18958 orf1ab A1831S	11	771	284	1018
23403 S D614G	1395	3352	5215	3126
25563 orf3a Q57H	154	647	501	710
26461 E L73F	821	465	993	334
26690 M silent	969	1021	2214	1938
28144 orf8 S84L	960	2176	936	757
	VSP0050-1	VSP0050-2	VSP0050-3	VSP0050-4


Base change

- Expected
- A
- T
- C
- G
- N
- Ins/Del
- No data


## Analyses of individual experiments and composite results.

VSP0050 | 2020-05-01 | NP-OP | 247-qia | composite result


The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according to variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.




The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.




Excerpt from plot above focusing on reads coverage from 0 to 50 NT.




The longest five assembled contigs are shown below colored by their edit distance to the reference genome.



The plot below shows the number of reads covering each nucleotide position in the reference genome. Variants are shown as colored dots along the bottom of the plot and are color coded according by variant types: gray - transgenic, green - silent, gold - missense, red - nonsense, black - indel.



Excerpt from plot above focusing on reads coverage from 0 to 50 NT.



The longest five assembled contigs are shown below colored by their edit distance to the reference genome.

