

Introduction to Computational Fluid Dynamics using OpenFOAM and Octave

Lakshman Anumolu
Kumaresh Selvakumar
(Session-6)


Instructions: Mon, Wed, Thu (5:30PM-6:30PM IST)

Query session: Sundays 8AM-8:30AM IST

Quick Recap

What Did We Discuss?

Taylor Series



$$\rho(x^*) = \rho(x_i) + \frac{(x^* - x_i)}{1!} \left(\frac{d\rho}{dx} \right)_i + \frac{(x^* - x_i)^2}{2!} \left(\frac{d^2\rho}{dx^2} \right)_i + \frac{(x^* - x_i)^3}{3!} \left(\frac{d^3\rho}{dx^3} \right)_i + \dots$$




$$\left(\frac{d\rho}{dx} \right)_i \approx \frac{\rho(x_{i+1}) - \rho(x_i)}{\Delta x_i}$$

First order upwind

$$\left(\frac{d\rho}{dx} \right)_i \approx \frac{\rho(x_{i+1}) - \rho(x_{i-1}))}{2\Delta x_i}$$

Second order central difference



Current Session

Overview

- Introduction to Octave programming
- Stability Analysis

Introducing Octave

6_a_octave_introduction.m


Numerical Stability

- Numerical approach should not magnify the error that appears in the solution.

$$\frac{d\rho}{dx} = -c\rho$$

$$\int_{\rho_o}^{\rho} \frac{d\rho}{\rho} = \int_{x_o}^x -cdx$$

$$\rho = \rho_o e^{-c(x-x_o)}$$



$$c = 4, x_o = 0, \rho_o = 1, x \in [0, 10]$$

Numerical Stability

- Numerical discretization

$$\frac{d\rho}{dx} = -c\rho$$




$$\frac{\rho_{i+1} - \rho_i}{\Delta x} = -c\rho_i$$

$$\rho_{i+1} = \rho_i(1 - c\Delta x)$$

Numerical Stability


- Numerical discretization

$$\frac{d\rho}{dx} = -c\rho$$



$$\frac{\rho_{i+1} - \rho_i}{\Delta x} = -c\rho_i$$


$$\rho_{i+1} = \rho_i(1 - c\Delta x)$$




$$c = 4, x_0 = 0, \rho_0 = 1, x \in [0, 10], \Delta x = 0.1$$

Numerical Stability


$$\frac{d\rho}{dx} = -c\rho$$



$$\rho_{i+1} = \rho_i(1 - c\Delta x)$$




$c = 4, x_0 = 0, \rho_0 = 1, x \in [0, 10], \Delta x = 0.1$




$c = 4, x_0 = 0, \rho_0 = 1, x \in [0, 10], \Delta x = 0.01$

Numerical Stability




$$c = 4, x_0 = 0, \rho_0 = 1, x \in [0, 10], \Delta x = 0.4$$

Numerical Stability



$$c = 4, x_0 = 0, \rho_0 = 1, x \in [0, 10], \Delta x = 0.6$$


Numerical Stability



$$c = 4, x_0 = 0, \rho_0 = 1, x \in [0, 10], \Delta x = 0.5$$


Numerical Stability

$$\frac{d\rho}{dx} = -c\rho$$




$$\left| \frac{\rho_{i+1}}{\rho_i} \right| < 1$$

$$\rho_{i+1} = \rho_i(1 - c\Delta x)$$




$$c = 4, x_o = 0, \rho_o = 1, x \in [0,10], \Delta x = 0.1$$



$$c = 4, x_o = 0, \rho_o = 1, x \in [0,10], \Delta x = 0.01$$

Numerical Stability

$$\frac{d\rho}{dx} = -c\rho$$



$$\left| \frac{\rho_{i+1}}{\rho_i} \right| < 1$$

$$\rho_{i+1} = \rho_i(1 - c\Delta x)$$

$$\left| \frac{\rho_{i+1}}{\rho_i} \right| = |1 - c\Delta x| < 1$$


$$-1 < 1 - c\Delta x < 1$$

$$0 < \Delta x < 2/c$$

$$\Delta x < 2/c$$

Numerical Stability


$$\frac{d\rho}{dx} = -c\rho$$




$$\rho_{i+1} = \rho_i(1 - c\Delta x)$$

$$\Delta x < \frac{2}{c}$$


$$\frac{2}{c} = \frac{2}{4} = 0.5$$



$c = 4, x_o = 0, \rho_o = 1, x \in [0,10], \Delta x = 0.1$




$c = 4, x_o = 0, \rho_o = 1, x \in [0,10], \Delta x = 0.4$



$c = 4, x_o = 0, \rho_o = 1, x \in [0,10], \Delta x = 0.6$

Numerical Stability



$$\Delta x < \frac{2}{c}$$
$$\frac{2}{c} = \frac{2}{4} = 0.5$$

$$c = 4, x_0 = 0, \rho_0 = 1, x \in [0, 10], \Delta x = 0.5$$

Next Session

- Brief look at stability analysis again
- Introduction to C++ for OpenFOAM

Thank you