

Building the Futuristic Blockchain Ecosystem

SECURITY AUDIT REPORT

Xbob



TOKEN OVERVIEW

Risk Findings

Severity	Found	
High	1	
Medium	0	
Low	0	
Informational	1	

Centralization Risks

Owner Privileges	Description	
Can Owner Set Taxes >25%?	Not Detected	
Owner needs to enable trading?	Not Detected	
Can Owner Disable Trades ?	Not Detected	
Can Owner Mint ?	Not Detected	
Can Owner Blacklist?	Not Detected	
Can Owner set Max Wallet amount ?	Not Detected	
Can Owner Set Max TX amount?	Not Detected	



TABLE OF CONTENTS

02	Token Overview
03	Table of Contents
04	Overview
05	Contract Details
06	Audit Methodology
07	Vulnerabilities Checklist ————————————————————————————————————
08	Risk Classification
09	Inheritence Trees ———————————————————————————————————
10	Function Details ————————————————————————————————————
12	Testnet Version
14	Manual Review ————————————————————————————————————
15	High Risk Finding
16	Informational Risk Finding
17	About Experce
10	Disalaimar



OVERVIEW

The Expelee team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analysed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

Audit Result	Passed
KYC Verification	-
Audit Date	29 July 2023



CONTRACT DETAILS

Token Name: Xbob

Symbol: Xbob

Network: -

Language: -

Contract Address: -

Total Supply:10,000,000,000

Owner's Wallet: -

Deployer's Wallet: -

Testnet.

https://testnet.bscscan.com/token/0xdb4955bd737e90716 ae627A6Ee734D8163264aa2



AUDIT METHODOLOGY

Audit Details

Our comprehensive audit report provides a full overview of the audited system's architecture, smart contract codebase, and details on any vulnerabilities found within the system.

Audit Goals

The audit goal is to ensure that the project is built to protect investors and users, preventing potentially catastrophic vulnerabilities after launch, that lead to scams and rugpulls.

Code Quality

Our analysis includes both automatic tests and manual code analysis for the following aspects:

- Exploits
- Back-doors
- Vulnerability
- Accuracy
- Readability

Tools

- DE
- Open Zeppelin
- Code Analyzer
- Solidity Code
- Compiler
- Hardhat



VULNERABILITY CHECKS

Design Logic	Passed
Compiler warnings	Passed
Private user data leaks	Passed
Timestamps dependence	Passed
Integer overflow and underflow	Passed
Race conditions & reentrancy. Cross-function race conditions	Passed
Possible delays in data delivery	Passed
Oracle calls	Passed
Front Running	Passed
DoS with Revert	Passed
DoS with block gas limit	Passed
Methods execution permissions	Passed
Economy model	Passed
Impact of the exchange rate on the logic	Passed
Malicious event log	Passed
Scoping and declarations	Passed
Uninitialized storage pointers	Passed
Arithmetic accuracy	Passed
Cross-function race conditions	Passed
Safe Zepplin module	Passed



RISK CLASSIFICATION

When performing smart contract audits, our specialists look for known vulnerabilities as well as logical and acces control issues within the code. The exploitation of these issues by malicious actors may cause serious financial damage to projects that failed to get an audit in time. We categorize these vulnerabilities by the following levels:

High Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Medium Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Low Risk


Issues on this level are minor details and warning that can remain unfixed.

Informational

Issues on this level are minor details and warning that can remain unfixed.



INHERITANCE TREES





FUNCTION DETAILS

```
| Contract |
                Type
                             Bases
| Contract | Type | Bases | | | |
        | **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
ШШ
| **DexFactory** | Interface | ||| | | |
| L | createPair | External | | | NO | |
| **DexRouter** | Interface | |||
| L | factory | External ! | NO! |
| L | WETH | External | | NO | |
| L | addLiquidityETH | External | | I | I | INO | |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External ! | | NO! |
| **Xbob** | Implementation | ERC20, Ownable |||
| L | <Constructor> | Public | | | | ERC20 |
| L | setmarketingWallet | External | | | onlyOwner |
| L | enableTrading | External | | | left | onlyOwner |
| L | setBuyTaxes | External | | | onlyOwner |
| L | setSellTaxes | External | | | onlyOwner |
| L | setSwapTokensAtAmount | External | | | onlyOwner |
| L | toggleSwapping | External | | | onlyOwner |
| L | setWhitelistStatus | External | | | onlyOwner |
| L | checkWhitelist | External | | NO | |
| L | takeTax | Internal | | | | |
| L | transfer | Internal | | | | |
| L | internal Swap | Internal | | | |
| L | swapToETH | Internal | | | | | |
| L | withdrawStuckETH | External | | | onlyOwner |
| L | withdrawStuckTokens | External | | | onlyOwner |
```



FUNCTION DETAILS

eb7bde1f19fc8bffab463



TESTNET VERSION

Adding Liquidity Tx: https://testnet.bscscan.com/tx/0xd9387327b16132ac9f0327b8937c06f6963231efb1754f27ee9726bcd08474db
Buying when excluded from fees Tx (0% tax): https://testnet.bscscan.com/tx/0xf3fc982f745965a8502a5c0d028632d5edf4cb5dff2 936b183a7eb346c64e722
Selling when excluded from fees Tx (0% tax): https://testnet.bscscan.com/tx/0x432ed6d5bcda09d50afc07fba64323ca4bf625dec2d53a721f5c6bd0c427f687
Transferring when excluded from fees Tx (0% tax): https://testnet.bscscan.com/tx/0xcfcbff2fd3d6e921a4151ac07809d90fd7b63475eea2114d67c2e10b020b0ec2
Buying V


https://testnet.bscscan.com/tx/0x954f09313e8d710251c66d72fd999596da2a12175c2



TESTNET VERSION



https://testnet.bscscan.com/tx/0x925a86bbf715616c8c8c1ba4183fd5eba3e50ba5010 11a862b26de23eb08a9a5



https://testnet.bscscan.com/tx/0x042183c27d30298eff456cd465d16baf778fce484b67c58bed5502be2b44eb8a

Internal swap (BNB to marketing wallet | reward token to dividend tracker | reward distribution)

Tx:

https://testnet.bscscan.com/address/0x94e25fff67216751fd47f7830ef797f04d7b77d5 #internaltx



MANUAL REVIEW

Severity Criteria

Expelee assesses the severity of disclosed vulnerabilities according to methodology based on OWASP standarts.

Vulnerabilities are dividend into three primary risk categroies:

High

Medium

Low

High-level considerations for vulnerabilities span the following key areas when conducting assessments:

- Malicious input handling
- Escalation of privileges
- Arithmetic
- Gas use

Overall Risk Severity							
Impact	HIGH	Medium	High	Critical			
	MEDIUM	Low	Medium	High			
	LOW	Note	Low	Medium			
		LOW	MEDIUM	HIGH			
	Likelihood						



HIGH RISK FINDING

Trades are disabled by default

Category: Centralization

Status: Resolved (Contract owned by safu developer)

Impact: High

Overview:

The contract has been structured such that all trading is disabled by default, necessitating the contract owner's manual intervention to enable trading. This can lead to a situation where, if trades remain disabled, token holders won't be able to buy, sell, or trade their tokens, causing a severe impact on the token's usability and market liquidity.

```
function enableTrading() external onlyOwner {
  require(!tradingEnabled, "Trading is already enabled");
  tradingEnabled = true;
  startTradingBlock = block.number;
}
```

Suggestion:

To mitigate this risk, it is recommended that trading be enabled before the token presale. This can be achieved by invoking the "startTrading" function or by transferring ownership of the contract to a third-party that has established trust with the community, such as a Certified SAFU developer. This reduces the concentration of power and the potential for malicious actions, thereby promoting a more decentralized and fair environment for all participants.



INFORMATINAL RISK FINDING

Internal swap could be disabled forever

Category: Logical

Status: Open

Impact: Informational

Overview:

internalSwap function returns if taxAmount is equal to 0 but it doesn not reset isSwapping to false. In this situation, isSwapping will always be "true' which means internalSwap function wont be called again.

This issue is categorized as "informational' since taxAmount is always greater than 0, however its still suggested to correct this issue.

```
function internalSwap() internal {
  isSwapping = true;
  uint256 taxAmount = balanceOf(address(this));
  if (taxAmount == 0) {
    return;
  }
  swapToETH(balanceOf(address(this)));
  (bool success, ) = marketingWallet.call{ value: address(this).balance }("");
  require(success, "Transfer failed.");
  isSwapping = false;
}
```

Suggestion:

Ensure to set is Swapping to "false' under any conditions after internal Swap;

```
isSwapping = true;
internalSwap()
isSwapping = false
```



ABOUT EXPELEE

Expelee is a product-based aspirational Web3 start-up.
Coping up with numerous solutions for blockchain security and constructing a Web3 ecosystem from deal making platform to developer hosting open platform, while also developing our own commercial and sustainable blockchain.

www.expelee.com

- 🔰 expeleeofficial
- expelee

Expelee

- in expelee
- expelee_official
- 👩 expelee-co



Building the Futuristic Blockchain Ecosystem



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantess against the sale of team tokens or the removal of liquidity by the project audited in this document.

Always do your own research and project yourselves from being scammed. The Expelee team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools.

Under no circumstances did Expelee receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Alway do your own research and protect yourselves from scams.

This document should not be presented as a reason to buy or not buy any particular token. The Expelee team disclaims any liability for the resulting losses.



Building the Futuristic Blockchain Ecosystem