

Building the Futuristic Blockchain Ecosystem

SECURITY AUDIT REPORT

XCAT



TOKEN OVERVIEW

Risk Findings

Severity	Found	
High	1	
Medium	0	
Low	0	
Informational	0	

Centralization Risks

Owner Privileges	Description
Can Owner Set Taxes >25%?	Not Detected
Owner needs to enable trading?	Yes, owner needs to enable trades
Can Owner Disable Trades ?	Not Detected
Can Owner Mint ?	Not Detected
Can Owner Blacklist ?	Not Detected
Can Owner set Max Wallet amount?	Not Detected
Can Owner Set Max TX amount?	Not Detected



TABLE OF CONTENTS

02	Token Overview
03	Table of Contents
04	Overview
05	Contract Details ————————————————————————————————————
06	Audit Methodology
07	Vulnerabilities Checklist ————————————————————————————————————
08	Risk Classification
09	Inheritence Trees
10	Function Details ————————————————————————————————————
15	Testnet Version
17	Manual Review ————————————————————————————————————
18	High Risk Finding ————————————————————————————————————
19	About Expelee



OVERVIEW

The Expelee team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analysed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

Audit Result	Passed with high risk
KYC Verification	-
Audit Date	14 August 2023



CONTRACT DETAILS

Token Name: X-CAT COIN

Symbol:XCAT

Network: -

Language: -

Contract Address: -

Total Supply: 100,000,000

Owner's Wallet: -

Deployer's Wallet: -

Testnet.

https://testnet.bscscan.com/token/0x0Cf3dC1A2Da6ec7F5eCEC0663dA688E92C474Fcd



AUDIT METHODOLOGY

Audit Details

Our comprehensive audit report provides a full overview of the audited system's architecture, smart contract codebase, and details on any vulnerabilities found within the system.

Audit Goals

The audit goal is to ensure that the project is built to protect investors and users, preventing potentially catastrophic vulnerabilities after launch, that lead to scams and rugpulls.

Code Quality

Our analysis includes both automatic tests and manual code analysis for the following aspects:

- Exploits
- Back-doors
- Vulnerability
- Accuracy
- Readability

Tools

- DE
- Open Zeppelin
- Code Analyzer
- Solidity Code
- Compiler
- Hardhat



VULNERABILITY CHECKS

Design Logic	Passed
Compiler warnings	Passed
Private user data leaks	Passed
Timestamps dependence	Passed
Integer overflow and underflow	Passed
Race conditions & reentrancy. Cross-function race conditions	Passed
Possible delays in data delivery	Passed
Oracle calls	Passed
Front Running	Passed
DoS with Revert	Passed
DoS with block gas limit	Passed
Methods execution permissions	Passed
Economy model	Passed
Impact of the exchange rate on the logic	Passed
Malicious event log	Passed
Scoping and declarations	Passed
Uninitialized storage pointers	Passed
Arithmetic accuracy	Passed
Cross-function race conditions	Passed
Safe Zepplin module	Passed



RISK CLASSIFICATION

When performing smart contract audits, our specialists look for known vulnerabilities as well as logical and acces control issues within the code. The exploitation of these issues by malicious actors may cause serious financial damage to projects that failed to get an audit in time. We categorize these vulnerabilities by the following levels:

High Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Medium Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Low Risk


Issues on this level are minor details and warning that can remain unfixed.

Informational

Issues on this level are minor details and warning that can remain unfixed.



INHERITANCE TREES





```
| Contract |
                 Type
                               Bases
              -----:|:-----:|:----:|:----:|
        | **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
ШШ
| **SafeMathInt** | Library | ||| | |
| L | mul | Internal 🔒 | ||
| L | div | Internal | | | |
| L | sub | Internal 🔒 | ||
| L | add | Internal | | | |
| L | abs | Internal | | | |
| L | toUint256Safe | Internal | | | |
| **SafeMathUint** | Library | |||
| L | toInt256Safe | Internal | | | |
| **IterableMapping** | Library | |||
| L | get | Internal | | | |
| L | getIndexOfKey | Internal | | | |
| L | getKeyAtIndex | Internal | | | |
| L | size | Internal | | | |
| L | set | Internal | | | | |
| L | remove | Internal | | | | |
ШШ
| **IUniswapV2Factory** | Interface | ||| | |
| L | feeTo | External | | NO ! |
| L | feeToSetter | External | | NO | |
| L | getPair | External ! | NO! |
| L | allPairs | External | | NO | |
| L | allPairsLength | External | | NO | |
| L | createPair | External | | | NO | |
```



```
| L | setFeeTo | External | | | NO | |
| L | setFeeToSetter | External | | | NO | |
| **IUniswapV2Pair** | Interface | |||
| L | name | External | | NO | |
| L | symbol | External | | NO | |
| L | decimals | External | | NO | |
| L | totalSupply | External ! | NO! |
| L | balanceOf | External ! | NO! |
| L | allowance | External ! | NO! |
| L | approve | External | | | NO | |
| L | transfer | External | | | NO | |
| L | transferFrom | External | | | NO | |
| L | DOMAIN SEPARATOR | External | | NO ! |
| L | PERMIT_TYPEHASH | External ! | NO! |
| L | nonces | External | | NO | |
| L | permit | External | | | NO | |
L | MINIMUM_LIQUIDITY | External ! | NO! |
| L | factory | External | | NO | | |
| L | token0 | External | | NO ! |
| L | token1 | External ! | NO! |
| L | getReserves | External ! | NO! |
| L | price0CumulativeLast | External | | NO | |
| L | price1CumulativeLast | External | | NO | |
| L | kLast | External | | NO | |
| L | mint | External | | | NO | |
| L | burn | External ! | Po ! |
| L | swap | External ! | | NO! |
| L | skim | External ! | learning | NO! |
| L | sync | External | | | NO | |
| L | initialize | External ! | | NO! |
| **IUniswapV2Router01** | Interface | |||
| L | factory | External | | NO | |
| L | WETH | External ! | NO! |
| L | addLiquidity | External ! | | NO! |
```



```
| L | removeLiquidity | External | | | NO | | |
| L | removeLiquidityETH | External | | | | NO | |
| L | removeLiquidityWithPermit | External | | | NO | |
| L | removeLiquidityETHWithPermit | External | | | NO | |
| L | swapExactTokensForTokens | External | | | NO | |
| L | swapTokensForExactTokens | External | | | | NO | |
| L | swapExactETHForTokens | External | | 1 | 1 | NO | |
| L | swapTokensForExactETH | External | | | NO | |
| L | swapExactTokensForETH | External | | | NO | |
 L | swapETHForExactTokens | External | | 188 | NO | |
| L | quote | External | | NO | |
 L | getAmountOut | External | NO | |
 L | getAmountIn | External | NO | |
| L | getAmountsOut | External | | NO | | | |
| L | getAmountsIn | External | NO | |
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 |||
 | removeLiquidityETHSupportingFeeOnTransferTokens | External | | | NO | |
 | | swapExactTokensForETHSupportingFeeOnTransferTokens | External | | | | NO | |
| **DividendPayingTokenInterface** | Interface | |||
| L | dividendOf | External | | NO | |
| L | withdrawDividend | External | | | NO | |
| **DividendPayingTokenOptionalInterface** | Interface | |||
| L | withdrawableDividendOf | External | NO | |
| L | withdrawnDividendOf | External | | NO | |
| L | accumulativeDividendOf | External | NO | |
**DividendPayingToken** | Implementation | ERC20, Ownable, DividendPayingTokenInterface,
DividendPayingTokenOptionalInterface |||
| L | <Constructor> | Public ! | | | | ERC20 |
| L | < Receive Ether > | External | | I | I | INO | |
```



```
L distributeDividends | Public | learning | onlyOwner |
| L | withdrawDividendOfUser | Internal | | |
| L | dividendOf | Public | | NO | |
L | accumulativeDividendOf | Public | NO | |
| L | transfer | Internal | | | | |
| L | mint | Internal | | | | |
| L | burn | Internal | | | |
| L | setBalance | Internal | | | |
| **DividendTracker** | Implementation | Ownable, DividendPayingToken |||
| L | <Constructor> | Public | | | DividendPayingToken |
L | transfer | Internal | | |
| L | updateMinimumTokenBalanceForDividends | External | | | | onlyOwner |
| L | excludeFromDividends | External | | | onlyOwner |
| L | updateClaimWait | External | | | onlyOwner |
| L | setLastProcessedIndex | External | | | | onlyOwner |
| L | getLastProcessedIndex | External | NO | |
| L | getNumberOfTokenHolders | External | | NO | |
| L | canAutoClaim | Private | | | |
| L | setBalance | External | | | onlyOwner |
| L | process | Public ! | | NO! |
**XCAT** | Implementation | ERC20, Ownable ||
| L | < Receive Ether> | External | | 188 | NO | |
| L | withdrawStuckTokens | External | | | onlyOwner |
| L | withdrawStuckETH | External | | | onlyOwner |
| L | isContract | Internal | | | |
| L | setAutomatedMarketMakerPair | Private | Private | |
```



```
| L | setwhitelist | External | | | onlyOwner | |
| L | changeMarketingWallet | External | | | onlyOwner |
| L | enableTrading | External | | | onlyOwner |
| L | transfer | Internal | | | |
| L | swapAndSendDividends | Private | Private | l |
| L | setSwapTokensAtAmount | External | | | onlyOwner |
| L | updateGasForProcessing | Public | | | left | onlyOwner |
| L | updateMinimumBalanceForDividends | External | | | | onlyOwner |
| L | updateClaimWait | External | | | onlyOwner |
| L | getClaimWait | External | | NO | |
| L | getTotalDividendsDistributed | External | NO | |
| L | withdrawableDividendOf | Public | | NO | |
| L | dividendTokenBalanceOf | Public | | NO | |
| L | excludeFromDividends | External | | | onlyOwner |
| L | getAccountDividendsInfo | External | | NO | |
| L | getAccountDividendsInfoAtIndex | External | | NO | |
| L | processDividendTracker | External | | | NO | |
| L | claim | External | | | NO | |
| L | claimAddress | External | | | onlyOwner |
| L | getLastProcessedIndex | External | NO | |
| L | setLastProcessedIndex | External | | | | onlyOwner |
| L | getNumberOfDividendTokenHolders | External | | NO | |
### Legend
| Symbol | Meaning |
|:-----|
       | Function can modify state |
       | Function is payable |
```

Tx (8% tax):

05c575d1ffbcaf2e8fe421



TESTNET VERSION

Adding Liquidity Tx: https://testnet.bscscan.com/tx/0xb3806478026287841d2190d281b8fdd2292f53ea6kef12afb035be82d6a522a0
Buying when excluded from fees Tx (0% tax): https://testnet.bscscan.com/tx/0x122167652fb8d5787b921d8ceb832a747ec90618f099fe05a0fe20f1a475cecf
Selling when excluded from fees Tx (0% tax): https://testnet.bscscan.com/tx/0x7572f52ded17e4644ab5dc79108277bf93ae450e2bcb5f9877078a71d36049c
Transferring when excluded from fees Tx (0% tax): https://testnet.bscscan.com/tx/0xd70c4ec900240d46b63057fe5918fedce9d88b68f90797dce92c788bd368a605
Buying 🗸

https://testnet.bscscan.com/tx/0x96b4f27b0c6e07bb4102dc99b84c1e30a063c13260



TESTNET VERSION

Sel	ling	
Tx	(8% tax):	

https://testnet.bscscan.com/tx/0x594e70c794daa38e3c12e4c2f8ec68179d7ac58a5e95c215972265ade3253e07



https://testnet.bscscan.com/tx/0xf80dab3b9e7fd6dd9a1f8e7fbb5b9ec37cc857f4830 9b70bc0aa1f5a86195927

Internal swap (BNB to marketing wallet | reward token to dividend tracker | reward distribution)

Tx:

https://testnet.bscscan.com/tx/0xc209ffd5befa6c7d4ceaae3205b0ab6c9fe03d04854d62cca12b92d59882330b



MANUAL REVIEW

Severity Criteria

Expelee assesses the severity of disclosed vulnerabilities according to methodology based on OWASP standarts.

Vulnerabilities are dividend into three primary risk categroies:

High

Medium

Low

High-level considerations for vulnerabilities span the following key areas when conducting assessments:

- Malicious input handling
- Escalation of privileges
- Arithmetic
- Gas use

Overall Risk Severity				
Impact	HIGH	Medium	High	Critical
	MEDIUM	Low	Medium	High
	LOW	Note	Low	Medium
		LOW	MEDIUM	HIGH
	Likelihood			



HIGH RISK FINDING

Trades are disabled by default

Category: Centralization

Status: Open Impact: High

Overview:

The contract has been structured such that all trading is disabled by default, necessitating the contract owner's manual intervention to enable trading. This can lead to a situation where, if trades remain disabled, token holders won't be able to buy, sell, or trade their tokens, causing a severe impact on the token's usability and market liquidity.

```
function enableTrading() external onlyOwner {
  require(!tradingEnabled, "Trading is already enabled");
  tradingEnabled = true;
  startTradingBlock = block.number;
}
```

Suggestion:

To mitigate this risk, it is recommended that trading be enabled before the token presale. This can be achieved by invoking the "enableTrading" function or by transferring ownership of the contract to a third-party that has established trust with the community, such as a Certified SAFU developer. This reduces the concentration of power and the potential for malicious actions, thereby promoting a more decentralized and fair environment for all participants.



ABOUT EXPELEE

Expelee is a product-based aspirational Web3 start-up.
Coping up with numerous solutions for blockchain security and constructing a Web3 ecosystem from deal making platform to developer hosting open platform, while also developing our own commercial and sustainable blockchain.

www.expelee.com

- 🔰 expeleeofficial
- expelee

Expelee

- in expelee
- expelee_official
- 👩 expelee-co



Building the Futuristic Blockchain Ecosystem



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantess against the sale of team tokens or the removal of liquidity by the project audited in this document.

Always do your own research and project yourselves from being scammed. The Expelee team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools.

Under no circumstances did Expelee receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Alway do your own research and protect yourselves from scams.

This document should not be presented as a reason to buy or not buy any particular token. The Expelee team disclaims any liability for the resulting losses.



Building the Futuristic Blockchain Ecosystem