

Building the Futuristic Blockchain Ecosystem

SECURITY AUDIT REPORT

Goofy



TOKEN OVERVIEW

Risk Findings

Severity	Found	
High	0	
Medium	0	
Low	0	
Informational	0	

Centralization Risks

Owner Privileges	Description
Can Owner Set Taxes >25% ?	Not Detected
Owner needs to enable trading?	Not Detected
Can Owner Disable Trades?	Not Detected
Can Owner Mint ?	Not Detected
Can Owner Blacklist ?	Not Detected
Can Owner set Max Wallet amount?	Not Detected
Can Owner Set Max Transfer amount ?	Not Detected



TABLE OF CONTENTS

02	Token Overview
03	Table of Contents
04	Overview
05	Contract Details
06	Audit Methodology
07	Vulnerabilities Checklist ————————————————————————————————————
08	Risk Classification
09	Inheritence Trees
10	Function Details ————————————————————————————————————
12	
13	Manual Review ————————————————————————————————————
14	About Expelee
15	Disclaimer



OVERVIEW

The Expelee team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analysed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

Audit Result	Passed
KYC Verification	-
Audit Date	27 June 2023



CONTRACT DETAILS

Token Name: Goofy

Symbol: Goofy

Network: Ethereum

Language: Solidity

Contract Address:

0xF12c3C4e1A77B7E25fdD32555aF19fc91e8640F7

Total Supply: 100,000,000,000

Owner's Wallet:

0x2b56393AD0E39DE68dF000c7E9d150d290FfEfE5

Deployer's Wallet:

0x2b56393AD0E39DE68dF000c7E9d150d290FfEfE5

Testnet:

https://testnet.bscscan.com/token/0x5142E3B51336eA82f20

79a3e474Ee3044a30AEd5



AUDIT METHODOLOGY

Audit Details

Our comprehensive audit report provides a full overview of the audited system's architecture, smart contract codebase, and details on any vulnerabilities found within the system.

Audit Goals

The audit goal is to ensure that the project is built to protect investors and users, preventing potentially catastrophic vulnerabilities after launch, that lead to scams and rugpulls.

Code Quality

Our analysis includes both automatic tests and manual code analysis for the following aspects:

- Exploits
- Back-doors
- Vulnerability
- Accuracy
- Readability

Tools

- DE
- Open Zeppelin
- Code Analyzer
- Solidity Code
- Compiler
- Hardhat



VULNERABILITY CHECKS

Design Logic	Passed
Compiler warnings	Passed
Private user data leaks	Passed
Timestamps dependence	Passed
Integer overflow and underflow	Passed
Race conditions & reentrancy. Cross-function race conditions	Passed
Possible delays in data delivery	Passed
Oracle calls	Passed
Front Running	Passed
DoS with Revert	Passed
DoS with block gas limit	Passed
Methods execution permissions	Passed
Economy model	Passed
Impact of the exchange rate on the logic	Passed
Malicious event log	Passed
Scoping and declarations	Passed
Uninitialized storage pointers	Passed
Arithmetic accuracy	Passed
Cross-function race conditions	Passed
Safe Zepplin module	Passed



RISK CLASSIFICATION

When performing smart contract audits, our specialists look for known vulnerabilities as well as logical and acces control issues within the code. The exploitation of these issues by malicious actors may cause serious financial damage to projects that failed to get an audit in time. We categorize these vulnerabilities by the following levels:

High Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Medium Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Low Risk


Issues on this level are minor details and warning that can remain unfixed.

Informational

Issues on this level are minor details and warning that can remain unfixed.



INHERITANCE TREES





FUNCTION DETAILS

```
Contract
       | **Function Name** | **Visibility** | **Mutability** | **Modifiers** |
| **Context** | Implementation | ||
L | msgSender | Internal 🔒 | | |
L | msgData | Internal 🔒 | | |
**Ownable** | Implementation | Context ||
└ | <Constructor> | Public | | ● NO | |
 | owner | Public | | NO | |
 CheckOwner | Internal 🔒 | |
 └ | renounceOwnership | Public | | ● | onlyOwner |
 L | transferOwnership | Public | | | | onlyOwner |
└ | transferOwnership | Internal 🔒 | ● | |
**IERC20** | Interface | ||
L | totalSupply | External | | NO | |
 L | balanceOf | External | NO | |
 L | transfer | External | | | NO | |
L | allowance | External | | NO | |
L | approve | External | | | NO | |
 L | transferFrom | External | | | NO | |
**IERC20Metadata** | Interface | IERC20 ||
I name | External | NO | |
 | symbol | External | NO | |
L | decimals | External | NO | |
**ERC20** | Implementation | Context, IERC20, IERC20Metadata ||
L | name | Public | | NO | |
 L | symbol | Public | | NO | |
 L | decimals | Public | | NO | |
 L | totalSupply | Public | | NO | |
 | balanceOf | Public | NO |
 L | transfer | Public | | | NO | |
 L | allowance | Public | | NO | |
 | approve | Public | | | NO | |
 L | transferFrom | Public | | | NO | |
└ | increaseAllowance | Public | | ● |NO | |
 L | decreaseAllowance | Public | | | NO | |
 📙 transfer | Internal 🔒 | 🛑 | |
 📙 mint | Internal 🔒 | 🛑 | |
 L | burn | Internal 🔒 | 🛑 ||
L | approve | Internal 🔒 | 🌑 | |
L | spendAllowance | Internal 🔒 | 🛑 | |
```



FUNCTION DETAILS



TESTNET VERSION

Adding	Liquidity	
Adding	Liquidity	
_		

Tx:

https://testnet.bscscan.com/tx/0x770d2739a074f629703d3d712fd03a124e5f9d52a0f 24f1966c1ff3286197a01



https://testnet.bscscan.com/tx/0x6cbb055fffae68b73eb37a91cc2c681c0586db9802 0d6077340aa65ddd78d9c8

Selling ✓ Tx (0% tax):

https://testnet.bscscan.com/tx/0x3c2089a6cc1e14b6299e850a7a31ba3b62c7d82120410b61fe6908456ab2bf4b

Transferring Tx (0% tax):

https://testnet.bscscan.com/tx/0x207851f5d31e72d03a80fc2a92a40fd39dcbf459391ebd6bc771e6aa0fe79c47



MANUAL REVIEW

Severity Criteria

Expelee assesses the severity of disclosed vulnerabilities according to methodology based on OWASP standarts.

Vulnerabilities are dividend into three primary risk categroies:

High

Medium

Low

High-level considerations for vulnerabilities span the following key areas when conducting assessments:

- Malicious input handling
- Escalation of privileges
- Arithmetic
- Gas use

Overall Risk Severity				
Impact	HIGH	Medium	High	Critical
	MEDIUM	Low	Medium	High
	LOW	Note	Low	Medium
		LOW	MEDIUM	HIGH
	Likelihood			



ABOUT EXPELEE

Expelee is a product-based aspirational Web3 start-up.
Coping up with numerous solutions for blockchain security and constructing a Web3 ecosystem from deal making platform to developer hosting open platform, while also developing our own commercial and sustainable blockchain.

www.expelee.com

- 🔰 expeleeofficial
- expelee

Expelee

- in expelee
- expelee_official
- 👩 expelee-co



Building the Futuristic Blockchain Ecosystem



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantess against the sale of team tokens or the removal of liquidity by the project audited in this document.

Always do your own research and project yourselves from being scammed. The Expelee team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools.

Under no circumstances did Expelee receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Alway do your own research and protect yourselves from scams.

This document should not be presented as a reason to buy or not buy any particular token. The Expelee team disclaims any liability for the resulting losses.



Building the Futuristic Blockchain Ecosystem