

Building the Futuristic Blockchain Ecosystem

SECURITY AUDIT REPORT

GOKU WARRIOR



TOKEN OVERVIEW

Risk Findings

Severity	Found	
High	3	
Medium	0	
Low	0	
Informational	0	

Centralization Risks

Owner Privileges	Description
Can Owner Set Taxes >25%?	No, fees cannot exceed 24%
Owner needs to enable trading?	Yes, owner needs to enable trades
Can Owner Disable Trades ?	Not Detected
Can Owner Mint ?	Not Detected
Can Owner Blacklist ?	Not Detected
Can Owner set Max Wallet amount?	Not Detected
Can Owner Set Max TX amount ?	Not Detected



TABLE OF CONTENTS

02	Token Overview
03	Table of Contents
04	Overview
05	Contract Details ————————————————————————————————————
06	Audit Methodology
07	Vulnerabilities Checklist ————————————————————————————————————
08	Risk Classification
09	Inheritence Trees
10	Function Details ————————————————————————————————————
12	Testnet Version
14	Manual Review ————————————————————————————————————
18	About Expelee
19	Disclaimer



OVERVIEW

The Expelee team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analysed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

Audit Result	Passed
KYC Verification	No
Audit Date	5 June 2023



CONTRACT DETAILS

Token Name: Goku Warrior

Symbol: Gokuwarrior

Network: Binance smart chain

Language: Solidity

Decimals: 9

Token Type: BEP20

Checksum:

1373f22b8c5f4e279b234280ee3c1cc9c35b87d4

Contract Address:

0x0Db1A429F59758ec684e34C2247A345ac05bf656

Total Supply: 10,000,000,000

Owner's Wallet: 0x40bCA38af5ddD229169029121938CF162FEe7066

Deployer's Wallet: 0x40bCA38af5ddD229169029121938CF162FEe7066



AUDIT METHODOLOGY

Audit Details

Our comprehensive audit report provides a full overview of the audited system's architecture, smart contract codebase, and details on any vulnerabilities found within the system.

Audit Goals

The audit goal is to ensure that the project is built to protect investors and users, preventing potentially catastrophic vulnerabilities after launch, that lead to scams and rugpulls.

Code Quality

Our analysis includes both automatic tests and manual code analysis for the following aspects:

- Exploits
- Back-doors
- Vulnerability
- Accuracy
- Readability

Tools

- DE
- Open Zeppelin
- Code Analyzer
- Solidity Code
- Compiler
- Hardhat



VULNERABILITY CHECKS

Design Logic	Passed
Compiler warnings	Passed
Private user data leaks	Passed
Timestamps dependence	Passed
Integer overflow and underflow	Passed
Race conditions & reentrancy. Cross-function race conditions	Passed
Possible delays in data delivery	Passed
Oracle calls	Passed
Front Running	Passed
DoS with Revert	Passed
DoS with block gas limit	Passed
Methods execution permissions	Passed
Economy model	Passed
Impact of the exchange rate on the logic	Passed
Malicious event log	Passed
Scoping and declarations	Passed
Uninitialized storage pointers	Passed
Arithmetic accuracy	Passed
Cross-function race conditions	Passed
Safe Zepplin module	Passed



RISK CLASSIFICATION

When performing smart contract audits, our specialists look for known vulnerabilities as well as logical and acces control issues within the code. The exploitation of these issues by malicious actors may cause serious financial damage to projects that failed to get an audit in time. We categorize these vulnerabilities by the following levels:

High Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Medium Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Low Risk


Issues on this level are minor details and warning that can remain unfixed.

Informational

Issues on this level are minor details and warning that can remain unfixed.



INHERITANCE TREES





FUNCTION DETAILS

```
Contract |
                          Bases
              Type
      | **Function Name** | **Visibility** | **Mutability** | **Modifiers** | |
| **Address** | Library | |||
| L | sendValue | Internal 🔒 | 🛑 | |
**Gokuwarrior** | Implementation | ERC20, Ownable ||
└ | <Constructor> | Public | | ● | ERC20 |
 | | <Receive Ether> | External | | | | | | | | | | | | | | |
 | claim | External | | | NO | |
 └ | rescueBEP20Tokens | External | | ● | onlyOwner |
 └ | forceSend | External | | ● | NO | |
 L | excludeFromFees | Public | | | | onlyOwner |
 L | excludeMultipleAccountsFromFees | Public | | • | onlyOwner |
 L | excludeFromDividends | External | | • | onlyOwner |
 └ | setBuyTaxes | External | | ● | onlyOwner |
 └ | setSellTaxes | External | | ● | onlyOwner |
 └ | setMarketingWallet | External | | ● | onlyOwner |
 └ | setSwapEnabled | External | | ● | onlyOwner |
 └ | setAntiBotBlocks | External | | ● | onlyOwner |
 └ | setMinBalanceForDividends | External | | ● | onlyOwner |
 📙 setAutomatedMarketMakerPair | Private 🔐 | 🛑 | |
 └ | setGasForProcessing | External | | ● | onlyOwner |
 | setClaimWait | External | | | | onlyOwner |
 | getClaimWait | External | NO | |
 | getTotalDividendsDistributed | External | NO |
 | isExcludedFromFees | Public | NO | |
 | withdrawableDividendOf | Public | NO | |
 | getCurrentRewardToken | External | NO | |
 L | dividendTokenBalanceOf | Public | | | | NO | |
 | getAccountDividendsInfo | External | NO | |
 | getAccountDividendsInfoAtIndex | External | NO | |
 | getLastProcessedIndex | External | NO |
 L | getNumberOfDividendTokenHolders | External | NO | |
 L | _transfer | Internal 🔒 | 🛑 | |
 L | swapAndLiquify | Private 🔐 | 🛑 | |
L | swapTokensForBNB | Private 🔐 | 🛑 | |
**BUSDDividendTracker** | Implementation | Ownable, DividendPayingToken |||
 └ | <Constructor> | Public | | ● | DividendPayingToken |
L | transfer | Internal 🔒 | | |
```



FUNCTION DETAILS

```
| L | setMinBalanceForDividends | External | | | onlyOwner | |
| L | excludeFromDividends | External | | | onlyOwner |
| L | updateClaimWait | External | | | | onlyOwner |
| L | getLastProcessedIndex | External | | NO | |
 L | getNumberOfTokenHolders | External | NO | |
L | getCurrentRewardToken | External | NO | |
| L | getAccount | Public | | NO | |
| L | getAccountAtIndex | Public | | NO | |
| L | canAutoClaim | Private 🔐 | ||
 L | setBalance | Public | | | onlyOwner |
| L | process | Public | | | NO | |
| L | processAccount | Public | | | onlyOwner |
### Legend
| Symbol | Meaning |
|:----|
       | Function can modify state |
       | Function is payable |
```

d52bb73e24416883



TESTNET VERSION

Adding Liquidity Tx: https://testnet.bscscan.com/tx/0xa3cbe61e575e58ac06df13ff7e1aec80caf450f0715c9605753a29bcf4584a9
Buying from a fee excluded wallet Tx (0% tax): https://testnet.bscscan.com/tx/0xe76abf0194862d3710812227ce73eea71b362e55b1f1a20ea2019bf13a65e33
Selling from a fee excluded wallet Tx (0% tax): https://testnet.bscscan.com/tx/0x822b9fb8e1daf5ec4d5caa492daa5ae8da6b2eb7e6cbc08085b769e83aea8ea
Transferring using a fee excluded wallet Tx (0% tax): https://testnet.bscscan.com/tx/0xe7a005b805fc54faf2a628abd97a6c78d93e9443cf01253 9eb578ea24d4db11
Buying from a regular wallet Tx (0-12% tax): https://testnet.bscscan.com/tx/0xe2292733addd242dda951226c562a217075d10c65c6ae2b9b4cef059cba2deb
Selling from a regular wallet Tx (0-12% tax): https://testnet.bscscan.com/tx/0x39dcd13ebcb99812a9c707b3fb0437ca497631d6575ec44



TESTNET VERSION

Transferring a regular wallet 🗸 Tx (0%):

https://testnet.bscscan.com/tx/0x8efd7c0ad654bd887baaea33d196d87ce284e90fa9a77556 65fc653f80213cbf

Internal swap (marketing BNB + Auto-liquidty)



Tx:

https://testnet.bscscan.com/tx/0x39dcd13ebcb99812a9c707b3fb0437ca497631d6575ec448 d52bb73e24416883



MANUAL REVIEW

Severity Criteria

Expelee assesses the severity of disclosed vulnerabilities according to methodology based on OWASP standarts.

Vulnerabilities are dividend into three primary risk categroies:

High

Medium

Low

High-level considerations for vulnerabilities span the following key areas when conducting assessments:

- Malicious input handling
- Escalation of privileges
- Arithmetic
- Gas use

Overall Risk Severity							
Impact	HIGH	Medium	High	Critical			
	MEDIUM	Low	Medium	High			
	LOW	Note	Low	Medium			
		LOW	MEDIUM	HIGH			
	Likelihood						



HIGH RISK FINDING

Setting internal swap threshold to 0

Severity : High

Category: Data validation

Status: Open

Overview

Setting swapTokensAtAmount to 0 can disable sell and transfers for non privileged wallets. This is because internal swap is performed even in case of swapTokensAtAmount being equal to 0.

```
function setSwapTokensAtAmount(uint256 amount) external
onlyOwner {
    require(amount < totalSupply() / 100, "Swap Threshold should be
less than 1% of total supply");
    swapTokensAtAmount = amount;
}</pre>
```

Suggestion:

```
to mitigate this issue, ensure that swapTokensAtAmount is always greater than a 0.
function setSwapTokensAtAmount(uint256 amount) external onlyOwner {
    require(amount < totalSupply() / 100, "Swap Threshold should be less than 1% of total supply");
    require(amount > totalSupply() / 1000000, "Swap Threshold should be more than .0001% of total supply");
    swapTokensAtAmount = amount;
}
```



HIGH RISK FINDING

Enabling trades is not guaranteed

Severity: High

Category: Centralization

Status: Open

Overview

Owner must enable trades for investors manually. If trades remain disabled, holders wont be able to trade their tokens.

```
function EnableTrading() external onlyOwner {
require(!tradingEnabled, "Trading is already enabled");
  tradingEnabled = true;
  startTradingBlock = block.number;
}
```

Suggestion:

to mitigate this issue there are several options:

- Enable trades before end of presale
- Transfer ownership to a trusted 3rd party to guarantee enable of trades



HIGH RISK FINDING

Changing dividend tracker

Severity: High

Category: Logical

Status: Open

Overview

Owner is able to update dividend tracker. Setting dividend tracker to an invalid address can disable buy/sell/transfers for all holders (owner and whitelisted wallets included)

```
function updateDividendTracker(address newAddress) public
onlyOwner {
    BUSDDividendTracker newDividendTracker =
BUSDDividendTracker(payable(newAddress));

newDividendTracker.excludeFromDividends(address(newDividendTracker), true);
newDividendTracker.excludeFromDividends(address(this), true);
newDividendTracker.excludeFromDividends(owner(), true);
newDividendTracker.excludeFromDividends(address(router), true);
    dividendTracker = newDividendTracker;
}
```

Suggestion:

to mitigate this issue, ensure that dividend tracker is immutable, this can be achieved by deleting updateDividendTracker function.



ABOUT EXPELEE

Expelee is a product-based aspirational Web3 start-up.
Coping up with numerous solutions for blockchain security and constructing a Web3 ecosystem from deal making platform to developer hosting open platform, while also developing our own commercial and sustainable blockchain.

www.expelee.com

- 🔰 expeleeofficial
- expelee

Expelee

- in expelee
- expelee_official
- 👩 expelee-co



Building the Futuristic Blockchain Ecosystem



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantess against the sale of team tokens or the removal of liquidity by the project audited in this document.

Always do your own research and project yourselves from being scammed. The Expelee team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools.

Under no circumstances did Expelee receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Alway do your own research and protect yourselves from scams.

This document should not be presented as a reason to buy or not buy any particular token. The Expelee team disclaims any liability for the resulting losses.



Building the Futuristic Blockchain Ecosystem