

Building the Futuristic Blockchain Ecosystem

SECURITY AUDIT REPORT

HODL2MOON



TOKEN OVERVIEW

Risk Findings

Severity	Found	
High	1	
Medium	0	
Low	0	
Informational	0	

Centralization Risks

Owner Privileges	Description
Can Owner Set Taxes >25%?	Not Detected
Owner needs to enable trading?	Yes, owner needs to enable trades
Can Owner Disable Trades ?	Not Detected
Can Owner Mint ?	Not Detected
Can Owner Blacklist ?	Not Detected
Can Owner set Max Wallet amount?	Not Detected
Can Owner Set Max TX amount?	Not Detected



TABLE OF CONTENTS

02	Token Overview
03	Table of Contents
04	Overview
05	Contract Details ————————————————————————————————————
06	Audit Methodology
07	Vulnerabilities Checklist ————————————————————————————————————
08	Risk Classification
09	Inheritence Trees ———————————————————————————————————
13	Function Details ————————————————————————————————————
14	Testnet Version
16	Manual Review ————————————————————————————————————
18	About Expelee
10	Disclaimer



OVERVIEW

The Expelee team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analysed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

Audit Result	Passed With High Risk
KYC Verification	_
Audit Date	31 August 2023



CONTRACT DETAILS

Token Address:

0x44f3e337C3c5EfEd9C957FCd7898F9A85C7A7623

Name: HODL2MOON

Symbol: HODL

Decimals: 18

Network: Binance smart chain

Token Type: BEP20

Owner: 0x8b89A8479f9bC76C319F61d2F0D7038Dda4200f1

Deployer: 0x8b89A8479f9bC76C319F61d2F0D7038Dda4200f1

Token Supply: 420,000,000,000,000

Checksum:

7bf4e48b28913e5b96b824a10f7d45a81606e4cd

Testnet version:

The tests conducted were performed on the contract deployed on the Binance Smart Chain (BSC) Testnet. https://testnet.bscscan.com/token/0x73224B72Aa0E8418ffBel107F307F84Bacf7CBf9



AUDIT METHODOLOGY

Audit Details

Our comprehensive audit report provides a full overview of the audited system's architecture, smart contract codebase, and details on any vulnerabilities found within the system.

Audit Goals

The audit goal is to ensure that the project is built to protect investors and users, preventing potentially catastrophic vulnerabilities after launch, that lead to scams and rugpulls.

Code Quality

Our analysis includes both automatic tests and manual code analysis for the following aspects:

- Exploits
- Back-doors
- Vulnerability
- Accuracy
- Readability

Tools

- DE
- Open Zeppelin
- Code Analyzer
- Solidity Code
- Compiler
- Hardhat



VULNERABILITY CHECKS

Design Logic	Passed
Compiler warnings	Passed
Private user data leaks	Passed
Timestamps dependence	Passed
Integer overflow and underflow	Passed
Race conditions & reentrancy. Cross-function race conditions	Passed
Possible delays in data delivery	Passed
Oracle calls	Passed
Front Running	Passed
DoS with Revert	Passed
DoS with block gas limit	Passed
Methods execution permissions	Passed
Economy model	Passed
Impact of the exchange rate on the logic	Passed
Malicious event log	Passed
Scoping and declarations	Passed
Uninitialized storage pointers	Passed
Arithmetic accuracy	Passed
Cross-function race conditions	Passed
Safe Zepplin module	Passed



RISK CLASSIFICATION

When performing smart contract audits, our specialists look for known vulnerabilities as well as logical and acces control issues within the code. The exploitation of these issues by malicious actors may cause serious financial damage to projects that failed to get an audit in time. We categorize these vulnerabilities by the following levels:

High Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Medium Risk

Issues on this level are critical to the smart contract's performance/functionality and should be fixed before moving to a live environment.

Low Risk


Issues on this level are minor details and warning that can remain unfixed.

Informational

Issues on this level are minor details and warning that can remain unfixed.



INHERITANCE TREES





```
Type
|Contract |
                      Bases
| **Function Name** | **Visibility** | **Mutability** | **Modifiers**
| **Context** | Implementation | ||| | | |
| - | _msgSender | Internal | | | |
| **Ownable** | Implementation | Context |||
| - | <Constructor> | Public | | | | NO | |
| - | owner | Public | | |NO | |
 | renounceOwnership | Public | | | | onlyOwner |
| - | transferOwnership | Public | | | onlyOwner |
| **IERC20** | Interface | |||
| L| totalSupply | External | | NO | |
| L | balanceOf | External | | NO | |
| └ | transfer | External | | ● |NO | |
| Lallowance | External | | NO | |
| └ | approve | External | | ● |NO | |
| LansferFrom | External | | | NO | |
| **Address** | Library | |||
| LisContract | Internal Li
 └ | sendValue | Internal 🔒 | 🌑 | |
| └ | functionCall | Internal 🔒 | 🧶 | | | |
| L| functionCall | Internal L| | | | |
| - | functionCallWithValue | Internal | - | | - | |
| - | functionCallWithValue | Internal | - | | - | |
| └ | _functionCallWithValue | Private 🔐 | ● | |
| **IUniswapV2Factory** | Interface | |||
| L|feeTo|External | | NO | |
| L|feeToSetter|External | | NO | |
 | allPairs | External | | NO | |
```



```
| | allPairsLength | External | | NO | | |
| └ | createPair | External | | ● |NO | |
| - | setFeeTo | External | | | NO | |
| - | setFeeToSetter | External | | | NO | |
ШШ
| **IUniswapV2Pair** | Interface | ||| | |
| - | name | External | | | NO | |
 | symbol | External | | NO | |
| L | decimals | External | | NO | |
| L| totalSupply | External | | NO | |
 | balanceOf | External | | NO | |
 | allowance | External | | NO | |
 └ | approve | External ! | ● |NO! |
 └ | transfer | External | | ● |NO | |
| - | transferFrom | External | | | | NO | |
 | DOMAIN_SEPARATOR | External | | | NO | |
| - | PERMIT_TYPEHASH | External | | | NO | |
| - | nonces | External | | | NO | |
 └ | permit | External | | ● |NO | |
 | MINIMUM_LIQUIDITY | External | | | NO | | | |
| - | factory | External | | | NO | |
| - | token0 | External | | | NO | |
| - | token1 | External | | | NO | |
| - | getReserves | External | | NO | |
| - | price0CumulativeLast | External | | | NO | |
| | price1CumulativeLast | External | | NO | |
 | | kLast | External | | | NO | |
| - | burn | External | | | | NO | |
| - | swap | External | | | | NO | |
| - | skim | External | | | | NO | |
 | - | initialize | External | | | | NO | |
ШШ
| **IUniswapV2Router01** | Interface | ||| | |
 | factory | External | | NO | |
| - | WETH | External | | | NO | |
| - | addLiquidity | External | | • | NO | |
 | addLiquidityETH | External | | 1 NO | |
 | removeLiquidity | External | | | | NO | |
 | removeLiquidityETH | External | | | | NO | |
 | removeLiquidityWithPermit | External | | | | NO | |
 | removeLiquidityETHWithPermit | External | | | | NO | |
 | swapExactTokensForTokens | External | | | | NO | |
 | swapTokensForExactTokens | External | | | | NO | |
 | swapExactETHForTokens | External | | | NO | |
 | swapTokensForExactETH | External | | | | NO | |
```



```
| swapExactTokensForETH | External | | | | NO | |
 | swapETHForExactTokens | External | | | NO | |
 | | getAmountOut | External | | NO | |
 └ | getAmountIn | External ! | NO! |
 | L|getAmountsIn|External | | NO | |
| **IUniswapV2Router02** | Interface | IUniswapV2Router01 | |
└ | removeLiquidityETHSupportingFeeOnTransferTokens | External ! | ● |NO! |
| **HODL2MOON** | Implementation | Context, IERC20, Ownable || | | | |
| - | Constructor> | Public | | | | NO | |
| - | name | Public | | | NO | |
 | symbol | Public | | NO | |
 | decimals | Public | | NO | |
 | balanceOf | Public | | NO | |
 | allowance | Public | | NO | |
| | approve | Public | | | | NO | |
 | transferFrom | Public | | | | NO | |
 | increaseAllowance | Public | | | | NO | |
 | decreaseAllowance | Public | | | | NO | |
 | isExcludedFromReward | Public | | NO | |
 | totalReflectionDistributed | Public | | NO | |
 └ | deliver | Public ! | ● |NO! |
└ | reflectionFromToken | Public ! | |NO! |
 | tokenFromReflection | Public | | NO | | | | | | | | | | | | |
 | excludeFromReward | Public | | | | onlyOwner |
 | includeInReward | External | | | | onlyOwner |
 | | Receive Ether> | External | | | | | | | | | | | | | |
 | _ | _reflectFee | Private 🔐 | 🌑 | |
 └ | _getValues | Private 🔐 | | |
 └ | _getTValues | Private 🔐 | | |
 └ | _getRValues | Private 🔐 | | |
 └ | _getRate | Private 🔐 | | |
 | | _getCurrentSupply | Private | | | | | | |
 | | _takeLiquidity | Private | | | | | | |
| - | _takeMarketing | Private 🔐 | 🌑 | |
```



```
| └ | calculateTaxFee | Private 🔐 | | | | |
| LaculateLiquidityFee | Private | | | |
| - | calculateMarketingFee | Private | | | |
| └ | removeAllFee | Private 🔐 | 🌑 | |
| LactBuyFee | Private | | | | | |
  └ | setSellFee | Private 🔐 | 🧶 | |
| LisExcludedFromFee | Public | | NO | | | | |
| - | _approve | Private 🔐 | 🌑 | |
| - | enableTrading | External | | | | onlyOwner |
| - | _transfer | Private 🔐 | 🌑 | |
| Lack | SwapAndLiquify | Private | | | | | |
| - | swapAndSendMarketing | Private i | - | |
| | setSwapTokensAtAmount | External | | | onlyOwner |
| - | setSwapEnabled | External | | • | onlyOwner |
| LackenTransfer | Private | Output | Company 
  🕒 | _transferStandard | Private 🔐 | 🧶 | |
| - | _transferToExcluded | Private | | | | | | |
| - | _transferFromExcluded | Private | | | | | |
| - | _transferBothExcluded | Private | | | | | | |
| - | excludeFromFees | External | | | | onlyOwner |
| - | changeMarketingWallet | External | | | | onlyOwner |
| | setBuyFeePercentages | External | | | onlyOwner |
| | setSellFeePercentages | External | | | | onlyOwner |
| - | enableWalletToWalletTransferWithoutFee | External | | • | onlyOwner |
### Leaend
|Symbol | Meaning|
:-----
| • | Function can modify state |
| 💵 | Function is payable |
```



TESTNET VERSION

Adding Liquidity 	
Tx: https://testnet.bscscan.com/tx/0x99b6e636894396c8904feb7d5b1e0532e922929 6dcec095a0ce549c2e8d7cc	94
Buying when excluded from fees ✓ Tx (0% tax): https://testnet.bscscan.com/tx/0x54ec4714f17c52d345b53fdb654efb159dbdf1448aa75115f922faa2cc76b18	a2
Selling when excluded from fees ✓ Tx (0% tax): https://testnet.bscscan.com/tx/0xa85e3962647b9fe929ebbe94f9297548936e60469d3cf62f369686ca9f3831e	de
Transferring when excluded from fees ✓ Tx (0% tax): https://testnet.bscscan.com/tx/0xda83d47dd707940e4eef5e83b546c3803af9eb84a2cb06d4bd8776687fd9102	49
Buying ✓ Tx (0-5% tax): https://testnet.bscscan.com/tx/0xc38591444a00fc166a2cc214f331ddf85ea88c4f2f6587d64d157146b18e712	62



TESTNET VERSION

Sel	lling	V	1	
Tx	(0-5)	%	tax) :

https://testnet.bscscan.com/tx/0x667409f5e32be245d7e5fc4438c82a52237c1b8aa8f468473b447a9bf3fe443e

Transferring ✓ Tx (0-5% tax):

https://testnet.bscscan.com/tx/0xc601b3289a5e24199cdba4dbc4cccb0e6978066c9fb80e67b53a426e6e79ec41

Internal swap (BNB sent to marketing & Auto-liquidity) <a>V

Tx:

https://testnet.bscscan.com/tx/0x667409f5e32be245d7e5fc4438c82a52237c1b8aa8 f468473b447a9bf3fe443e



MANUAL REVIEW

Severity Criteria

Expelee assesses the severity of disclosed vulnerabilities according to methodology based on OWASP standarts.

Vulnerabilities are dividend into three primary risk categroies:

High

Medium

Low

High-level considerations for vulnerabilities span the following key areas when conducting assessments:

- Malicious input handling
- Escalation of privileges
- Arithmetic
- Gas use

Overall Risk Severity				
Impact	HIGH	Medium	High	Critical
	MEDIUM	Low	Medium	High
	LOW	Note	Low	Medium
		LOW	MEDIUM	HIGH
	Likelihood			



HIGH RISK FINDING

Category: Centralization

Subject: Trades are disabled by default

Status: Open

Impact: High

Overview:

The contract has been structured such that all trading is disabled by default, necessitating the contract owner's manual intervention to enable trading. This can lead to a situation where, if trades remain disabled, token holders won't be able to buy, sell, or trade their tokens, causing a severe impact on the token's usability and market liquidity.

```
function enableTrading() external onlyOwner {
require(tradingEnabled == false, "Trading is already enabled");
  tradingEnabled = true;
}
```

Suggestion:

To mitigate this risk, it is recommended that trading be enabled before the token presale. This can be achieved by invoking the "enableTrading" function or by transferring ownership of the contract to a third-party that has established trust with the community, such as a Certified SAFU developer. This reduces the concentration of power and the potential for malicious actions, thereby promoting a more decentralized and fair environment for all participants.



ABOUT EXPELEE

Expelee is a product-based aspirational Web3 start-up.
Coping up with numerous solutions for blockchain security and constructing a Web3 ecosystem from deal making platform to developer hosting open platform, while also developing our own commercial and sustainable blockchain.

www.expelee.com

- 🔰 expeleeofficial
- expelee

Expelee

- in expelee
- expelee_official
- 👩 expelee-co



Building the Futuristic Blockchain Ecosystem



DISCLAIMER

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment. Team provides no guarantess against the sale of team tokens or the removal of liquidity by the project audited in this document.

Always do your own research and project yourselves from being scammed. The Expelee team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools.

Under no circumstances did Expelee receive a payment to manipulate those results or change the awarding badge that we will be adding in our website. Alway do your own research and protect yourselves from scams.

This document should not be presented as a reason to buy or not buy any particular token. The Expelee team disclaims any liability for the resulting losses.



Building the Futuristic Blockchain Ecosystem