



Exploratory Testing Foundations

Maaret Pyhäjärvi

v. 2.0 (2022-02-27)




Exploratory Testing Foundations by [Maaret Pyhäjärvi](#) is licensed under [CC BY 4.0](#)

 @maaretp

Optimizing the value of testing



Learning



Exploratory Testing *the Verb*





Input

Tester

Domain knowledge

Requirements and specifications

Testing knowledge

Miscellaneous knowledge



Output

Better tester

Coverage

Information incl. defects and change requests

Documentation: Strategy

Documentation: Tests

Course Outline

Chapter 1: Test target and our options for exploring
Chapter 2: Self-management basics on setting yourself constraints
Chapter 3: The moment of first impression
Chapter 4: Recognizing and learning a domain
Chapter 5: Recognizing functionality
Chapter 6: Recognizing data
Chapter 7: Recognizing application and execution environment
Chapter 8: Documenting in a mindmap

Chapter 9: Robot framework the very basics
Chapter 10: Documenting as skeleton test automation
Chapter 11: Robot framework browser library and CSS selectors on web pages
Chapter 12: Documenting as executable test automation
Chapter 13: Why this is not about Robot Framework
Chapter 14: Use of time
Chapter 15: Coverage
Chapter 16: Test Strategy
Chapter 17: Closing remarks

Course Outline

- Section I: Options for Exploring 1 3
- Section II: Control through Choices 2
- Section III: Documenting (with Automation)
Extending with Function, Data,
Environment and Domain 4-13
- Section IV: Use of time and coverage 14-17

Test Target and Our Options for Exploring

Chapter I



eviltester/TestingApp is licensed under the
Apache License 2.0

A permissive license whose main conditions require preservation of copyright and license notices. Contributors provide an express grant of patent rights. Licensed works, modifications, and larger works may be distributed under different terms and without source code.

Permissions

- ✓ Commercial use
- ✓ Modification
- ✓ Distribution
- ✓ Patent use
- ✓ Private use

Limitations

- ✗ Trademark use
- ✗ Liability
- ✗ Warranty

Conditions

- ④ License and copyright notice
- ④ State changes

This test target is from collections of [Alan Richardson, eviltester](#), a brilliant exploratory tester.

E-Primer an e-prime checking tool

Do you want to write without using the verb "to be"?

Do you want to master [e-prime](#)?

Use our online tool to check your writing.

- Word Count:
- Discouraged Words:
- Possible Violations:

Text:

Check For E-Prime



@maaretp

Stop-and-Think: Options for Exploring

What would you do first, and soon after you get started?

List all things that come to your mind about how you could test this. What would you start from? What you would not do?



Options for Exploring

Research the Domain

Use test target *with a constraint*

Self-management Basics on Setting Yourself Constraints

Chapter 2

Charters

Charter template

- *target*: where you're exploring
- *resources*: what you're using/how you're exploring
- *information*: what question you want to answer

*Elizabeth Zagroba's concise template adapted
from Elizabeth Hendrickson's template*

Choose Your Own Constraint

Deliberately excluding perspectives!
Never Be Bored!

Explore with Intent

INTENT

Mission

Charter

Other
Charters

Details

LEARNINGS



@maaretp

Stop-and-Think: Charters, Constraints, Intent

You're approaching the moment of first impression. How do you want to frame your moment of first impression?



The Moment of First Impression

Chapter 3

Options *Expire*

Capture First Impression

Borrow someone else's First Impression


Timing of feedback changes reaction to it!

Let's Test

<https://www.exploratorytestingacademy.com/app/>

<https://eviltester.github.io/TestingApp/apps/eprimer/eprimer.html>

Example: Test Results, Red is Bug



Bugs are Conversation Starters

Bug is anything that might bug a user.
You start conversations about defects and
change requests.

Recognizing and Learning a Domain

Chapter 4

Conference
Reference
Inference



eviltester/TestingApp is licensed under the
Apache License 2.0

A permissive license whose main conditions require preservation of copyright and license notices. Contributors provide an express grant of patent rights. Licensed works, modifications, and larger works may be distributed under different terms and without source code.

Permissions

- ✓ Commercial use
- ✓ Modification
- ✓ Distribution
- ✓ Patent use
- ✓ Private use

Limitations

- ✗ Trademark use
- ✗ Liability
- ✗ Warranty

Conditions

- ① License and copyright notice
- ① State changes

This test target is from collections of [Alan Richardson, eviltester](#), a brilliant exploratory tester.

E-Primer an e-prime checking tool

Do you want to write without using the verb "to be"?

Do you want to master [e-prime](#)?

Use our online tool to check your writing.

- Word Count: 9
- Discouraged Words: 3
- Possible Violations: 1

To **be** or not to **be** is Hamlet's dilemma

Text:

To be or not to be is Hamlet's dilemma

Check For E-Prime



@maaretp

```
function inEPrimeOutputFormat(aWord){
    return '<span class="ep_violation">' + aWord + "</span>";
}

function inPossibleEPrimeOutputFormat(aWord){
    return '<span class="ep_warning">' + aWord + "</span>";
}

function isDiscouragedWord(aWord){

    var discouragedWords = new Array();
    discouragedWords['be'] = 'be';
    discouragedWords['being'] = 'being';
    discouragedWords['been'] = 'been';
    discouragedWords['am'] = 'am';
    discouragedWords["isn't"] = "isn't";
    discouragedWords["are"] = "are";
    discouragedWords["aren't"] = "aren't";
    discouragedWords["was"] = "was";
    discouragedWords["wasn't"] = "wasn't";
    discouragedWords["were"] = "were";
    discouragedWords["weren't"] = "weren't";
    discouragedWords["is"] = "is";
    discouragedWords["ain't"] = "ain't";
    discouragedWords["i'm"] = "i'm";
    discouragedWords["amn't"] = "amn't";

    return (discouragedWords[aWord.toLowerCase()]==aWord.toLowerCase());

}
```



Let's Test

<https://www.exploratorytestingacademy.com/app/>

<https://eviltester.github.io/TestingApp/apps/eprimer/eprimer.html>

Learning of Domain of E-Primer

Core Idea	Writing English language avoiding verb “be” in all its forms
Why?	Someone claims it had benefits, intellectual challenge
Examples	Used in sentences Listed examples
Sample texts	The Bible!



Recognizing Functionality

Chapter 5

Naming of Function

Functions in Code
Expected Features
Visible Features

Let's Test

<https://www.exploratorytestingacademy.com/app/>

<https://eviltester.github.io/TestingApp/apps/eprimer/eprimer.html>

Learning of Function of E-Primer


Input	Text field and button
Output	Three numbers, text area
Containers	Resizable text field, resizable browser window, page
Presentation	Fonts, text and element sizes, order of functions
Browser	Settings, zoom
Algorithm	Recognizing eprime



Recognizing Data

Chapter 6

Data or Variables



Versatile Data

Lifecycle of Data: Create, Read, Update, Delete
Known problematic inputs: GitHub Naughty Strings

<https://github.com/minimaxir/big-list-of-naughty-strings/blob/master/blns.txt>

Let's Test

<https://www.exploratorytestingacademy.com/app/>

<https://eviltester.github.io/TestingApp/apps/eprimer/eprimer.html>

Learning of Data of E-Primer

Word delimiter	Space, wordcount breaks with characters and line change
Types of apostrophes	Typesetter / typewriter
Long text	Copied / tool generated
Valid eprime	Recognizing right as right
Eprime violations	Recognizing wrong as wrong



Recognizing Application and Execution Environment

Chapter 7

What *You Coded* is a Bad Constraint



Naomi Wu 机械妖姬
@RealSexyCyborg



You can't say "Signal is secure, it's the OS that's not" if Signal cannot operate without an OS. They are a system—can only be used as a system, they need to be evaluated as a system, and their effectiveness as a system disclosed to customers.

3:58 AM · Jan 16, 2021 · Twitter Web App

Execution Environment

Different browsers: web and mobile

Browser functionality and add-ons

HTML standard compatibility

Accessibility standard compatibility



Let's Test

<https://www.exploratorytestingacademy.com/app/>

<https://eviltester.github.io/TestingApp/apps/eprimer/eprimer.html>


Learning of Application and Execution Environment of E-Primer

Browser	Chrome, Brave, ...
Screen size	Web, Mobile
Browser Settings	Zoom, Security, ...
Add-ons	BugMagnet
Validators	HTML, Accessibility, ...

Documenting in a Mindmap

Chapter 8

Mindmap



Cem Kaner. Bug Reporting Heuristic.

Bug Reports

R eplicate

I solate

M aximize

G eneralize

E xternalize

N eutral tone

Let's Test

<https://www.exploratorytestingacademy.com/app/>

<https://eviltester.github.io/TestingApp/apps/eprimer/eprimer.html>

Mindmapping as Future Reference

Notetaking in the moment

Restructure as you learn

Documentation for the future

General purpose mindmaps

Robot Framework the Very Basics

Chapter 9

Robot Framework

Custom-made language

Built-in reporting

Ecosystem of keyword libraries

Documenting as Skeleton Test Automation

Chapter 10

Log

```
1  *** Test Cases ***
2  This is a test case name
3      Log      First thing to do
4      Log      Second thing to do
5      Log      Third thing to do
```

```
=====
Basic
=====
This is a test case name | PASS |
-----
Basic | PASS |
1 critical test, 1 passed, 0 failed
1 test total, 1 passed, 0 failed
=====
```

Let's Test

<https://www.exploratorytestingacademy.com/app/>

<https://eviltester.github.io/TestingApp/apps/eprimer/eprimer.html>

Skeleton Test Automation

Stepwise Test Cases as
Automation Placeholders

Like test cases but version
controlled as code

Handoff to a task that is
decomposing testing
differently



Robot Framework Browser Library and css selectors on Web Page

Chapter II

Browser Library

Playwright inside
Speed – Reliability – Visibility
Automatic waits

```
1  *** Settings ***  
2  Library           Browser  
3
```

css selectors

css=

#id

.class

tag

[attribute='value']

[part_of_attribute_value_contains*='value']

Keywords

```
1  *** Settings ***  
2  Library          Browser  
3  
4  *** Test Cases ***  
5  Open the Page Headless  
6      New Page      https://www.exploratorytestingacademy.com/app/|
```

<https://marketsquare.github.io/robotframework-browser/Browser.html>

Documenting as Executable Test Automation


Chapter 12

Let's Test

<https://www.exploratorytestingacademy.com/app/>

<https://eviltester.github.io/TestingApp/apps/eprimer/eprimer.html>

```
1  *** Settings ***
2  Library                Browser
3  Test Setup             Default Setup
4  Test Teardown          Default Teardown
5
6  *** Variables ***
7  ${URL}                 https://www.exploratorytestingacademy.com/app/
8  ${input text}          To be or not to be is Hamlet's dilemma
9  ${word count}           9
10 ${discouraged count}   3
11
12 *** Test Cases ***
13
14 Verify Word Text
15     New Page    ${URL}
16     Fill Text    css=#inputtext    ${input text}
17     Click    css=#CheckForEPrimeButton
18     Get Text    css=#eprimeoutput    ==    ${input text}
19     Get Text    css=#wordCount    ==    ${word count}
20     Get Text    css=#discouragedWordCount    ==    ${discouraged count}
21
22 *** Keywords ***
23 Default Setup
24     New Browser    chromium    headless=${FALSE}
25
26 Default Teardown
27     Close Browser
```



firstTest Log

Generated
20210202 21:16:15 UTC+02:00
22 seconds ago

Test Statistics

Total Statistics	Total	Pass	Fail	Elapsed	Pass / Fail
Critical Tests	1	1	0	00:00:03	<div></div>
All Tests	1	1	0	00:00:03	<div></div>

Statistics by Tag	Total	Pass	Fail	Elapsed	Pass / Fail
No Tags					<div></div>

Statistics by Suite	Total	Pass	Fail	Elapsed	Pass / Fail
firstTest	1	1	0	00:00:04	<div></div>

Test Execution Log


<div><div>[-]</div><div>SUITE</div></div> firstTest	00:00:03.523
Full Name: firstTest	
Source: C:\BitbucketRepos\localBrowserCoiote\prime\firstTest.robot	
Start / End / Elapsed: 20210202 21:16:11.775 / 20210202 21:16:15.298 / 00:00:03.523	
Status: 1 critical test, 1 passed, 0 failed 1 test total, 1 passed, 0 failed	
<div><div>[-]</div><div>TEST</div></div> Verify Word Text	00:00:02.642
Full Name: firstTest.Verify Word Text	
Start / End / Elapsed: 20210202 21:16:12.650 / 20210202 21:16:15.292 / 00:00:02.642	
Status: <div>PASS</div> (critical)	
<div><div>+</div><div>SETUP</div></div> Default Setup	00:00:00.613
<div><div>+</div><div>KEYWORD</div></div> Browser.New Page \${URL}	00:00:01.703
<div><div>+</div><div>KEYWORD</div></div> Browser.Fill Text css=#inputtext, \${input text}	00:00:00.036
<div><div>+</div><div>KEYWORD</div></div> Browser.Click css=#CheckForEPrimeButton	00:00:00.049
<div><div>+</div><div>KEYWORD</div></div> Browser.Get Text css=#primeoutput, ==, \${input text}	00:00:00.026
<div><div>+</div><div>KEYWORD</div></div> Browser.Get Text css=#wordCount, ==, \${word count}	00:00:00.015
<div><div>+</div><div>KEYWORD</div></div> Browser.Get Text css=#discouragedWordCount, ==, \${discouraged count}	00:00:00.014
<div><div>+</div><div>TEARDOWN</div></div> Default Teardown	00:00:00.160

```

test.robot x
1  *** Settings ***
2  Library           Browser
3  Test Setup        Default Setup
4  Test Teardown     Default Teardown
5  Test Template     Verify Word Text
6
7  *** Variables ***
8  ${URL}            https://www.exploratorytestingacademy.com/app/
9
10 *** Test Cases ***
11 Test1_            nothing_            1_  0
12 Test2_            to be or not to be_  6_  2
13 Test3_            The cat is my only pet_ 6_  1
14 Test4_            The cat is Garfield_  4_  1
15 Test5_            be, being, been, am, is, isn't, are, aren't, was, wasn't, were, and weren't. 13_ 12
16 Test6_            I'm, you're, we're, they're, he's, she's, it's, there's, here's, where's, how's, what's, who's, aint's, that's. 15_ 15
17 Test7_            ${EMPTY}_           0_  0
18
19 *** Keywords ***
20 Verify Word Text
21     [Arguments]    ${input text}      ${word count}      ${discouraged count}
22     New Page       ${URL}
23     Fill Text      css=#inputtext     ${input text}
24     Click          css=#CheckForEPrimeButton
25     Get Text       css=#eprimeoutput  ==  ${input text}
26     Get Text       css=#wordCount     ==  ${word count}
27     Get Text       css=#discouragedWordCount ==  ${discouraged count}
28
29 Default Setup
30     New Browser    chromium    headless=${FALSE}
31
32 Default Teardown
33     Close Browser

```

Source: C:\BitbucketRepos\localBrowserCoiote\prime\test.robot
Start / End / Elapsed: 20210123 19:00:35.362 / 20210123 19:01:09.799 / 00:00:34.437
Status: 7 critical test, 6 passed, 1 failed
7 test total, 6 passed, 1 failed

+ TEST	Test1	00:00:09.916
+ TEST	Test2	00:00:03.287
+ TEST	Test3	00:00:03.089
+ TEST	Test4	00:00:03.193
+ TEST	Test5	00:00:03.312
- TEST	Test6	00:00:04.722
Full Name: Test.Test6		
Start / End / Elapsed: 20210123 19:01:01.441 / 20210123 19:01:06.163 / 00:00:04.722		
Status: FAIL (critical)		
Message: Property innerText '1' (str) should be '15' (str)		
+ SETUP	Default Setup	00:00:00.961
- KEYWORD	Verify Word Text I'm, you're, we're, they're, he's, she's, it's, there's, here's, where's, how's, what's, who's, aint's, that's., 15, 15	00:00:03.276
Start / End / Elapsed: 20210123 19:01:02.417 / 20210123 19:01:05.693 / 00:00:03.276		
+ KEYWORD	Browser.New Page \${URL}	00:00:01.622
+ KEYWORD	Browser.Fill Text css=#inputtext, \${input text}	00:00:00.054
+ KEYWORD	Browser.Click css=#CheckForEPrimeButton	00:00:00.053
+ KEYWORD	Browser.Get Text css=#eprimeoutput, ==, \${input text}	00:00:00.024
+ KEYWORD	Browser.Get Text css=#wordCount, ==, \${word count}	00:00:00.023
- KEYWORD	Browser.Get Text css=#discouragedWordCount, ==, \${discouraged count}	00:00:01.495
Documentation: Returns text attribute of the element found by <code>selector</code> . See the 'Finding elements' section for details about the selectors.		
Tags: Assertion, Getter, PageContent		
Start / End / Elapsed: 20210123 19:01:04.198 / 20210123 19:01:05.693 / 00:00:01.495		
19:01:05.575 INFO		
		
19:01:05.693 FAIL Property innerText '1' (str) should be '15' (str)		
+ TEARDOWN	Default Teardown	00:00:00.468
+ TEST	Test7	00:00:03.620



Documenting as Executable Test Automation

Throwaway
automation?

Single line

- See it fail
- First test
- Same test but variables
- Same test but templates
- Failing test with a bug
- Spec to tests
- Guess the values that are likely to fail
- Multiple browsers
- Runs in CI



Why This is not about Robot Framework

Chapter 13

Documentation as a Constraint

A Balancing Act between Now and Future
Never be bored is not possible without
automation

Automation in Frame of Exploratory Testing




Documenting



Extending reach



Alerting to attend




Guiding to detail



@maaretp

Moving Focus



Stop-and-Think: Robot Framework Browser

How would the testing you did before this have been different if you were to start with this?




Use of Time

Chapter 14

Test, Bug, Setup

Software with little bugs is faster to test
Setup is configuring, learning and
documenting
Test grows coverage

 eviltester/TestingApp is licensed under the Apache License 2.0 A permissive license whose main conditions require preservation of copyright and license notices. Contributors provide an express grant of patent rights. Licensed works, modifications, and larger works may be distributed under different terms and without source code.	Permissions ✓ Commercial use ✓ Modification ✓ Distribution ✓ Patent use ✓ Private use	Limitations ✗ Trademark use ✗ Liability ✗ Warranty	Conditions ⓘ License and copyright notice ⓘ State changes
---	---	--	--

This test target is from collections of [Alan Richardson, eviltester](#), a brilliant exploratory tester.

E-Primer an e-prime checking tool

Do you want to write without using the verb "to be"?

Do you want to master [e-prime](#)?

Use our online tool to check your writing.

- Word Count: 9
- Discouraged Words: 2
- Possible Violations: 1

to **be** or not to **be** - **hamlet's** dilemma

Text:

to be or not to be - hamlet's dilemma

Check For E-Prime

Test Cases
trap

Bug trap

Algorithm
trap

Data trap

Stop-and-Think: Time and Traps

Where did your time go on testing of the application?




Coverage

Chapter 15

Setting the Stage for Testing

WHAT
WHEN
WHO
HOW
WHY

We target
these...



Test ideas

...to find
these...




Serious

- B business
- PM project (time)
- T testing (time)
- U user

Coverage?

...to tell if there's
more and what
level we know
things.



Coverage

REQUIREMENTS
RISKS (of relevant bugs)
CODE
ENVIRONMENTS

Risk Coverage

Coverage of relevant bugs
Effectiveness – results of overall strategy
facilitate experience of quality for
stakeholders

Stop-and-Think: Coverage of Today's Testing

Would the testing you thought of have missed any of the bugs we have seen?

What did we not test?

Test Strategy

Chapter 16

Ideas that Guide Test Design

Specific to Application Under Test
Risks to ways of testing for them

Let's Test

<https://www.exploratorytestingacademy.com/app/>

<https://eviltester.github.io/TestingApp/apps/eprimer/eprimer.html>

Test Strategy for E-Primer

What is the product?

- E-Primer is an English text validator that checks text against specific rules around avoiding the verb 'to be'. It identifies rule breaking in two categories: one that can be checked by a rule, and another that needs human assessment (for now).

What are the key potential risks?

- It suggest the wrong corrections and misses corrections in realistic text samples
- It miscounts words in a way that leads us to underappreciate the scale of processing.
- It looks wrong on some browsers and data samples
- It requires too much effort to learn in relation to the value of proofreading it provides

How could we test the product so as to evaluate the *actual* risks associated with it?

- Understand the rules of e-prime through research
- Collect data samples (short and long ones) that represent both e-prime text and text that violates rules of e-prime and run them through the program.
- Verify common forms of 'to be' are systematically recognized across the samples
- Document specification as automation that shows the rules of e-prime and enables running subset of all tests across browsers.
- Try fooling word count to count less words or more words by specific data samples
- Run the web page through a set of html-validators
- Visually verify the page with realistic e-prime text samples
- Read the code of the application for inspiration focusing on names of functions rather than understanding implementation
- Summarize learning obstacles for user and value of the application as comparison sheet



Closing Remarks

Chapter 17

Course Outline

Chapter 1: Test target and our options for exploring
Chapter 2: Self-management basics on setting yourself constraints
Chapter 3: The moment of first impression
Chapter 4: Recognizing and learning a domain
Chapter 5: Recognizing functionality
Chapter 6: Recognizing data
Chapter 7: Recognizing application and execution environment
Chapter 8: Documenting in a mindmap

Chapter 9: Robot framework the very basics
Chapter 10: Documenting as skeleton test automation
Chapter 11: Robot framework browser library and CSS selectors on web pages
Chapter 12: Documenting as executable test automation
Chapter 13: Why this is not about Robot Framework
Chapter 14: Use of time
Chapter 15: Coverage
Chapter 16: Test Strategy
Chapter 17: Closing remarks

Maaret Pyhäjärvi *(from Finland)*



2020



Most Influential Agile Testing
Professional Person

2016



2019, 2020, 2021



<https://exploratorytestingacademy.com>



Ohjelmistotestaus ry



<https://techvoices.org>

Email: maaret@iki.fi

Twitter: [@maaretp](https://twitter.com/maaretp)

Web: maaretp.com

Blog: visible-quality.blogspot.fi

*(please connect with me through
Twitter or LinkedIn)*

#PayToSpeak #TechVoices
#EnsembleTesting #EnsembleProgramming #StrongStylePairing
#ExploratoryTesting #TestAutomation
#ModernAgile
#AwesomeTesters

 [@maaretp](https://twitter.com/maaretp)