# Exercise 27:

# Foundations of Mathematical, WS24

# Zichao Wei

This is **exercise** 27 for Foundations of Mathematical, WS24. Generated on 2025-05-26 with 10 problems per section.

2025-06-09

# 1. Problems

# 1.1. Vector Arithmetic

#### 1.1.1. Addition

Find the sum of the following vectors  $\mathbf{u}$  and  $\mathbf{v}$ 

1. 
$$\mathbf{u} = \begin{bmatrix} -5 \\ 2 \\ -3 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} -2 \\ -3 \\ 8 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .

2. 
$$\mathbf{u} = \begin{bmatrix} -3 \\ -8 \\ -5 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} 1 \\ 2 \\ 10 \end{bmatrix} \mathbf{u} + \mathbf{v}$ .

3. 
$$\mathbf{u} = \begin{bmatrix} -7 \\ 7 \\ -2 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} 9 \\ -8 \\ -8 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .

4. 
$$\mathbf{u} = \begin{bmatrix} -1 \\ -9 \\ -6 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} -8 \\ -6 \\ -10 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .

5. 
$$\mathbf{u} = \begin{bmatrix} 8 \\ 6 \\ 3 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} -9 \\ 0 \\ 3 \end{bmatrix} \mathbf{u} + \mathbf{v}$ .

6. 
$$\mathbf{u} = \begin{bmatrix} 3 \\ 10 \\ -5 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} -10 \\ -7 \\ 10 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .

7. 
$$\mathbf{u} = \begin{bmatrix} -3 \\ 3 \\ -4 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} 9 \\ 0 \\ 6 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .

8. 
$$\mathbf{u} = \begin{bmatrix} -7 \\ -6 \\ -8 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} 2 \\ -5 \\ -2 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .

9. 
$$\mathbf{u} = \begin{bmatrix} -9 \\ -3 \\ 3 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} -9 \\ 8 \\ 9 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .

10. 
$$\mathbf{u} = \begin{bmatrix} 9 \\ 0 \\ 4 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} 3 \\ -6 \\ -8 \end{bmatrix}$   $\mathbf{u} + \mathbf{v}$ .

#### 1.1.2. Subtraction

2

Find the difference of the following vectors  ${\bf u}$  and  ${\bf v}$ 

1. 
$$\mathbf{u} = \begin{bmatrix} 0 \\ -1 \\ -8 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} 9 \\ 10 \\ 4 \end{bmatrix}$   $\mathbf{u} - \mathbf{v}$ .

2. 
$$\mathbf{u} = \begin{bmatrix} -4 \\ -8 \\ -10 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} -1 \\ -4 \\ 8 \end{bmatrix}$   $\mathbf{u} - \mathbf{v}$ .

3. 
$$\mathbf{u} = \begin{bmatrix} 0 \\ -2 \\ -7 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} -7 \\ 10 \\ 6 \end{bmatrix} \mathbf{u} - \mathbf{v}$ .

4. 
$$\mathbf{u} = \begin{bmatrix} 9 \\ 4 \\ -6 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} -9 \\ 3 \\ -1 \end{bmatrix}$   $\mathbf{u} - \mathbf{v}$ .

5. 
$$\mathbf{u} = \begin{bmatrix} 1 \\ 1 \\ 9 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} -10 \\ -7 \\ 6 \end{bmatrix} \mathbf{u} - \mathbf{v}$ .

6. 
$$\mathbf{u} = \begin{bmatrix} 10 \\ -5 \\ 0 \end{bmatrix}$$
 and  $\mathbf{v} = \begin{bmatrix} 5 \\ 2 \\ -6 \end{bmatrix} \mathbf{u} - \mathbf{v}$ .

7.  $\mathbf{u} = \begin{bmatrix} -4 \\ -4 \\ -2 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} -1 \\ -6 \\ 6 \end{bmatrix} \mathbf{u} - \mathbf{v}$ .

8.  $\mathbf{u} = \begin{bmatrix} 1 \\ -1 \\ -4 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} 10 \\ 4 \\ 7 \end{bmatrix} \mathbf{u} - \mathbf{v}$ .

9.  $\mathbf{u} = \begin{bmatrix} 2 \\ -4 \\ 5 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} 6 \\ 8 \\ 2 \end{bmatrix} \mathbf{u} - \mathbf{v}$ .

10.  $\mathbf{u} = \begin{bmatrix} -2 \\ 2 \\ -3 \end{bmatrix}$  and  $\mathbf{v} = \begin{bmatrix} -6 \\ -8 \\ 8 \end{bmatrix} \mathbf{u} - \mathbf{v}$ .

# 1.1.3. Scalar Multiplication

Find the scalar product of the following vector  ${\bf u}$  and scalar k

Find the scalar produ

1. 
$$\mathbf{u} = \begin{bmatrix} -7 \\ 8 \\ -7 \end{bmatrix} - 7\mathbf{v}$$
.

2.  $\mathbf{u} = \begin{bmatrix} -9 \\ -6 \\ 5 \end{bmatrix} - 5\mathbf{v}$ .

3.  $\mathbf{u} = \begin{bmatrix} -9 \\ 7 \\ -9 \end{bmatrix} 8\mathbf{v}$ .

4.  $\mathbf{u} = \begin{bmatrix} 8 \\ 7 \\ -8 \end{bmatrix} - 5\mathbf{v}$ .

5.  $\mathbf{u} = \begin{bmatrix} -5 \\ 8 \\ -6 \end{bmatrix} 4\mathbf{v}$ .

6.  $\mathbf{u} = \begin{bmatrix} -5 \\ 8 \\ -6 \end{bmatrix} - 8\mathbf{v}$ .

7.  $\mathbf{u} = \begin{bmatrix} 8 \\ -4 \\ 4 \end{bmatrix} 5\mathbf{v}$ .

8.  $\mathbf{u} = \begin{bmatrix} -1 \\ -7 \\ -3 \end{bmatrix} 0\mathbf{v}$ .

9.  $\mathbf{u} = \begin{bmatrix} 2 \\ 0 \\ -5 \end{bmatrix} 5\mathbf{v}$ .

#### 1.2.1. Addition

Find the sum of the following matrices *A* and *B* 

1.

$$A = \begin{bmatrix} -5 & 2 & 6 \\ 1 & 1 & 2 \\ 8 & 5 & -4 \end{bmatrix} \tag{1}$$

and

$$B = \begin{bmatrix} -4 & 9 & -10 \\ 8 & -8 & -3 \\ -3 & -4 & 7 \end{bmatrix}$$
 (2)

2.

$$A = \begin{bmatrix} 6 & -10 & 3 \\ -9 & -6 & -6 \\ -1 & 7 & -7 \end{bmatrix} \tag{3}$$

and

$$B = \begin{bmatrix} 0 & 5 & -10 \\ -7 & 7 & -5 \\ -2 & -6 & 4 \end{bmatrix} \tag{4}$$

3.

$$A = \begin{bmatrix} 8 & 8 & -7 \\ -9 & 5 & 2 \\ -10 & 8 & 4 \end{bmatrix} \tag{5}$$

and

$$B = \begin{bmatrix} -10 & 3 & -2 \\ -2 & 3 & 8 \\ -8 & 3 & 2 \end{bmatrix} \tag{6}$$

4.

$$A = \begin{bmatrix} -3 & -10 & 5 \\ -2 & 7 & -5 \\ -6 & 3 & -3 \end{bmatrix} \tag{7}$$

and

$$B = \begin{bmatrix} 3 & 7 & 7 \\ -4 & -9 & 7 \\ 9 & -9 & -3 \end{bmatrix} \tag{8}$$

5.

$$A = \begin{bmatrix} 2 & -3 & 5 \\ 6 & 7 & 4 \\ -10 & -9 & -3 \end{bmatrix} \tag{9}$$

and

$$B = \begin{bmatrix} -5 & 7 & -3 \\ -2 & 8 & -8 \\ 7 & 7 & 5 \end{bmatrix} \tag{10}$$

6.

$$A = \begin{bmatrix} -1 & 9 & -9 \\ 1 & -1 & -3 \\ -6 & 2 & 8 \end{bmatrix} \tag{11}$$

and

$$B = \begin{bmatrix} -10 & -1 & -5 \\ -8 & 8 & 3 \\ -10 & 8 & -10 \end{bmatrix}$$
 (12)

7.

$$A = \begin{bmatrix} -8 & -9 & 2 \\ -10 & 7 & -1 \\ 0 & 4 & -2 \end{bmatrix} \tag{13}$$

and

$$B = \begin{bmatrix} -4 & -7 & 2 \\ -5 & 9 & 8 \\ 7 & -1 & 8 \end{bmatrix} \tag{14}$$

8.

$$A = \begin{bmatrix} 4 & 8 & -6 \\ 8 & 7 & 8 \\ 5 & 0 & -9 \end{bmatrix} \tag{15}$$

and

$$B = \begin{bmatrix} -3 & 6 & -4 \\ 6 & 6 & -10 \\ 6 & 8 & -5 \end{bmatrix} \tag{16}$$

9.

$$A = \begin{bmatrix} -5 & 3 & -9 \\ -8 & -6 & 1 \\ -5 & 8 & -2 \end{bmatrix} \tag{17}$$

and

$$B = \begin{bmatrix} -5 & 1 & -10 \\ 4 & 7 & -7 \\ -9 & 7 & -3 \end{bmatrix} \tag{18}$$

10.

$$A = \begin{bmatrix} 4 & 1 & 5 \\ 4 & 0 & -2 \\ -1 & -5 & 6 \end{bmatrix} \tag{19}$$

and

$$B = \begin{bmatrix} 8 & 8 & -7 \\ -9 & -8 & 1 \\ 6 & 3 & -6 \end{bmatrix} \tag{20}$$

#### 1.2.2. Subtraction

Find the difference of the following matrices A and B

1.

$$A = \begin{bmatrix} 1 & 3 & 1 \\ -1 & -4 & -4 \\ 0 & 9 & -9 \end{bmatrix} \tag{21}$$

and

$$B = \begin{bmatrix} -2 & 2 & -4 \\ -2 & -5 & 1 \\ -3 & 9 & 9 \end{bmatrix} \tag{22}$$

2.

$$A = \begin{bmatrix} -3 & -6 & 2 \\ -6 & 9 & 1 \\ -3 & -7 & 6 \end{bmatrix} \tag{23}$$

and

$$B = \begin{bmatrix} -10 & -7 & 5 \\ -7 & 4 & 4 \\ -9 & -1 & 8 \end{bmatrix}$$
 (24)

3.

$$A = \begin{bmatrix} 9 & -5 & -7 \\ 9 & 8 & -8 \\ 5 & 0 & 2 \end{bmatrix}$$
 (25)

and

$$B = \begin{bmatrix} 1 & 2 & -9 \\ 6 & 6 & -8 \\ -10 & 7 & 7 \end{bmatrix} \tag{26}$$

4.

$$A = \begin{bmatrix} 4 & -10 & -8 \\ 6 & 4 & 0 \\ -2 & 0 & 7 \end{bmatrix}$$
 (27)

and

$$B = \begin{bmatrix} 9 & -3 & -1 \\ 3 & 5 & 6 \\ 9 & -8 & 7 \end{bmatrix}$$
 (28)

5.

$$A = \begin{bmatrix} -6 & 6 & 0 \\ -5 & 3 & -1 \\ 6 & 3 & 6 \end{bmatrix} \tag{29}$$

and

$$B = \begin{bmatrix} 9 & 1 & -5 \\ -6 & -2 & -1 \\ 2 & 7 & -1 \end{bmatrix} \tag{30}$$

6.

$$A = \begin{bmatrix} 7 & 4 & -6 \\ 6 & 0 & 5 \\ 4 & -6 & -9 \end{bmatrix} \tag{31}$$

and

$$B = \begin{bmatrix} 9 & 0 & -3 \\ -9 & 7 & -8 \\ 9 & -9 & 0 \end{bmatrix} \tag{32}$$

7.

$$A = \begin{bmatrix} -6 & 2 & -4 \\ -6 & 7 & 2 \\ -7 & -5 & -3 \end{bmatrix} \tag{33}$$

and

$$B = \begin{bmatrix} -8 & -5 & 4 \\ 8 & -5 & 7 \\ -10 & 5 & 8 \end{bmatrix} \tag{34}$$

8.

$$A = \begin{bmatrix} -7 & 9 & 3 \\ 8 & 8 & 3 \\ -9 & 6 & -3 \end{bmatrix} \tag{35}$$

and

$$B = \begin{bmatrix} 1 & -4 & -1 \\ 0 & 1 & 7 \\ 5 & -8 & -10 \end{bmatrix} \tag{36}$$

9.

$$A = \begin{bmatrix} 1 & 9 & -1 \\ 6 & -8 & -3 \\ 7 & 5 & -5 \end{bmatrix} \tag{37}$$

and

$$B = \begin{bmatrix} 1 & -7 & 5 \\ -4 & 2 & 2 \\ 5 & -7 & -4 \end{bmatrix} \tag{38}$$

10.

$$A = \begin{bmatrix} 7 & 9 & -1 \\ 2 & 2 & -10 \\ 0 & -6 & 3 \end{bmatrix} \tag{39}$$

and

$$B = \begin{bmatrix} -9 & 1 & -6 \\ 7 & 3 & -9 \\ 9 & -4 & 2 \end{bmatrix} \tag{40}$$

# 1.2.3. Multiplication

Find the product of the following matrices A and B

1.

$$A = \begin{bmatrix} 1 & -1 & -1 \\ 8 & 4 & 9 \\ -9 & 1 & -4 \end{bmatrix} \tag{41}$$

and

$$B = \begin{bmatrix} -2 & -1 & 5 \\ -6 & -3 & 8 \\ 2 & -8 & -8 \end{bmatrix} \tag{42}$$

2.

$$A = \begin{bmatrix} -2 & -9 & -3 \\ -3 & 1 & 9 \\ -7 & -10 & 5 \end{bmatrix} \tag{43}$$

and

$$B = \begin{bmatrix} -7 & 6 & 1\\ 3 & 2 & -1\\ -7 & -7 & 7 \end{bmatrix} \tag{44}$$

3.

$$A = \begin{bmatrix} -8 & 6 & -2 \\ 9 & -2 & -5 \\ 7 & 1 & 0 \end{bmatrix} \tag{45}$$

and

$$B = \begin{bmatrix} -10 & -6 & 0 \\ -9 & -8 & 6 \\ 1 & -1 & -3 \end{bmatrix} \tag{46}$$

4.

$$A = \begin{bmatrix} 5 & -5 & -5 \\ -4 & 8 & 1 \\ -10 & 0 & -6 \end{bmatrix} \tag{47}$$

and

$$B = \begin{bmatrix} -8 & -3 & 5 \\ 4 & 5 & 0 \\ 2 & -5 & 2 \end{bmatrix} \tag{48}$$

5.

$$A = \begin{bmatrix} -5 & -4 & 5 \\ 3 & 5 & -5 \\ -8 & 8 & -10 \end{bmatrix} \tag{49}$$

and

$$B = \begin{bmatrix} -2 & 4 & -9 \\ -2 & -10 & 5 \\ -1 & 8 & 6 \end{bmatrix} \tag{50}$$

6.

$$A = \begin{bmatrix} -1 & 4 & -6 \\ 8 & -6 & 9 \\ 6 & 8 & -6 \end{bmatrix} \tag{51}$$

and

$$B = \begin{bmatrix} 5 & 0 & 3 \\ -2 & 6 & 9 \\ -4 & 4 & 7 \end{bmatrix} \tag{52}$$

7.

$$A = \begin{bmatrix} -4 & 8 & 7 \\ 9 & 4 & -9 \\ -4 & -9 & -2 \end{bmatrix}$$
 (53)

and

$$B = \begin{bmatrix} -9 & 4 & -3 \\ 5 & -8 & 0 \\ 1 & 6 & -4 \end{bmatrix} \tag{54}$$

8.

$$A = \begin{bmatrix} -10 & 8 & 2 \\ -5 & 4 & -7 \\ -4 & -9 & 0 \end{bmatrix} \tag{55}$$

and

$$B = \begin{bmatrix} 3 & 1 & -1 \\ 4 & -4 & -4 \\ 8 & -6 & -5 \end{bmatrix} \tag{56}$$

9.

$$A = \begin{bmatrix} -4 & -5 & 6 \\ 8 & -5 & 7 \\ 8 & -9 & 1 \end{bmatrix} \tag{57}$$

and

$$B = \begin{bmatrix} 5 & 4 & 3 \\ -8 & 9 & -7 \\ -2 & -9 & -8 \end{bmatrix} \tag{58}$$

10.

$$A = \begin{bmatrix} 8 & 4 & -1 \\ 4 & -6 & -8 \\ 4 & -9 & 8 \end{bmatrix} \tag{59}$$

and

$$B = \begin{bmatrix} -3 & -8 & 1\\ 3 & -4 & -1\\ -7 & -10 & 5 \end{bmatrix} \tag{60}$$

# 1.3. Matrix Properties

#### 1.3.1. Properties

For each matrix A, find:

a) rank(A)

b)  $\operatorname{nullity}(A)$ 

c) det(A)

d)  $A^{-1}$  (if exists)

e) basis of ker(A)

1.  $A = \begin{bmatrix} 1 & -1 & -3 \\ 0 & 1 & -1 \\ 0 & 0 & 1 \end{bmatrix}$ 

2.  $A = \begin{bmatrix} 1 & 4 & -6 \\ 0 & 1 & -2 \\ 0 & 0 & 0 \end{bmatrix}$  (62)

(61)

3.  $A = \begin{bmatrix} 1 & 0 & -1 \\ 0 & 3 & -3 \\ 0 & -2 & 2 \end{bmatrix}$  (63)

4.  $A = \begin{bmatrix} 1 & 0 & -3 \\ -1 & 1 & 5 \\ -2 & 0 & 7 \end{bmatrix}$  (64)

5.  $A = \begin{bmatrix} -3 & 6 & 2 \\ 2 & -3 & -1 \\ 0 & 1 & 0 \end{bmatrix}$  (65)

6.  $A = \begin{bmatrix} 1 & 4 & -2 \\ 0 & 1 & -1 \\ 0 & -1 & 2 \end{bmatrix}$  (66)

7.  $A = \begin{bmatrix} 1 & 0 & 1 \\ 0 & 1 & 1 \\ 0 & 0 & 0 \end{bmatrix}$  (67)

8.  $A = \begin{bmatrix} 1 & -2 & 3 \\ 0 & 1 & -1 \\ 0 & -1 & 1 \end{bmatrix}$  (68)

9.  $A = \begin{bmatrix} 1 & 1 & 0 \\ -2 & -1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$  (69)

10.  $A = \begin{bmatrix} 1 & -1 & 2 \\ 0 & 3 & -6 \\ 0 & 1 & -2 \end{bmatrix}$  (70)

#### 1.3.2. RREF

Find the Reduced Row Echelon Form of the following matrix A

1. 
$$A = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ -1 & -1 & 0 \end{bmatrix}$$
 (71)

2. 
$$A = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$
 (72)

3. 
$$A = \begin{bmatrix} 1 & 0 & 2 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$
 (73)

4. 
$$A = \begin{bmatrix} 1 & 0 & 0 \\ 1 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$
 (74)

5. 
$$A = \begin{bmatrix} 1 & 2 & 1 \\ 1 & 3 & -2 \\ 0 & 0 & 1 \end{bmatrix}$$
 (75)

6. 
$$A = \begin{bmatrix} 3 & 6 & 0 \\ 3 & 7 & -1 \\ -2 & -4 & 0 \end{bmatrix}$$
 (76)

7. 
$$A = \begin{bmatrix} 0 & 1 & 0 \\ -1 & 1 & -1 \\ 1 & 0 & 1 \end{bmatrix}$$
 (77)

8. 
$$A = \begin{bmatrix} 1 & 0 & 0 \\ 1 & 0 & -1 \\ -1 & 1 & 3 \end{bmatrix}$$
 (78)

9. 
$$A = \begin{bmatrix} 1 & 0 & 0 \\ 2 & 1 & 0 \\ 2 & 0 & 0 \end{bmatrix}$$
 (79)

10. 
$$A = \begin{bmatrix} 1 & 2 & 0 \\ -1 & -1 & 0 \\ -2 & -4 & 1 \end{bmatrix}$$
 (80)

# 1.4. Calculus

#### 1.4.1. Limit

Calculate the following limits

1. Calculate the limit of the following expression:

$$\lim_{x \to 1} \frac{x^2 - 1}{x - 1} \tag{81}$$

2. Calculate the limit of the following expression:

$$\lim_{x \to 0} \frac{\log(x+1)}{x} \tag{82}$$

3. Calculate the limit of the following expression:

$$\lim_{x \to oo} \left( 1 + \frac{1}{x} \right)^x \tag{83}$$

4. Calculate the limit of the following expression:

$$\lim_{x \to 0} \frac{\log(x+1)}{x} \tag{84}$$

5. Calculate the limit of the following expression:

$$\lim_{x \to 1} \frac{x^2 - 1}{x - 1} \tag{85}$$

6. Calculate the limit of the following expression:

$$\lim_{x \to 0} \frac{\log(x+1)}{x} \tag{86}$$

7. Calculate the limit of the following expression:

$$\lim_{x \to oo} \left( 1 + \frac{1}{x} \right)^x \tag{87}$$

8. Calculate the limit of the following expression:

$$\lim_{x \to oo} \left( 1 + \frac{1}{x} \right)^x \tag{88}$$

9. Calculate the limit of the following expression:

$$\lim_{x \to 0} \frac{\log(x+1)}{x} \tag{89}$$

10. Calculate the limit of the following expression:

$$\lim_{x \to -1} -x^3 - x^2 - x - 2 \tag{90}$$

#### 1.4.2. Derivative

Calculate the derivatives of the following expressions

1. Calculate the derivative of the following expression:

$$\log(x) \tag{91}$$

2. Calculate the derivative of the following expression:

$$\log(x+1) + \log(x^2+1) \tag{92}$$

3. Calculate the derivative of the following expression:

$$x^3 \log(x) \tag{93}$$

4. Calculate the derivative of the following expression:

$$e^{x^2+2} \tag{94}$$

5. Calculate the derivative of the following expression:

$$\log(x+1) + \log(x^2+1) \tag{95}$$

6. Calculate the derivative of the following expression:

$$\log(x+1) + \log(x^2+1) \tag{96}$$

7. Calculate the derivative of the following expression:

$$x^4 (97)$$

8. Calculate the derivative of the following expression:

$$\frac{x}{x^2 + 1} \tag{98}$$

9. Calculate the derivative of the following expression:

$$e^{x^2+2} \tag{99}$$

10. Calculate the derivative of the following expression:

$$\frac{x}{x^2+1} \tag{100}$$

#### 1.4.3. Integral

Calculate the indefinite and definite integrals of the following expressions

1. the indefinite integral and evaluate from 2 to 2:

$$\int e^{\sin(x)}\cos(x)dx\tag{101}$$

2. the indefinite integral and evaluate from 2 to 4:

$$\int 4x^3 - 4x^2 - 3x + 5dx \tag{102}$$

3. Evaluate the improper integral:

$$\int_{1}^{oo} \frac{1}{x^2} dx \tag{103}$$

4. the indefinite integral and evaluate from 3 to 5:

$$\int x\sqrt{x^2 + 1}dx\tag{104}$$

5. the indefinite integral and evaluate from 3 to 4:

$$\int x^2 e^x dx \tag{105}$$

6. the indefinite integral and evaluate from 3 to 5:

$$\int e^{\sin(x)}\cos(x)dx\tag{106}$$

7. the indefinite integral and evaluate from 1 to 3:

$$\int \frac{1}{x \log(x)} dx \tag{107}$$

8. the indefinite integral and evaluate from 2 to 4:

$$\int \sqrt{4-x^2} dx \tag{108}$$

9. the indefinite integral and evaluate from 4 to 5:

$$\int \frac{\sin(x)}{x} dx \tag{109}$$

10. the indefinite integral and evaluate from 1 to 4:

$$\int \frac{x}{x^2 - 5x + 6} dx \tag{110}$$

# 1.4.4. Partial Derivative

Calculate the partial derivatives of the following expressions

1. the mixed partial derivative of:

$$f(x,y) = x^3 y^2 + xy^4 (111)$$

$$\frac{\partial^2 f}{\partial x \partial u}$$

2. the partial derivatives of the function:

$$f(x,y) = x^3y^2 - 3x^2y + 2xy^3 (112)$$

$$\frac{\partial f}{\partial x}$$
 and  $\frac{\partial f}{\partial y}$ 

3. the partial derivatives of the function:

$$f(x,y) = (x+y)e^{x^2+y^2} (113)$$

$$\frac{\partial f}{\partial x}$$
 and  $\frac{\partial f}{\partial y}$ 

4. Given the implicit function:

$$x^2y + xy^2 - xy = 0 (114)$$

 $\frac{\partial y}{\partial x}$ 

5. the partial derivatives of the function:

$$f(x,y) = (x+y)e^{x^2+y^2} (115)$$

 $\frac{\partial f}{\partial x}$  and  $\frac{\partial f}{\partial y}$ 

6. the partial derivatives of the function:

$$f(x,y) = x^3y^2 - 3x^2y + 2xy^3 (116)$$

 $\frac{\partial f}{\partial x}$  and  $\frac{\partial f}{\partial y}$ 

7. the partial derivatives of the function:

$$f(x,y) = -\log(xy) + \log(x^3 + y^3)$$
(117)

 $\frac{\partial f}{\partial x}$  and  $\frac{\partial f}{\partial y}$ 

8. Given u=u(x,y) and v=v(x,y), use the chain rule to find:

$$\frac{\partial f}{\partial x} \tag{118}$$

where f = f(u, v)

9. the partial derivatives of the function:

$$f(x,y) = x^3y^2 - 3x^2y + 2xy^3 (119)$$

 $\frac{\partial f}{\partial x}$  and  $\frac{\partial f}{\partial y}$ 

10. Given u = u(x, y) and v = v(x, y), use the chain rule to find:

$$\frac{\partial f}{\partial x} \tag{120}$$

where f = f(u, v)

# 2. Solutions

# 2.1. Vector Arithmetic

#### 2.1.1. Addition

$$\begin{bmatrix} -7 \\ -1 \\ 5 \end{bmatrix} \begin{bmatrix} -2 \\ -6 \\ 5 \end{bmatrix} \begin{bmatrix} 2 \\ -1 \\ -10 \end{bmatrix} \begin{bmatrix} -9 \\ -15 \\ -16 \end{bmatrix} \begin{bmatrix} -1 \\ 6 \\ 6 \end{bmatrix}$$
$$\begin{bmatrix} -7 \\ 3 \\ 5 \end{bmatrix} \begin{bmatrix} 6 \\ 3 \\ 2 \end{bmatrix} \begin{bmatrix} -5 \\ -11 \\ -10 \end{bmatrix} \begin{bmatrix} -18 \\ 5 \\ 12 \end{bmatrix} \begin{bmatrix} 12 \\ -6 \\ -4 \end{bmatrix}$$

#### 2.1.2. Subtraction

$$\begin{bmatrix} -9 \\ -11 \\ -12 \end{bmatrix} \begin{bmatrix} -3 \\ -4 \\ -18 \end{bmatrix} \begin{bmatrix} 7 \\ -12 \\ -13 \end{bmatrix} \begin{bmatrix} 18 \\ 1 \\ -5 \end{bmatrix} \begin{bmatrix} 11 \\ 8 \\ 3 \end{bmatrix}$$
$$\begin{bmatrix} 5 \\ -7 \\ 6 \end{bmatrix} \begin{bmatrix} -3 \\ 2 \\ -8 \end{bmatrix} \begin{bmatrix} -9 \\ -5 \\ -11 \end{bmatrix} \begin{bmatrix} -4 \\ -12 \\ 3 \end{bmatrix} \begin{bmatrix} 4 \\ 10 \\ -11 \end{bmatrix}$$

#### 2.1.3. Scalar Multiplication

1: 
$$\begin{bmatrix} 49 \\ -56 \\ 49 \end{bmatrix}$$
 2:  $\begin{bmatrix} 45 \\ 30 \\ -25 \end{bmatrix}$  3:  $\begin{bmatrix} -72 \\ 56 \\ -72 \end{bmatrix}$  4:  $\begin{bmatrix} -40 \\ -35 \\ 40 \end{bmatrix}$  5:  $\begin{bmatrix} -20 \\ 32 \\ -24 \end{bmatrix}$  6:  $\begin{bmatrix} -72 \\ 24 \\ 64 \end{bmatrix}$  7:  $\begin{bmatrix} 40 \\ -20 \\ 20 \end{bmatrix}$  8:  $\begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$  9:  $\begin{bmatrix} 10 \\ 0 \\ -25 \end{bmatrix}$  10:  $\begin{bmatrix} -6 \\ 24 \\ 24 \end{bmatrix}$ 

# 2.2. Matrix Arithmetic

# 2.2.1. Addition

1:

$$\begin{bmatrix}
-9 & 11 & -4 \\
9 & -7 & -1 \\
5 & 1 & 3
\end{bmatrix}$$
(121)

1:

$$\begin{bmatrix} 6 & -5 & -7 \\ -16 & 1 & -11 \\ -3 & 1 & -3 \end{bmatrix}$$
 (122)

1:

$$\begin{bmatrix} -2 & 11 & -9 \\ -11 & 8 & 10 \\ -18 & 11 & 6 \end{bmatrix}$$
 (123)

1:

$$\begin{bmatrix} 0 & -3 & 12 \\ -6 & -2 & 2 \\ 3 & -6 & -6 \end{bmatrix}$$
 (124)

1:

$$\begin{bmatrix} -3 & 4 & 2 \\ 4 & 15 & -4 \\ -3 & -2 & 2 \end{bmatrix}$$
 (125)

1:

$$\begin{bmatrix} -11 & 8 & -14 \\ -7 & 7 & 0 \\ -16 & 10 & -2 \end{bmatrix}$$
 (126)

1:

$$\begin{bmatrix} -12 & -16 & 4 \\ -15 & 16 & 7 \\ 7 & 3 & 6 \end{bmatrix} \tag{127}$$

1:

$$\begin{bmatrix} 1 & 14 & -10 \\ 14 & 13 & -2 \\ 11 & 8 & -14 \end{bmatrix}$$
 (128)

1:

$$\begin{bmatrix} -10 & 4 & -19 \\ -4 & 1 & -6 \\ -14 & 15 & -5 \end{bmatrix}$$
 (129)

1:

$$\begin{bmatrix} 12 & 9 & -2 \\ -5 & -8 & -1 \\ 5 & -2 & 0 \end{bmatrix}$$
 (130)

# 2.2.2. Subtraction

1:

$$\begin{bmatrix} 3 & 1 & 5 \\ 1 & 1 & -5 \\ 3 & 0 & -18 \end{bmatrix} \tag{131}$$

1:

$$\begin{bmatrix} 7 & 1 & -3 \\ 1 & 5 & -3 \\ 6 & -6 & -2 \end{bmatrix}$$
 (132)

1:

17

$$\begin{bmatrix} 8 & -7 & 2 \\ 3 & 2 & 0 \\ 15 & -7 & -5 \end{bmatrix} \tag{133}$$

1:

$$\begin{bmatrix} -5 & -7 & -7 \\ 3 & -1 & -6 \\ -11 & 8 & 0 \end{bmatrix}$$
 (134)

1:

$$\begin{bmatrix} -15 & 5 & 5 \\ 1 & 5 & 0 \\ 4 & -4 & 7 \end{bmatrix} \tag{135}$$

1:

$$\begin{bmatrix}
-2 & 4 & -3 \\
15 & -7 & 13 \\
-5 & 3 & -9
\end{bmatrix}$$
(136)

1:

$$\begin{bmatrix} 2 & 7 & -8 \\ -14 & 12 & -5 \\ 3 & -10 & -11 \end{bmatrix} \tag{137}$$

1:

$$\begin{bmatrix} -8 & 13 & 4 \\ 8 & 7 & -4 \\ -14 & 14 & 7 \end{bmatrix}$$
 (138)

1:

$$\begin{bmatrix}
0 & 16 & -6 \\
10 & -10 & -5 \\
2 & 12 & -1
\end{bmatrix}$$
(139)

1:

$$\begin{bmatrix}
16 & 8 & 5 \\
-5 & -1 & -1 \\
-9 & -2 & 1
\end{bmatrix}$$
(140)

# 2.2.3. Multiplication

1:

$$\begin{bmatrix} 2 & 10 & 5 \\ -22 & -92 & 0 \\ 4 & 38 & -5 \end{bmatrix}$$
 (141)

1:

$$\begin{bmatrix} 8 & -9 & -14 \\ -39 & -79 & 59 \\ -16 & -97 & 38 \end{bmatrix}$$
 (142)

1:

$$\begin{bmatrix} 24 & 2 & 42 \\ -77 & -33 & 3 \\ -79 & -50 & 6 \end{bmatrix}$$
 (143)

1:

$$\begin{bmatrix} -70 & -15 & 15 \\ 66 & 47 & -18 \\ 68 & 60 & -62 \end{bmatrix}$$
 (144)

1:

$$\begin{bmatrix} 13 & 60 & 55 \\ -11 & -78 & -32 \\ 10 & -192 & 52 \end{bmatrix}$$
 (145)

1:

$$\begin{bmatrix}
11 & 0 & -9 \\
16 & 0 & 33 \\
38 & 24 & 48
\end{bmatrix}$$
(146)

1:

$$\begin{bmatrix} 83 & -38 & -16 \\ -70 & -50 & 9 \\ -11 & 44 & 20 \end{bmatrix}$$
 (147)

1:

$$\begin{bmatrix} 18 & -54 & -32 \\ -55 & 21 & 24 \\ -48 & 32 & 40 \end{bmatrix}$$
 (148)

1:

$$\begin{bmatrix} 8 & -115 & -25 \\ 66 & -76 & 3 \\ 110 & -58 & 79 \end{bmatrix}$$
 (149)

1:

$$\begin{bmatrix}
-5 & -70 & -1 \\
26 & 72 & -30 \\
-95 & -76 & 53
\end{bmatrix}$$
(150)

# 2.3. Matrix Properties

# 2.3.1. Properties

# **Solution**

# **Row Operations:**

$$\begin{split} &\text{Step 1: } r_1 \coloneqq r_1 - (-1)r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & -4 & \mid & 1 & 1 & 0 \\ 0 & 1 & -1 & \mid & 0 & 1 & 0 \\ 0 & 0 & 1 & \mid & 0 & 0 & 1 \end{bmatrix} \\ &\text{Step 2: } r_1 \coloneqq r_1 - (-4)r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & \mid & 1 & 1 & 4 \\ 0 & 1 & -1 & \mid & 0 & 1 & 0 \\ 0 & 0 & 1 & \mid & 0 & 0 & 1 \end{bmatrix} \\ &\text{Step 3: } r_2 \coloneqq r_2 - (-1)r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & \mid & 1 & 1 & 4 \\ 0 & 1 & 0 & \mid & 0 & 1 & 1 \\ 0 & 0 & 1 & \mid & 0 & 0 & 1 \end{bmatrix} \end{split}$$

#### **Results:**

a) 
$$rank(A) = 3$$

b) 
$$\text{nullity}(A) = 0$$

c) 
$$det(A) = 0$$

d) 
$$A^{-1} = \begin{bmatrix} 1 & -1 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

e) 
$$ker(A) = \{0\}$$

#### **Solution**

# **Row Operations:**

$$\text{Step 1: } r_1 \coloneqq r_1 - (4) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 2 & \mid & 1 & -4 & 0 \\ 0 & 1 & -2 & \mid & 0 & 1 & 0 \\ 0 & 0 & 0 & \mid & 0 & 0 & 1 \end{bmatrix}$$

# **Results:**

a) 
$$rank(A) = 2$$

b) 
$$nullity(A) = 1$$

c) 
$$det(A) = 0$$

d) 
$$A^{-1} = \text{does not exist}$$

e) 
$$\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} 2 \\ 2 \\ 1 \end{bmatrix} \right\}$$

# **Solution**

# **Row Operations:**

Step 1: 
$$r_2 := 1/3r_2 \begin{bmatrix} 1 & 0 & -1 & | & 1 & 0 & 0 \\ 0 & 1 & -1 & | & 0 & 1/3 & 0 \\ 0 & -2 & 2 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_3 \coloneqq r_3 - (-2) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & -1 & \mid & 1 & 0 & 0 \\ 0 & 1 & -1 & \mid & 0 & 1/3 & 0 \\ 0 & 0 & 0 & \mid & 0 & 2/3 & 1 \end{bmatrix}$$

#### **Results:**

- a) rank(A) = 2
- b)  $\operatorname{nullity}(A) = 1$
- c) det(A) = 0
- d)  $A^{-1} = \text{does not exist}$

e) 
$$\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix} \right\}$$

# Solution

#### **Row Operations:**

$$\begin{split} &\text{Step 1: } r_2 \coloneqq r_2 - (-1)r_1 \begin{bmatrix} 1 & 0 & -3 & | & 1 & 0 & 0 \\ 0 & 1 & 2 & | & 1 & 1 & 0 \\ -2 & 0 & 7 & | & 0 & 0 & 1 \end{bmatrix} \\ &\text{Step 2: } r_3 \coloneqq r_3 - (-2)r_1 \begin{bmatrix} 1 & 0 & -3 & | & 1 & 0 & 0 \\ 0 & 1 & 2 & | & 1 & 1 & 0 \\ 0 & 0 & 1 & | & 2 & 0 & 1 \end{bmatrix} \\ &\text{Step 3: } r_1 \coloneqq r_1 - (-3)r_3 \begin{bmatrix} 1 & 0 & 0 & | & 7 & 0 & 3 \\ 0 & 1 & 2 & | & 1 & 1 & 0 \\ 0 & 0 & 1 & | & 2 & 0 & 1 \end{bmatrix} \\ &\text{Step 4: } r_2 \coloneqq r_2 - (2)r_3 \begin{bmatrix} 1 & 0 & 0 & | & 7 & 0 & 3 \\ 0 & 1 & 0 & | & -3 & 1 & -2 \\ 0 & 0 & 1 & | & 2 & 0 & 1 \end{bmatrix} \end{split}$$

$$\text{Step 2: } r_3 \coloneqq r_3 - (-2)r_1 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & -3 & | & 1 & 0 & 0 \\ 0 & 1 & 2 & | & 1 & 1 & 0 \\ 0 & 0 & 1 & | & 2 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_1 := r_1 - (-3) r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & 7 & 0 & 3 \\ 0 & 1 & 2 & | & 1 & 1 & 0 \\ 0 & 0 & 1 & | & 2 & 0 & 1 \end{bmatrix}$$

$$\text{Step 4: } r_2 \coloneqq r_2 - (2) r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & 7 & 0 & 3 \\ 0 & 1 & 0 & | & -3 & 1 & -2 \\ 0 & 0 & 1 & | & 2 & 0 & 1 \end{bmatrix}$$

#### **Results:**

- a) rank(A) = 3
- b)  $\operatorname{nullity}(A) = 0$
- c) det(A) = 0

d) 
$$A^{-1} = \begin{bmatrix} 5 & 0 & 2 \\ 1 & 1 & 0 \\ 2 & 0 & 1 \end{bmatrix}$$

e) 
$$ker(A) = \{0\}$$

# **Solution**

# **Row Operations:**

$$\text{Step 1: } r_1 := -1/3 \\ r_1 \begin{bmatrix} 1 & -2 & -2/3 & | & -1/3 & 0 & 0 \\ 2 & -3 & -1 & | & 0 & 1 & 0 \\ 0 & 1 & 0 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_2 \coloneqq r_2 - (2) r_1 \begin{bmatrix} 1 & -2 & -2/3 & | & -1/3 & 0 & 0 \\ 0 & 1 & 1/3 & | & 2/3 & 1 & 0 \\ 0 & 1 & 0 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_1 \coloneqq r_1 - (-2) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & 1 & 2 & 0 \\ 0 & 1 & 1/3 & | & 2/3 & 1 & 0 \\ 0 & 1 & 0 & | & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 4: } r_3 := r_3 - r_2 \begin{bmatrix} 1 & 0 & 0 & | & 1 & 2 & 0 \\ 0 & 1 & 1/3 & | & 2/3 & 1 & 0 \\ 0 & 0 & -1/3 & | & -2/3 & -1 & 1 \end{bmatrix}$$

$$\text{Step 5: } r_3 := -3r_3 \begin{bmatrix} 1 & 0 & 0 & | & 1 & 2 & 0 \\ 0 & 1 & 1/3 & | & 2/3 & 1 & 0 \\ 0 & 0 & 1 & | & 2 & 3 & -3 \end{bmatrix} \\ \begin{bmatrix} 1 & 0 & 0 & | & 1 & 2 & 0 \\ 0 & 1 & | & 2 & 3 & -3 \end{bmatrix}$$

$$\text{Step 6: } r_2 := r_2 - (1/3) r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & 1 & 2 & 0 \\ 0 & 1 & 0 & | & 0 & 0 & 1 \\ 0 & 0 & 1 & | & 2 & 3 & -3 \end{bmatrix}$$

#### **Results:**

a) 
$$rank(A) = 3$$

b) 
$$nullity(A) = 0$$

c) 
$$det(A) = 0$$

d) 
$$A^{-1} = \begin{bmatrix} 1 & 2 & -2 \\ -2 & -3 & 4 \\ 2 & 3 & -3 \end{bmatrix}$$

e) 
$$ker(A) = \{0\}$$

# **Solution**

# **Row Operations:**

$$\text{Step 1: } r_1 \coloneqq r_1 - (4) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 2 & \mid & 1 & -4 & 0 \\ 0 & 1 & -1 & \mid & 0 & 1 & 0 \\ 0 & -1 & 2 & \mid & 0 & 0 & 1 \end{bmatrix} \\ \begin{bmatrix} \Gamma_1 & 0 & 2 & \mid & 1 & -4 & 0 \end{bmatrix}$$

$$\begin{aligned} &\text{Step 2: } r_3 \coloneqq r_3 - (-1) r_2 \begin{bmatrix} 1 & 0 & 2 & | & 1 & -4 & 0 \\ 0 & 1 & -1 & | & 0 & 1 & 0 \\ 0 & 0 & 1 & | & 0 & 1 & 1 \end{bmatrix} \\ &\text{Step 3: } r_1 \coloneqq r_1 - (2) r_3 \begin{bmatrix} 1 & 0 & 0 & | & 1 & -6 & -2 \\ 0 & 1 & -1 & | & 0 & 1 & 1 \\ 0 & 0 & 1 & | & 0 & 1 & 1 \end{bmatrix} \\ &\begin{bmatrix} 1 & 0 & 0 & | & 1 & -6 & -2 \\ 0 & 1 & -1 & | & 0 & 1 & 1 \end{bmatrix} \\ &\begin{bmatrix} 1 & 0 & 0 & | & 1 & -6 & -2 \\ 0 & 1 & -1 & | & 0 & 1 & 1 \end{bmatrix} \end{aligned}$$

$$\text{Step 3: } r_1 \coloneqq r_1 - (2) r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & | & 1 & -6 & -2 \\ 0 & 1 & -1 & | & 0 & 1 & 0 \\ 0 & 0 & 1 & | & 0 & 1 & 1 \end{bmatrix}$$

$$\text{Step 4: } r_2 \coloneqq r_2 - (-1)r_3 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & \mid & 1 & -6 & -2 \\ 0 & 1 & 0 & \mid & 0 & 2 & 1 \\ 0 & 0 & 1 & \mid & 0 & 1 & 1 \end{bmatrix}$$

#### **Results:**

a) 
$$rank(A) = 3$$

b) 
$$\text{nullity}(A) = 0$$

c) 
$$det(A) = 0$$

d) 
$$A^{-1} = \begin{bmatrix} 1 & -4 & 0 \\ 0 & 1 & 0 \\ 0 & 1 & 1 \end{bmatrix}$$

e) 
$$ker(A) = \{0\}$$

#### **Solution**

# **Row Operations:**

#### **Results:**

- a) rank(A) = 2
- b) nullity(A) = 1
- c) det(A) = 0
- d)  $A^{-1} = \text{does not exist}$
- e)  $\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} 1 \\ -1 \\ 1 \end{bmatrix} \right\}$

# **Solution**

# **Row Operations:**

$$\begin{split} &\text{Step 1: } r_1 \coloneqq r_1 - (-2) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 1 & \mid & 1 & 2 & 0 \\ 0 & 1 & -1 & \mid & 0 & 1 & 0 \\ 0 & -1 & 1 & \mid & 0 & 0 & 1 \end{bmatrix} \\ &\text{Step 2: } r_3 \coloneqq r_3 - (-1) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 1 & \mid & 1 & 2 & 0 \\ 0 & 1 & -1 & \mid & 0 & 1 & 0 \\ 0 & 0 & 0 & \mid & 0 & 1 & 1 \end{bmatrix} \end{split}$$

# **Results:**

- a) rank(A) = 2
- b) nullity(A) = 1
- c) det(A) = 0
- d)  $A^{-1} = \text{does not exist}$
- e)  $\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} -1\\1\\1 \end{bmatrix} \right\}$

# **Solution**

#### **Row Operations:**

$$\begin{aligned} &\text{Step 1: } r_2 \coloneqq r_2 - (-2) r_1 \begin{bmatrix} 1 & 1 & 0 & | & 1 & 0 & 0 \\ 0 & 1 & 0 & | & 2 & 1 & 0 \\ 0 & 0 & 1 & | & 0 & 0 & 1 \end{bmatrix} \\ &\text{Step 2: } r_1 \coloneqq r_1 - r_2 \begin{bmatrix} 1 & 0 & 0 & | & -1 & -1 & 0 \\ 0 & 1 & 0 & | & 2 & 1 & 0 \\ 0 & 0 & 1 & | & 0 & 0 & 1 \end{bmatrix} \end{aligned}$$

#### **Results:**

- a) rank(A) = 3
- b) nullity(A) = 0

c) 
$$det(A) = 0$$

d) 
$$A^{-1} = \begin{bmatrix} -3 & -2 & 0 \\ 2 & 1 & -1 \\ 0 & 0 & 1 \end{bmatrix}$$

e) 
$$ker(A) = \{0\}$$

# **Solution**

# **Row Operations:**

$$\text{Step 1: } r_2 := 1/3 r_2 \begin{bmatrix} 1 & -1 & 2 & \mid & 1 & 0 & 0 \\ 0 & 1 & -2 & \mid & 0 & 1/3 & 0 \\ 0 & 1 & -2 & \mid & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 2: } r_1 \coloneqq r_1 - (-1) r_2 \begin{bmatrix} \begin{smallmatrix} 1 & 0 & 0 & \mid & 1 & 1/3 & 0 \\ 0 & 1 & -2 & \mid & 0 & 1/3 & 0 \\ 0 & 1 & -2 & \mid & 0 & 0 & 1 \end{bmatrix}$$

$$\text{Step 3: } r_3 := r_3 - r_2 \begin{bmatrix} 1 & 0 & 0 & \mid & 1 & 1/3 & 0 \\ 0 & 1 & -2 & \mid & 0 & 1/3 & 0 \\ 0 & 0 & 0 & \mid & 0 & -1/3 & 1 \end{bmatrix}$$

# **Results:**

- a) rank(A) = 2
- b) nullity(A) = 1
- c) det(A) = 0
- d)  $A^{-1} = \text{does not exist}$

e) 
$$\ker(A) = \operatorname{span} \left\{ \begin{bmatrix} -2\\2\\1 \end{bmatrix} \right\}$$

#### 2.3.2. RREF

# **Solution**

# **Elementary Row Operations:**

(1) 
$$r_3 := r_3 - r_1$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & -1 & 0 \end{bmatrix}$$

(2) 
$$r_3 := r_3 - r_2$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

# **Result:**

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

#### **Solution**

# **Elementary Row Operations:**

(1) 
$$r_2 := r_2 - r_3$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 1 \\ 0 & 0 & 1 \end{bmatrix}$$

$$(2) \ \, r_2 \coloneqq r_2 + (-1)r_3$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

# **Result:**

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

# **Solution**

# **Elementary Row Operations:**

$$(1) \ \, r_2 \coloneqq r_2 + (-2) r_3$$

$$\begin{bmatrix} 1 & 0 & 2 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$(2) \ \, r_2 \coloneqq r_2 - (2) r_3$$

$$\begin{bmatrix} 1 & 0 & 2 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

# **Result:**

$$\begin{bmatrix} 1 & 0 & 2 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

#### **Solution**

# **Elementary Row Operations:**

$$\text{(1)} \ \ r_2 \coloneqq r_2 + (-1)r_1$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$(2) \ \, r_2 \coloneqq r_2 - (2) r_3$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

(3) 
$$r_1 := r_1 - (2)r_3$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

#### **Result:**

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

# **Solution**

# **Elementary Row Operations:**

- (1)  $r_1 := r_1 + (-1)r_3$
- $\begin{bmatrix} 1 & 2 & 0 \\ 1 & 3 & -2 \\ 0 & 0 & 1 \end{bmatrix}$
- (2)  $r_1 := r_1 + (-2)r_3$
- $\begin{bmatrix} 1 & 2 & -2 \\ 1 & 3 & -2 \\ 0 & 0 & 1 \end{bmatrix}$
- (3)  $r_2 := r_2 + (-1)r_1$ 
  - $\begin{bmatrix} 1 & 2 & -2 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$

#### **Result:**

 $\begin{bmatrix}
1 & 2 & -2 \\
0 & 1 & 0 \\
0 & 0 & 1
\end{bmatrix}$ 

# **Solution**

# **Elementary Row Operations:**

- $\text{(1)}\ \, r_2\coloneqq r_2+(-1)r_1$
- $\begin{bmatrix} 3 & 6 & 0 \\ 0 & 1 & -1 \\ -2 & -4 & 0 \end{bmatrix}$
- (2)  $r_1 := r_1 r_3$
- $\begin{bmatrix} 1 & 2 & 0 \\ 0 & 1 & -1 \\ -2 & -4 & 0 \end{bmatrix}$
- $\text{(3)} \ \ r_3 \coloneqq r_3 (2) r_1$ 
  - $\begin{bmatrix} 1 & 2 & 0 \\ 0 & 1 & -1 \\ 0 & 0 & 0 \end{bmatrix}$

# Result:

 $\begin{bmatrix} 1 & 2 & 0 \\ 0 & 1 & -1 \\ 0 & 0 & 0 \end{bmatrix}$ 

#### **Solution**

# **Elementary Row Operations:**

- $(1) \ r_1 \coloneqq r_1 + (-1)r_2$ 
  - $\begin{bmatrix} 1 & 0 & 1 \\ -1 & 1 & -1 \\ 1 & 0 & 1 \end{bmatrix}$

(2) 
$$r_3 := r_3 + (-1)r_1$$

$$\begin{bmatrix} 1 & 0 & 1 \\ -1 & 1 & -1 \\ 0 & 0 & 0 \end{bmatrix}$$

(3) 
$$r_2 := r_2 - r_1$$

$$\begin{bmatrix} 1 & 0 & 1 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

# **Result:**

$$\begin{bmatrix} 1 & 0 & 1 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

# **Solution**

# **Elementary Row Operations:**

(1) 
$$r_2 := r_2 - r_3$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 2 \\ -1 & 1 & 3 \end{bmatrix}$$

$$(2) \ r_3 \coloneqq r_3 + (-1)r_2$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 2 \\ -1 & 0 & 1 \end{bmatrix}$$

(3) 
$$r_3 := r_3 - r_1$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 2 \\ 0 & 0 & 1 \end{bmatrix}$$

#### **Result:**

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 2 \\ 0 & 0 & 1 \end{bmatrix}$$

# **Solution**

# **Elementary Row Operations:**

$$\text{(1)}\ \, r_2\coloneqq r_2+(-2)r_1$$

$$\begin{bmatrix}
 1 & 0 & 0 \\
 0 & 1 & 0 \\
 2 & 0 & 0
 \end{bmatrix}$$

(2) 
$$r_3 := r_3 + (-2)r_1$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

$$(3) \ r_1 \coloneqq r_1 + (-1)r_3$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

# **Result:**

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

# **Solution**

# **Elementary Row Operations:**

(1) 
$$r_3 := r_3 - (2)r_1$$

$$\begin{bmatrix} 1 & 2 & 0 \\ -1 & -1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

(2) 
$$r_2 := r_2 - r_1$$

$$\begin{bmatrix} 1 & 2 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

# **Result:**

$$\begin{bmatrix} 1 & 2 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

# 2.4. Calculus

#### 2.4.1. Limit

The limit is:

 $2 \tag{151}$ 

The limit is:

 $1 \tag{152}$ 

The limit is:

e (153)

The limit is:

 $1 \tag{154}$ 

The limit is:

 $2 \tag{155}$ 

The limit is:

 $1 \tag{156}$ 

The limit is:

e (157)

The limit is:

e (158)

The limit is:

$$1 \tag{159}$$

The limit is:

$$-1\tag{160}$$

#### 2.4.2. Derivative

The derivative is:

$$\frac{1}{x} \tag{161}$$

The derivative is:

$$\frac{2x}{x^2+1} + \frac{1}{x+1} \tag{162}$$

The derivative is:

$$3x^2\log(x) + x^2\tag{163}$$

The derivative is:

$$2xe^{x^2+2} (164)$$

The derivative is:

$$\frac{2x}{x^2+1} + \frac{1}{x+1} \tag{165}$$

The derivative is:

$$\frac{2x}{x^2+1} + \frac{1}{x+1} \tag{166}$$

The derivative is:

$$4x^3 (167)$$

The derivative is:

$$-\frac{2x^2}{\left(x^2+1\right)^2} + \frac{1}{x^2+1} \tag{168}$$

The derivative is:

$$2xe^{x^2+2} (169)$$

The derivative is:

$$-\frac{2x^2}{\left(x^2+1\right)^2} + \frac{1}{x^2+1} \tag{170}$$

# 2.4.3. Integral

The indefinite integral is:

$$e^{\sin(x)} \tag{171}$$

Definite integral from 2 to 2:

$$0 \tag{172}$$

The indefinite integral is:

$$x^4 - \frac{4x^3}{3} - \frac{3x^2}{2} + 5x\tag{173}$$

Definite integral from 2 to 4:

$$\frac{472}{3} \tag{174}$$

The improper integral converges to:

$$1 \tag{175}$$

The indefinite integral is:

$$\frac{x^2\sqrt{x^2+1}}{3} + \frac{\sqrt{x^2+1}}{3} \tag{176}$$

Definite integral from 3 to 5:

$$-\frac{10\sqrt{10}}{3} + \frac{26\sqrt{26}}{3} \tag{177}$$

The indefinite integral is:

$$(x^2 - 2x + 2)e^x (178)$$

Definite integral from 3 to 4:

$$-5e^3 + 10e^4 (179)$$

The indefinite integral is:

$$e^{\sin(x)} \tag{180}$$

Definite integral from 3 to 5:

$$-e^{\sin(3)} + e^{\sin(5)} \tag{181}$$

The indefinite integral is:

$$\log(\log(x))\tag{182}$$

Definite integral from 1 to 3:

$$\infty$$
 (183)

The indefinite integral is:

$$\frac{x\sqrt{4-x^2}}{2} + 2 \, \sin \left(\frac{x}{2}\right) \tag{184}$$

Definite integral from 2 to 4:

$$-\pi + 2 \sin(2) + 4\sqrt{3}i$$
 (185)

The indefinite integral is:

$$Si (x) (186)$$

Definite integral from 4 to 5:

$$- Si (4) + Si (5)$$
 (187)

The indefinite integral is:

$$3\log(x-3) - 2\log(x-2) \tag{188}$$

Definite integral from 1 to 4:

$$NaN (189)$$

#### 2.4.4. Partial Derivative

$$\frac{\partial^2 f}{\partial x \partial y} = 2y(3x^2 + 2y^2) \tag{190}$$

$$\frac{\partial f}{\partial x} = 3x^2y^2 - 6xy + 2y^3 \tag{191}$$

$$\frac{\partial f}{\partial y} = 2x^3y - 3x^2 + 6xy^2 \tag{192}$$

$$\frac{\partial f}{\partial x} = 2x(x+y)e^{x^2+y^2} + e^{x^2+y^2}$$
 (193)

$$\frac{\partial f}{\partial y} = 2y(x+y)e^{x^2+y^2} + e^{x^2+y^2} \tag{194}$$

$$\frac{\partial y}{\partial x} = \frac{-2xy - y^2 + y}{x^2 + 2xy - x} \tag{195}$$

$$\frac{\partial f}{\partial x} = 2x(x+y)e^{x^2+y^2} + e^{x^2+y^2}$$
 (196)

$$\frac{\partial f}{\partial y} = 2y(x+y)e^{x^2+y^2} + e^{x^2+y^2}$$
 (197)

$$\frac{\partial f}{\partial x} = 3x^2y^2 - 6xy + 2y^3 \tag{198}$$

$$\frac{\partial f}{\partial y} = 2x^3y - 3x^2 + 6xy^2 \tag{199}$$

$$\frac{\partial f}{\partial x} = \frac{3x^2}{x^3 + y^3} - \frac{1}{x} \tag{200}$$

$$\frac{\partial f}{\partial y} = \frac{3y^2}{x^3 + y^3} - \frac{1}{y} \tag{201}$$

$$\frac{\partial f}{\partial x} = \frac{\partial f}{\partial u} \frac{\partial u}{\partial x} + \frac{\partial f}{\partial v} \frac{\partial v}{\partial x}$$
 (202)

$$\frac{\partial f}{\partial x} = 3x^2y^2 - 6xy + 2y^3 \tag{203}$$

$$\frac{\partial f}{\partial y} = 2x^3y - 3x^2 + 6xy^2 \tag{204}$$

$$\frac{\partial f}{\partial x} = \frac{\partial f}{\partial u} \frac{\partial u}{\partial x} + \frac{\partial f}{\partial v} \frac{\partial v}{\partial x}$$
 (205)