

Contents

1	Introduction	3
1.1	Motivation	3
1.2	Research Question and Goals	3
2	Romansh	5
2.1	Raeto-Romance	5
2.2	Romansh	6
2.3	Rumantsch Grischun	7
2.3.1	Lia Rumantscha	7
2.3.2	Rumantsch Grischun	7
2.3.3	Properties	7
2.3.4	Today	8
3	Data Collection	9
3.1	Introduction	9
3.2	Data Collection	9
3.2.1	Web scraping	9
3.2.2	Content extraction	11
3.2.3	Document Alignment	11
4	Sentence and Word Alignment	13
5	Gold standard	14
5.1	Introduction	14
5.2	Sure and Possible Alignments	14
5.3	Evaluation Metrics	15
5.4	Gold standard for German-Romansh	15
5.4.1	Annotation tool	15
5.4.2	Guidelines	15
5.4.3	General principles	16
5.4.4	Examples	17
5.5	Flaws	19
6	Evaluation	21

7 Contributions	22
8 Summary	23
Bibliography	23

Chapter 1

Introduction

1.1 Motivation

The Romansh language is a Romance language spoken in Switzerland, primarily in the Canton of Grisons (henceforth *Graubünden*), by around 60,000 speakers. Graubünden is the only canton in Switzerland with three official languages – German, Italian and Romansh.

When traveling by train, the announcements are heard in German, Romansh or Italian according to which part of the canton one is currently at. It is enough to travel to the next valley to suddenly be greeted on the street in a different language. Newspapers, radio and television exist in all three languages, but also official documents, laws and press releases are published trilingually. While I was resident in Graubünden, I was fascinated by this multilinguality and it was my wish to somehow capture it and make it available to others. This is why I decided to build a multilingual corpus, a parallel collection of sentences in German, Romansh and Italian, in which the sentences are translations of each other.

Having such a low number of speakers makes it a so-called low resource language. Having so little speakers means there is also little data, be it corpora or research data. Most of the research in NLP focuses on high resource languages.

1.2 Research Question and Goals

Jalili Sabet et al. 2020 were able to show that their algorithm for word alignment outperforms all the statistical baseline models. Contrary to statistical models, their model uses vectors of word representations learned by a neural net (also commonly known as word embeddings) and, by using some sort of similarity measurement (e.g., cosine similarity), aligns the most similar words in the source and the target sentence.

But not only that the model outperforms the existing statistical models, its biggest advantage as propagated by Jalili Sabet et al. 2020 is that it requires no training data. Statistical models will only reach a threshold of good performance with enough training data (TODO: cite numbers from SimAlign). Using word embeddings can be used to align words in just a single sentence with high precision. Of course, all of this works presuming we already have a trained model whose learned embeddings we can use for this task. There exist some language models that were

trained on multi-lingual data. mBERT was trained on 104 languages and LASER was trained on 93 languages. But will word embeddings based word alignment will work in zero-shot settings? That is, can the embeddings learned by a multilingual language model be used for word alignment for a language that wasn't included in the training data?

Chapter 2

Romansh

In this chapter, I will provide a short context about Romansh, the language that builds a third of the resulting corpus, but conceptually the main motivation for this work.

2.1 Raeto-Romance

In 1873, an Italian linguist by the name of Grzadio Ascoli pointed out to a shared number of characterizing phenomena in a number of Romance dialects spoken in parts of Switzerland and Italian (but without a geographical continuum) and named this group of dialects “Ladino”. Since 1883, influenced by Theodor Gartner’s publication *Raetoromanishce Grammatik* on this group of dialects, this name (German *Rätoromanisch*, English “Raeto-Romance”) became associated with them.

Raeto-Romance is spoken in three separated areas and is made up of three super-dialects: Romansh, spoken in parts of the Swiss canton of Graubünden, Ladin, spoken in the Dolomitic Alps in northern Italy (Südtirol), and Friulian, spoken around the drainage basin of the Tagliamento river, between Venice and Trieste (Haiman and Benincà 1992, p. 1).

There have been long discussions in Romance linguistics about whether Raeto-Romance can be seen as a unity of dialects, or whether such a unity is merely a linguistic construct, lacking a sociolinguistical-historical basis. This dispute is referred to as the *questione ladina* “the Ladin question” (Liver 1999).

Ascoli, the grounder of the idea of one Raeto-Romance unity, made his classifications at a time where language researchers were fascinated by the regularity of sound changes and common historical sound changes were used to group languages and dialects together. He therefore based his grouping of these three dialects on the grounds of sound changes common to all three dialects. His followers propagate a narrative according to which the three dialects once occupied one geographical area, but were separated by the Germanic incursions in the years CE 250-800 (Bossong 1998, p. 174; Haiman and Benincà 1992, p. 11).

An opposing group of reserchers believes that the three Raeto-Romance dialects show decisive features common with their respective neighboring Italian dialects. They should therefore be classified as an Italian dialect and part of the Italian dialect continuum (Bossong 1998, p. 174).

This question, as interesting as it may be, is not of importance to this thesis and will not bother




Figure 2.1: Distribution of Rhaeto-Romance, taken from Haiman and Benincà 1992, p. 2

us for the rest of it. It is nonetheless important to remember that names and definitions posed by researchers are never as simple as they might seem, nor do they always correspond to the feelings of the speakers and their own sense of identity. In this case, speakers of these dialects do not feel as though they all belong to some greater unity (Bossong 1998, p. 175).

2.2 Romansh

The term Romansh is a collective name referring to the Raeto-Romance dialects spoken in Switzerland which are recognized as a single language. There are five different dialects (Surselvan, Sutselvan, Suurmeran, Puter, Vallader), with each having normative grammars and distinct orthographic norms (motivated by the Reformation, for translating the Bible and other religious texts) (Haiman and Benincà 1992, p. 1; Bossong 1998, p. 178).

Romansh was officially acknowledged as a fourth official language in Switzerland (besides German, French and Italian) in a federal referendum that took place in 1938, in the eve of the Second World War, with a whopping majority of 92% Yes votes. It has been shown that this referendum played in the hands of the Raeto-Romans in Graubünden to promote their nationalistic political postulate, but was also instrumentalised by the Swiss federal government to counteract Mussolini's pretensions to enquote Italian territories in Switzerland (referred to as the Italian irredentism) (Valär 2012).

Romansh is currently spoken by around 40,000 people (Bundesamt für Statistik 2020). This number has been diminishing constantly – 30 years ago there were 50,000 speakers (Haiman and Benincà 1992). There is however hardly a single person who only speaks Romansh. In Switzerland, as in the other regions of Raeto-Romance, there is always a “prestige” language surrounding Raeto-Romance, in which Raeto-Romance speakers are fluent in (Haiman and Benincà 1992, p. 3).

2.3 Rumantsch Grischun

2.3.1 Lia Rumantscha

In the last hundred years there have been a Raeto-Romance revival. In Switzerland, a major force in this movement has been the founding of the Lia Rumantscha (“The Romansh League”) in 1919, which was also a counter-force to the Italian irredentism ¹. It is an umbrella organisation devoted to promoting and perserving the Raeto-Romance language and culture. Its goals include creating and promoting a common language awareness and identity amongst the Raeto-Romans, be responsible for developing a language standard and language renovation, and generally represent the interests of the Romansh and its speakers, in Graubünden and in the Swiss diaspora (Dazzi 2012).

2.3.2 Rumantsch Grischun

The endeavours of the Lia Rumantscha in the field of language planning and standardization led to the official launching of a pan-Romansh language – “Rumantsch Grischun” (Haiman and Benincà 1992, p. 5). Its goal was not to replace the local dialects, but be available for persons, institutions, government agencies, companies etc., that want to use Romansh but require a language variant that would be interrregional and intelligible by speakers of all dialects. The main motivation for planning an interregional standard was the failure of Romansh to establish itself as a fourth national language due to the lack of a written standard, despite the great willingness of the people. The existence of a written standard was intended to Romansch be better respected and incorporated in the canton of Graubünden, as well as on a federal level, and would elevate its prestige in the eyes of its speakers (Schmid 1982).

2.3.3 Properties

Rumantsch Grischun was suggested in 1982 by the Zurich born Romance linguist Heinrich Schmid. It was, however, not the first attempt to harmonize the Romansh dialects. In the 19th century, a high school teacher named Gion Antoni Bühler, made failed attempts to propagate for a *Romonsch fusionau*; in the 1960’s a Swiss author from the canton of Graubünden, Leza Uffer, suggested *Interrumantsch*, which was mainly based on the Surmiran dialect, but failed similarly (Liver 1999, p. 39).

Rumantsch Grischun’s success has been hypothesized to be mainly due to the favorable timing – the socioeconomical situation at the time as well as a change in the approach of many Raeto-Romans to their own language; but also due to the fact that Rumantsch Grischun, contrary to previous suggestions of a standard language, is more consistent and balanced between the dialects (Liver 1999, p. 69). It never consitently favors one dialect over the other.

Without going too much into detail, Rumantsch Grischun favors the greatest common denominator, by taking the word forms common to the three most important written dialects (Sursilvan, Surmiran and Vallader). For instance, in all three dialect the word for “key” is *clav*, hence, this is also the Rumantsch Grischun word for “key”. In case the dialects do not agree, it uses the word

¹The nationalistic claim of lands inhabited by persons who the Italian nationalists saw as ethnic Italians

Sursilvan	Surmiran	Vallader	Rumantsch Grischun	Principle
clav	clav	clav	clav “key”	Greatest common denominator
tschiel	tschiel	tschel	tschiel “sky”	Majority vote
siat	set	set	set “seven”	"
cor	cor	cour	cor “heart”	"
vendiu	vendia	vendü	vendi “bought”	Favor simplicity
sg./pl. <i>iert/orts</i>	iert/iersts	üert/üerts	iert/iersts “garden”	"

Table 2.1: Examples for choosing the forms for Rumanstch Grischun, based on Liver 1999, pp. 70–71

form common to the majority of dialects in a sort of “majority vote”. That way, it never prefers one dialect over the other throughout.

Clarity and transperence also play a major role. This means that forms which exhibit stem alternations, for instance between singular and plural, are abandoned in favor of the simpler, more constant form. Also phenomena that are specific to just one dialect are left outside, such as the rounded front-vowels [y] and [ø] typical of the dialects of the Engadine or the closing diphthong [w]², which is unique to Sursilvan (Liver 1999, p. 70). See table 2.1 for some examples.

This new language fulfills the requirements of its authors: it can be read and understood by any Raeto-Roman without them having to elaborately learn it and the differences to the specific dialects are minimal (Liver 1999, p. 72).

2.3.4 Today

Rumantsch Grischun has become one of the most ambitious endeavours in the history of Romansh. Since its invention, Romansh and the people promoting it have had notable success achieving their goals. In 1999, Romansh became a “partially official language” (*Teilamtssprache*) of the Swiss confederation. In 2003, it was recognized in the cantonal constitution of Graubünden as an equal cantonal language, and the protection of the traditional language regions was guaranteed. Nowadays, Romansh is in use in many domains, not only in the public administration, but also in economy. Many writings and works were written in Rumantsch Grischun. People learn to read and write in Rumantsch Grischun and in some schools, classes are held in Rumantsch Grischun. The extent of radio and television in Romansh has been growing. There is a radio station broadcasting 24/7, television programs broadcast in all public channels of the Swiss Broadcasting Corporation (SSG SSR), as well as internet portals, e.g., <https://www.rtr.ch/>. All of this were not possible if it weren’t for the political “upgrade” that was aspired for by the Romansh language movement (Cathomas 2012).

The canton of Graubünden has been releasing most or all of its press releases since 1997, which build up this corpus, in three languages: German, Italian and Romansh using the Rumantsch Grischun standard.

²The diphthong starts with an open vowel [ɪ] and ends with a closed vowel [w]

Chapter 3

Data Collection

3.1 Introduction

The corpus at hand incorporates the press releases published by the Canton of Grisons/Graubünden. These press releases are a means of the cantonal government to publish news and information about topics such as politics, economy, health and culture. Graubünden, which is made up of German speaking, Italian speaking and Romansh speaking regions, is the only trilingual canton in Switzerland. As such, virtually all press releases are published in German, Italian and Romansh. This trilingual setting lends itself to be collected to a parallel trilingual corpus.

3.2 Data Collection

At first, I contacted the *Standeskanzlei* (“State Chancellery of Grisons”) which is the “the general administrative authority for questions of office, coordination and liaison with the cantonal parliament (‘Grosser Rat’), government and cantonal administration” (Standeskanzlei Graubünden 2022). The *Standeskanzlei*, with its *Übersetzungsdienst* (“Translation service”), is responsible for translating documents in service of the canton. I was hoping to receive the data directly from them – after all, we are not talking about private or commercial data, but about public translation work financed with taxpayers’ money. I spoke to Mr. Mirco Frepp from the communication services (*Kommunikationsdienst*), which, although very friendly, had to inform me that it would be impossible for me to receive the data. The explanation was that the documents are not saved locally somewhere, but are saved in a database. The documents are extracted from the database and are generated as ad-hoc HTML documents whenever the website is accessed. It was also not possible to receive a dump of the database.

3.2.1 Web scraping

Not being able to receive a dump of the database meant I had to scrape the canton’s website, extract the relevant content from the HTML files and construct my own database. In order to achieve this, I wrote a series of Python scripts that would take care of these tasks. All the scripts can be found on my GitHub/Gitlab repository. The scripts relevant for the database building are saved under the folder `corpus_builder`




Figure 3.1: Directory tree of corpus_builder




Figure 3.2: Directory scheme for saving the HTML files

web_scraper.py

The script goes to the main page for each year and language. That page contains a links pointing to all the press releases that were released that year. It collects all those links and then downloads the HTML from each link. The HTML pages are saved to separate folders for each year. The filenames have the following format: year_file-id_language, e.g., 1997_12924_DE.html. The file-id is taken from the URL and will be later used to align the documents.

Since the script makes many requests to the website, one has to expect that server might stop responding, which will result in a request time-out. To avoid downloading HTML pages that were already downloaded, the script will skip and press release that already exists locally, providing the file size is greater than 0 bytes. This way, the script can be run at a later stage, after new press releases were published, to complete the local repository. To make sure the local copy of the press releases is complete, the script can be simply run until a message is printed that no new press releases were downloaded.

By default, the script will download the press releases for the entire year range (1997 to the current year) and in all three languages. This can be limited by using the following optional arguments:

- `--year` – limit the scraping to a year or to a range of years separated by a comma, e.g.,

--year 2022 or --year 2020,2022

- --lang – limit the scraping to one or more languages (comma separated), e.g., --lang de,it

3.2.2 Content extraction

After creating a local copy of the HTML files containing the press releases, the content needs to be extracted from the HTML files and saved in a format that would be suitable for later processing.

Using the Python package BeautifulSoup, I extracted from each HTML file the title and the text of the press release, as well as some meta data: date, language and the original file-id. Each year was then saved to a JSON file with the following format.

```
1 {
2   "0": {
3     "id": "12924",
4     "orig_file": "html/1997/1997_12924_DE.html",
5     "lang": "DE",
6     "title": "25 Jahre Arge Alp: Graubünden feiert tüchtig mit",
7     "date": "31.12.1997",
8     "content": "Die Arge Alp feiert heuer ihr 25-Jahre-Jubiläum. Aus diesem Grund
9                 finden vom 27. September bis 12. Oktober 1997 die Festwochen des Alpenraums
10                in Telfs-Mösern, Tirol, statt. ..."
11   },
12   "1": {
13     "id": "12926",
14     "orig_file": "html/1997/1997_12926_DE.html",
15     "lang": "DE",
16     "title": "Kanton will auch personelles Engagement bei der Bündner Kraftwerke AG
17             verstärken",
18     "date": "31.12.1997",
19     "content": "Nachdem der Kanton Graubünden letzten Herbst die Aktienmehrheit der
20                Bündner Kraftwerke AG übernommen hat, will er nun auch seine Vertretung im
21                Verwaltungsrat stärken...."
22   },
23   "2": {
24     "id": "12927",
25     "orig_file": "html/1997/1997_12927_DE.html",
26     "lang": "DE",
27     "title": "Graubünden trifft präventive Massnahmen zur Bekämpfung der illegalen
28             Einwanderung",
29     "date": "31.12.1997",
30     "content": "Die Fremdenpolizei des Kantons Graubünden trifft im Einvernehmen mit
31                dem kantonalen Sozialamt, dem Amt für Zivilschutz sowie der Kantonspolizei
32                Graubünden Massnahmen, um die illegale Einwanderung in den Südtälern des
33                Kantons Graubünden zu bekämpfen...."
34   },
35 }
```

3.2.3 Document Alignment

The next stage after saving all of the press releases locally is to align them. For all releases published after mid 2002 this is pretty simple. The file-id extracted from the URLs is common to all three releases in the three languages (see figure 3.2). This file-id can be used to link the press releases with each other.

For releases published prior to that, each release carries a unique file-id. This means it can't be used for document alignment. Here, I used a simple heuristic: if on one date three releases were published in three different languages, I assume they are translations of each other. The titles of press releases that weren't aligned are saved to a CSV file which can be used for manual alignment.

Chapter 4

Sentence and Word Alignment

Chapter 5

Gold standard

5.1 Introduction

In order to measure the quality of words alignments, a model's performance is measured on a test set which is a gold standard created by human annotators. For the gold standard to be of good quality and consistent with itself, annotators have to follow strict guidelines. These guidelines address issues of ambiguity in word alignments. (Koehn 2009, p. 115).

Some problematic cases that might occur are function words (TODO) that have no clear equivalent in the other language. Koehn 2009 gives as an example the German-English sentence pair: *John wohnt hier nicht John does not live here*. What German word should the English word *does* be aligned to? Three different choices can be made:

1. The word should remain unaligned since it has no clear equivalent in German.
2. The word *does* is connected with *live*; it contains the number and tense information which is in German contained in one word *wohnt*, so it should be aligned to *wohnt*, together with *live*.
3. *does* is part of the negation; without it, the sentence would not contain this word. Therefore, *does* should be aligned with *nicht* (the German negation).

5.2 Sure and Possible Alignments

An approach for solving problematic cases is the distinction between *sure* (s) and *possible* (p) alignments (Och and Ney 2000), which are also sometimes referred as fuzzy alignments (Clematide et al. 2018). Generally, these labels allow to distinguish between ambiguous and unambiguous links. Ambiguous links are labeled *possible* and unambiguous links are labeled *sure* (Lambert et al. 2005). The *possible* label was conceived to be used especially for aligning words within idiomatic expressions, free translations and missing function words (Och and Ney 2000). This distinction also has an impact on the way the evaluation metrics are computed (more on that later).

There seems to be no clear global definition about which alignments should be considered as unambiguous and marked as *sure* and which should be considered ambiguous marked as *possible*. For some created gold standards, no distinction between *sure* and *possible* alignments was made (Clematide et al. 2018). In another case, annotators were asked to first label all alignments as

sure and then refine their alignments with confidence labels (Holmqvist and Ahrenberg 2011). In the creation of the English-Icelandic gold standard in Steingr sson, Loftsson, and Way 2021, annotators used only *sure* links. Their annotations were then combined, with all 1-1 alignments both annotators agreed upon (i.e., the intersection of their annotations) marked as *sure* and differences all other alignments made by either one or both were marked as *possible* (Steingr sson, Loftsson, and Way 2021).

5.3 Evaluation Metrics

TODO: move to results/evaluation part Four types of measures have become standard for evaluating word alignment. Three of them – precision, recall and F-measure – are well known in Information Retrieval metrics Mihalcea and Pedersen 2003. The fourth, alignment error rate (AER) one was introduced by Och and Ney 2000.

5.4 Gold standard for German-Romansh

In order to measure the performance of both models, the embedding based model (SimAlign) and the statistical model (fast_align), on the language pair German-Romansh a gold standard is needed. Since no such gold standard exists, I took upon myself to create one. Although I am not a speaker of Romansh, my experience as a trained linguist, as well as my knowledge in related languages (Latin, Italian, French), allows me to confidently tackle this task. Additionally, whenever I was in doubt, I referred to the online dictionary Pledari grond, which also offers a grammar overview. (TODO: add more grammar references)

5.4.1 Annotation tool

I used the tool *AlignMan* which was originally programmed for creating the gold standard for English-Icelandic by Steingr sson, Loftsson, and Way 2021. It is quite easy to use and its code is readable. I also had to make some small changes to the code. For instance, the sentences to be aligned, while loaded into the database, were read in opposite order, such that the source language became the target language and vice versa. I fixed this issue, so that source (German) and target (Romansh) languages stay the same across all applications.

As mentioned above, the tool does not allow labeling of links with *Sure* and *Possible*. Instead, AlignMan treats the union of 1-1 alignments made by two annotators as *Sure* alignments and all other alignments as *Possible*. This means, each annotator is expected to only annotate *Sure* alignments, which also applied to me while annotating the German-Romansh gold standard.

5.4.2 Guidelines

As mentioned above, clear guidelines need to be defined for creating the gold standard in order to ensure quality and consistency. I shall now proceed to describe the guidelines I used for my annotation of the word alignments for the gold standard.


A motto cited often for annotating word alignments is “Align as small segments as possible, and as long segments as necessary” (Vronis and Langlais 2000, cited in Ahrenberg 2007). A variation of this is found in Clematide et al. 2018: “as few words as possible and as many words as necessary that carry the same meaning should be aligned.”, referring to Lambert et al. 2005.

In the following sections I will list some general principles as well as more specific principles involving German and Romansh.

5.4.3 General principles

Principle I. Use only *Sure* alignments. Since the annotating tool I was using does not provide the use of confidence labels (cf. section 5.4.1), I only aligned words which would be considered *Sure* alignments, i.e., they are unambiguous (cf. section 5.2).

Principle II. Prefer 1-1 alignments over 1-n alignments or n-n alignments. Since all alignments are seen as *Sure* alignments, 1-n alignments should be avoided, unless a single word in the source sentence lexically corresponds to several words in the target sentence (see TODO principle sth.) This means alignments of phrases should be avoided. This is also due to the fact that we are testing models for automatic word, and not phrase alignments.



Words that are repeated in one language, but not in the other, should only be linked once, leaving the repetition unaligned.

Principle III. Lexical alignments should always be preferred over all other alignments (part-of-speech alignments or morphosyntactical alignments). This means alignments should describe first and foremost lexical correspondences, i.e., they have the same lexical meaning (but not necessarily share the same grammatical function or the same part-of-speech). Only words that are translations of each other also outside of the specific context of the sentence pair at hand should be aligned. This is in line with Clematide et al. 2018. In cases of paraphrasing during translations, words should remain unaligned (TODO: example?)

- only sure alignments
- prefer 1-1 alignments over 1-n alignments
- align words, not phrases
- only align words that are translations of each other also outside of context
- POS doesn't matter: German often prefers a nominal style, Romansh prefers a verbal style – expect some noun-verb alignments.

German	Romansh	
<i>Beratungsstelle</i>	<i>post da cussegliaziun</i>	“consultation point”
<i>Gebäudeversicherung</i>	<i>Assicuranza d’edifizis</i>	“building insurance”
<i>Webseite</i>	<i>pagina d’internet</i>	“web site”
<i>Kindermasken</i>	<i>mascrinas per uffants</i>	“children masks”
<i>Brandversicherung</i>	<i>assicuranza cunter fieu</i>	“fire insurance”
<i>Gastkanton</i>	<i>chantun ospitant</i>	“hosting canton”

Table 5.1: Translation examples of German compounds into Romansh

5.4.4 Examples

I will now supply some examples to illustrate the above principles.

Compound words

Compounding is the formation of new lexemes by adjoining two or more lexemes (Bauer 1988). In German, compounds are productive and prominent means of word formation in German (Clematide et al. 2018). In a sample of 4,500 types examined by Clematide et al. 2018, 80% of German nouns were compounds. Romansh, in comparison, uses prepositions (usually *da*) for linking nouns, with one noun modifying the other (Tschärner and Denoth n.d.). Other prepositions that can be found for linking words are *cunter* and *per*.¹ In other cases, German compounds might be translated to Romansh using an adjective + noun, e.g., German *Gastkanton* was translated to *chantun ospitant* “hosting canton”. See table 5.1 for examples.

German compounds will be aligned to their equivalent lexical words, but not to function words, resulting in a 1-n alignment: *Webseite* ~ *pagina [d’] internet*, *Gebäudeversicherung* ~ *Assicuranza [d’] edifizis*. This is also inline with principles I, II and III in Clematide et al. 2018.

German preterite vs. Romansh perfect

In the corpus at hand, two tenses are used in German for referring to past events: the preterite and the perfect. The German preterite is a synthetic verb form, i.e., it is made up of a single conjugated form. Some examples are *nahm* (infinitive *nehmen* “take”) or *wurde* (infinitive *werden* “become”). The German perfect is an analytic construction made up of an auxiliary verb (*haben* “have” or *sein* “be”) and the past participle, e.g., *Die Präsidentenkonferenz hat nun entschieden* “The conference has decided”.

In contrast to German, Romansh only has one tense referring to past events: the perfect. It is an analytic construction made, in a similar fashion as in German, of an auxiliary *habere* “have” for transitive verbs or *esse* “be” for intransitive verbs and the past participle (Bossong 1998, p. 189). The German sentence given above (*Die Präsidentenkonferenz hat nun entschieden*) was translated as *La conferenza da las presidentas e dals presidents ha usse decidi*. *ha* is the auxiliary and *decidi*

¹Typologically, this is inline with other Romance languages such as French, which uses prepositions (*de*, *en* and *à*) for linking two nouns, e.g., *une robe de soie* “a silk dress” (Price 2008)[510].




Figure 5.1: Aligning German perfect to Romansh perfect




Figure 5.2: Alignment of German preterite to Romansh perfect

is the past participle. This poses no real problem since we can link the German auxiliary to the Romansh auxiliary and the German participle to the Romansh participle.

However, a German preterite is always translated using the Romansh perfect. For example, in the sentence *Der Kanton Graubünden war letztmals 2003 Gastkanton* “The last time the Canton of Grisons was a host canton was in 2003” the verb *war* “was” is translated as *è stà*. This theoretically results in a 1-2 link. However, since the verb *è* here only carries grammatical information of tense and number, but no real lexical information, it should remain unaligned.

The German perfect should be aligned to the Romansh perfect using a 1-1 alignment; auxiliary to auxiliary and participle to participle. The German preterite should also be aligned using a 1-1 alignment to the Romansh participle, leaving the auxiliary unaligned and avoiding a 1-2 alignment.

German present participle

German present participles (known in German as *Partizip I*) are translated to Romansh using relative clauses. Moreover, adjectives (and participles in the function of adjectives), can be nominalized, meaning they become the head of a noun phrase and there is no need for an actual noun. A good example for that in the corpus is the German noun phrase *nichtarbeitslose Stellensuchende* (cf. ex. 1), which was translated as a noun phrase with a relative clause: *persunas che tschertgan ine piazza che n'èn betg dischoccupadas* “persons who look for a job who are not unemployed”.

- (1) nicht-arbeit-s-los-e Stellen-such-end-e
not-work-GEN-less-PL job-search-PRES.PART-PL
“People looking for jobs who are not unemployed”

In this case, these two phrases should not be aligned as phrases, but only the content words




Figure 5.3: Aligning German present participles to Romansh relative clauses

which lexically correspond to each other: *nichtarbeitslose* ~ *betg dischoccupadas*; *Stellensuchende* ~ *tschertgan [ina] piazza*.

Double negation

Negation in Romansh is built using two particles: *na* and *betg* to negate verbs or *nagin-* to negate nouns. Since we prefer 1-1 alignments, the German negations *nicht* (for verbs) and *kein-* for nouns should be aligned only to the second Romansh particle (*betg/nagin-*), leaving Romansh *na* unaligned. Granted, this is also in favor of the SimAlign output, but it is also linguistically motivated: when negating the imperative form, *na* can be omitted required TODO:cite Grammatica per linstrucziun dal rumantsch grischun.

Articles and prepositions

German articles inflect in case, which expresses some syntactic relations between nouns. Romansh often uses prepositions for expressing the same relations. For instance *Zustimmung der Person* “the person’s agreement” is translated as *consentiment da la persuna*. I align the German article *der* with Romansh *da*, leaving *la* unaligned. Except for my preference for 1-1 alignments, the motivation for this is that it is the preposition *da* that expresses the genitival relations between the nouns.

Separable verbs

German uses many verbs to which an adverb or a preposition is affixed in order to delimit the verb’s meaning (or sometimes completely change its meaning). In such cases, both the verb and its affix should be aligned to the corresponding Romansh verb, resulting in a 2-1 alignment.

5.5 Flaws

I shall now discuss the quality of my gold standard and some flaws it has.

The most obvious flaw is the fact that I created the gold standard alone. With more than one annotator, more intricate annotating schemes can be used in order to ensure higher quality, consistency and harmony. For instance the annotators’ agreement can be measured using the so-called inner-annotator agreement (Holmqvist and Ahrenberg 2011). Further, the intersection of the annotators’ *Sure* alignment can be used to build the final *Sure* alignments set and the reunion of the *Possible* alignments can be used to create the final *Possible* alignments set Mihalcea and Pedersen 2003. A third annotator can also revise and resolve conflicts between two annotators Mihalcea and Pedersen 2003. When several annotators work on the same task, they can also discuss conflicts and resolve them using a majority vote (Melamed 1998).

All of these possible schemes cannot be realized in my case.

Another flaw is the missing confidence labels (*Sure* and *Possible*), which may influence the evaluation scores. Doing without *Possible* links and using only *Sure* links is however preceded (Clematide et al. 2018; Mihalcea and Pedersen 2003) and hence defensible.

In order to test my own consistency, I have re-annotated the first 100 sentences in the sample.
TODO: results

Despite of the flaws mentioned, I am certain that gold standard is of high quality and consistency, due to the fact that I was also the one to define the guidelines.

Chapter 6

Evaluation

Chapter 7

Contributions

Chapter 8

Summary

Bibliography

- Ahrenberg, Lars (2007). *LinES 1.0 Annotation: Format, Contents and Guidelines*. Tech. rep.
- Bauer, Laurie (1988). *Introducing Linguistic Morphology*. Edinburgh University Press.
- Bossong, Georg (1998). *Die Romanischen Sprachen: Eine vergleichende Einführung*. Hamburg: Helmut Buske Verlag.
- Bundesamt für Statistik (2020). *Hauptsprachen in der Schweiz - 2020*. URL: <https://www.bfs.admin.ch/bfs/de/home/statistiken/bevoelkerung/sprachen-religionen/sprachen.assetdetail.21344032.html>.
- Cathomas, Bernard (2012). “Geschichte und Gegenwart des Rätoromanischen in Graubünden und im Rheintal”. In: ed. by Gerhard Wanner and Georg Jäger. Chur: Desertina. Chap. Sprachen fallen nicht vom Himmel. Zur Sprachplanung in der Rätoromania, pp. 125–147.
- Clematide, Simon et al. (2018). “A multilingual gold standard for translation spotting of German compounds and their corresponding multiword units in English, French, Italian and Spanish”. In: *Multiword Units in Machine Translation and Translation Technology*. Ed. by Ruslan Mitkov et al. John Benjamins, pp. 125–145. DOI: <https://doi.org/10.1075/cilt.341>.
- Dazzi, Anna-Alice (2012). “Geschichte und Gegenwart des Rätoromanischen in Graubünden und im Rheintal”. In: ed. by Gerhard Wanner and Georg Jäger. Chur: Desertina. Chap. Die verschiedenen Aktivitäten der Lia Rumantsche zur Erhaltung und Förderung des Rätoromanischen, pp. 117–124.
- Haiman, John and Paola Benincà (1992). *The Rhaeto-Romance Languages*. London and New York: Routledge. ISBN: 0-415-04194-5.
- Holmqvist, Maria and Lars Ahrenberg (May 2011). “A Gold Standard for English-Swedish Word Alignment”. In: *Proceedings of the 18th Nordic Conference of Computational Linguistics (NODALIDA 2011)*. Riga, Latvia: Northern European Association for Language Technology (NEALT), pp. 106–113. URL: <https://aclanthology.org/W11-4615>.
- Jalili Sabet, Masoud et al. (Nov. 2020). “SimAlign: High Quality Word Alignments Without Parallel Training Data Using Static and Contextualized Embeddings”. In: *Findings of the Association for Computational Linguistics: EMNLP 2020*. Online: Association for Computational Linguistics, pp. 1627–1643. DOI: [10.18653/v1/2020.findings-emnlp.147](https://doi.org/10.18653/v1/2020.findings-emnlp.147). URL: <https://aclanthology.org/2020.findings-emnlp.147>.
- Koehn, Philipp (2009). *Statistical Machine Translation*. Cambridge University Press.
- Lambert, Patrik et al. (2005). “Guidelines for Word Alignment Evaluation and Manual Alignment”. In: *Language Resource and Evaluation* 39, pp. 267–285. DOI: [10.1007/s10579-005-4822-5](https://doi.org/10.1007/s10579-005-4822-5).

- Liver, Ricarda (1999). *Rätoromanisch: Eine Einführung in das Bündnerromanische*. Tübingen: Narr.
- Melamed, I. Dan (1998). “Annotation Style Guide for the Blinker Project”. In: *CoRR* cmp-lg/9805004. URL: <http://arxiv.org/abs/cmp-lg/9805004>.
- Mihalcea, Rada and Ted Pedersen (2003). “An Evaluation Exercise for Word Alignment”. In: *Proceedings of the HLT-NAACL 2003 Workshop on Building and Using Parallel Texts: Data Driven Machine Translation and Beyond*, pp. 1–10. URL: <https://aclanthology.org/W03-0301>.
- Och, Franz Josef and Hermann Ney (Oct. 2000). “Improved Statistical Alignment Models”. In: *Proceedings of the 38th Annual Meeting of the Association for Computational Linguistics*. Hong Kong: Association for Computational Linguistics, pp. 440–447. DOI: 10.3115/1075218.1075274. URL: <https://aclanthology.org/P00-1056>.
- Price, Glanville (2008). *A Comprehensive French Grammar*. Blackwell Publishing.
- Schmid, Heinrich (1982). *Richtlinien für die Gestaltung einer gesamtbündnerromanischen Schriftsprache RUMANTSCH GRISCHUN*. Lia Rumantscha.
- Standeskanzlei Graubünden (2022). *State Chancellery of Grisons*. URL: <https://www.gr.ch/EN/institutions/administration/staka/Seiten/Home.aspx> (visited on 06/29/2022).
- Steingrímsson, Steinþór, Hrafn Loftsson, and Andy Way (May 2021). “CombAlign: a Tool for Obtaining High-Quality Word Alignments”. In: *Proceedings of the 23rd Nordic Conference on Computational Linguistics (NoDaLiDa)*. Reykjavik, Iceland (Online): Linköping University Electronic Press, Sweden, pp. 64–73. URL: <https://aclanthology.org/2021.nodalida-main.7>.
- Tscharner, Gion and Duri Denoth (n.d.). *Grammatikteil des Vallader / Grammatica valladar*. URL: http://www.udg.ch/dicziunari/files/grammatica_vallader.pdf.
- Valär, Rico Franc (2012). “Geschichte und Gegenwart des Rätoromanischen in Graubünden und im Rheintal”. In: ed. by Gerhard Wanner and Georg Jäger. Chur: Desertina. Chap. Wie die Anerkennung des Rätoromanischen die Schweiz einte. Einige Hintergründe zur Volksabstimmung vom 20. Februar 1938, pp. 101–116.
- Vronis, Jean and Philippe Langlais (2000). *Evaluation of parallel text alignment systems - The ARCADE project*.