

The Price Air Pollution
1436 - Spatial Economics

Group II

12/31/2022



1 Introduction

In 2019 the major premature death causes in China were cardiovascular diseases totaling 43 percent, followed by malignant neoplasms (26 percent), respiratory diseases (10 percent), unintentional injuries (6 percent) and neurological conditions (4 percent). Other conditions that accounted for between 3 and 1 percent of premature deaths, in descending order, were digestive diseases, genitourinary diseases, respiratory infections, diabetes mellitus and infectious and parasitic diseases.

2 Literature review

2.1 Effects of air pollution on health

Analysing the effect of air pollution on health expenditures implicitly implies the aforementioned causal transition dependencies. Various studies have identified direct effects of exposure to air pollution on health.

Franklin, Brook, Pope III (2015) and Fiordelisi et al. (2017) demonstrate that the risk of cardiovascular diseases and the triggering of acute cardiac events is increased by PM air pollution. The pathways through which this occurs include the generation of proinflammatory or oxidative stress mediators in the lung that enter the systemic circulation, the direct infiltration of certain particles or components into the cardiovascular tissue, or an imbalance of the autonomous nervous system. In that context, Hoek et. al (2013) quantify the effect of PM_{2.5} long-term exposure by conducting a meta-analytic review of previous studies. Their pooled estimate indicates an increase in all-cause mortality and cardiovascular mortality of 6 percent and 11 percent, respectively, if increments of PM_{2.5} are increased by 10- $\mu\text{g}/\text{m}^3$. Equivalently, an increase in NO concentration of the same magnitude leads to an increased all-cause mortality of five percent.

tbd Respiratory diseases tbd lung cancer

tbd DALY

Additionally, Zhao et al. suggest that based on recent findings air pollution may be involved in the development of autoimmune diseases such as diabetes mellitus, multiple sclerosis, or rheumatoid arthritis. The authors argue that air pollution can cause imbalances in T cells, the production of proinflammatory cytokines, oxidative stress, local pulmonary inflammation and methylation changes. These effects are involved with initiating or aggravating autoimmune diseases.

2.2 Air pollutions policies from 2011 to 2018

Air pollution in China has been a major public health problem for many years. However in recent years the government has taken various measures to address the issue. One of the main focuses of these measures has been to reduce emissions of particulate matter, sulfur dioxide and nitrogen oxides. In 2013, prompted by a period of heavy smog in eastern China, the government introduced an "Air Pollution Control Action Plan" to combat air pollution, which included specific targets for reducing particulate matter, sulfur dioxide, and nitrogen oxide emissions. More specifically, targets included, among others, reducing PM₁₀ concentrations in cities by more than 10 percent and reducing PM_{2.5} concentrations in the Beijing-Tianjin-Hebei, Yangtze River Delta and Pearl River Delta regions of around 25, 20 and 15 percent, respectively.

Furthermore, the 13th Five-Year Plan (2016-2020) also set a target to reduce PM_{2.5} concentrations in areas heavily affected by air pollution by 18 percent by 2020. Targets have also been set for reducing sulfur dioxide and nitrogen oxide emissions by 15 percent and 15 percent, respectively, compared to 2015 levels. Huang, Pan, Guo, Li (2018) indicate in their analysis, in which they map the national air quality in 74 cities that the issued Air Pollution Prevention and Control Action Plan (APPCAP) in 2013 has shown effect. Between 2013 and 2017 PM_{2.5} concentrations have reduced in average by about 33 percent, and PM₁₀ concentrations by about 28 percent. Sulfur dioxide concentrations have reduced as well with an average reduction of about 54 percent. Nitrogen Oxides emissions, however, have not significantly decreased.

In summary, a number of measures have been taken by the Chinese government from 2011 to 2018 to reduce air pollution, including stricter emission standards for vehicles, power plants and industrial facilities, and the

closure or upgrading of older, heavily polluting factories, which were partially effective.

3 Data

4 Methodology

5 Results

Table 1: Results OLS & SLX

	<i>Dependent variable:</i>	
	OLS	SLX
log(Disposable Income per Capita Rural)	1.072*** (0.067)	
log(Disposable Income per Capita Urban)		1.180*** (0.081)
log(Forest Coverage Rate)	0.490*** (0.102)	0.287** (0.144)
log(Urban Population)	0.308** (0.145)	0.504*** (0.135)
log(Waste Gas Emissions Nitrogen)	−0.045 (0.035)	0.006 (0.041)
log(Waste Gas Emissions Particulate Matter)	0.063*** (0.024)	0.032 (0.023)
log(Waste Gas Emissions Sulphur)	−0.007 (0.016)	−0.063** (0.028)
log(Waste Gas Emissions Nitrogen Lag)		−0.111 (0.088)
log(Waste Gas Emissions Particulate Matter Lag)		0.117*** (0.040)
log(Waste Gas Emissions Sulphur Lag)		0.093** (0.041)
<i>Note:</i>		
*p<0.1; **p<0.05; ***p<0.01		