

# A linguagem de programação C++ e por que você deveria aprendê-la

ISO/IEC 14882:2017 (C++ 17)

Fabio Galuppo, M.Sc.

http://fabiogaluppo.com e http://simplycpp.com/
fabiogaluppo@acm.org

@FabioGaluppo

Microsoft MVP Visual Studio and Development Technologies <a href="https://mvp.microsoft.com/en-us/PublicProfile/9529">https://mvp.microsoft.com/en-us/PublicProfile/9529</a>

http://bit.ly/XV Jornada UNESP Bauru

## **Stack Overflow**

#### **Developer Survey Results 2017**

#### **Programming Languages**



## **TIOBE Index for May 2017**

Java and C are in a heavy downward trend since the beginning of 2016. Both languages have lost more than 6% if compared to last year. So which programming languages are taking advantage of this drop? Well, actually all the other languages. Since software is adopted by more and more domains nowadays, C (low level software development) and Java (high level software development) apparently don't suffice any more. To illustrate this point, a rating of 0.6% was sufficient to reach the top 20 in 2012. Nowadays this would put you at position 33.

May 2017	May 2016	Change	Programming Language	Ratings	Change
1	1		Java	14.639%	-6.32%
2	2		С	7.002%	-6.22%
3	3		C++	4.751%	-1.95%
4	5	^	Python	3.548%	-0.24%
5	4	<b>~</b>	C#	3.457%	-1.02%
6	10	*	Visual Basic .NET	3.391%	+1.07%
7	7		JavaScript	3.071%	+0.73%
8	12	*	Assembly language	2.859%	+0.98%
9	6	•	PHP	2.693%	-0.30%
10	9	<b>~</b>	Perl	2.602%	+0.28%
11	8	<b>~</b>	Ruby	2.429%	+0.09%
12	13	^	Visual Basic	2.347%	+0.52%
13	15	^	Swift	2.274%	+0.68%
14	16	^	R	2.192%	+0.86%
15	14	<b>~</b>	Objective-C	2.101%	+0.50%
16	42	*	Go	2.080%	+1.83%

https://www.tiobe.com/tiobe-index/

## IEEE Spectrum The 2016 Top Programming Languages C is No. 1, but big data is still the big winner

The default preset is intended to echo the interests of the average IEEE member. So what are *Spectrum*'s Top Ten Languages for 2016?

Lar	iguage Rank	Types	Spectrum Ranking
1.	С	□ 🖵 🗯	100.0
2.	Java	$\bigoplus$ $\square$ $\square$	98.1
3.	Python	$\oplus$ $\Box$	98.0
4.	C++		95.9
5.	R	7	87.9
6.	C#	$\bigoplus$ $\square$ $\square$	86.7
7.	PHP	$\oplus$	82.8
8.	JavaScript		82.2
9.	Ruby	$\oplus$ $\Box$	74.5
10.	Go	⊕ 🖵	71.9

After two years in second place,  $\underline{C}$  has finally edged out  $\underline{Java}$  for the top spot. Staying in the top five,  $\underline{Python}$  has swapped places with  $\underline{C++}$  to take the No. 3 position, and  $\underline{C\#}$  has fallen out of the top five to be replaced with  $\underline{R}$ .  $\underline{R}$  is following its momentum from previous years, as part of a positive trend in general for modern big-data languages that Diakopoulos  $\underline{analyses}$  in  $\underline{more}$  detail here.

# The RedMonk Programming Language Rankings January 2017



2 Java

3 Python

4 PHP

5 C#


5 C++

7 CSS

7 Ruby

9 C

10 Objective-C



# The Computer Language Benchmarks Game C++ g++ programs versus C gcc

n-body						mandelbrot					
source	secs	mem	gz	cpu	cpu load	source	secs	mem	gz	cpu	cpu load
C++ g++	9.31	1,052	1544	9.30	1% 1% 1% 100%	C++ g++	1.73	34,064	1002	6.80	98% 98% 98% 99%
C gcc	9.96	1,016	1490	9.95	1% 1% 1% 100%	C gcc	1.65	32,684	1135	6.53	99% 99% 100% 99%
binary-tree	S					pidigits					
source	secs	mem	gz	cpu	cpu load	source	secs	mem	gz	cpu	cpu load
<u>C++ g++</u>	2.36	114,404	809	7.69	86% 71% 87% 85%	C++ g++	1.89	3,868	508	1.89	100% 1% 2% 1%
C gcc	2.38	131,728	836	7.70	98% 87% 73% 68%	C gcc	1.73	2,116	448	1.73	1% 99% 1% 0%
spectral-no	<u>rm</u>					fasta					
source	secs	mem	gz	cpu	cpu load	source	secs	mem	gz	cpu	cpu load
<u>C++ g++</u>	1.99	1,880	1044	7.89	100% 99% 99% 99%	C++ g++	1.48	4,176	2313	5.25	89% 90% 88% 89%
C gcc	1.99	1,824	1139	7.88	99% 99% 99% 100%	C gcc	1.33	2,856	2249	5.28	100% 99% 100% 99%

# The Computer Language Benchmarks Game C++ g++ programs versus Java

binary-tree	s										
source	secs	mem	gz	cpu	cpu load	spectral-no	<u>rm</u>				
C++ g++	2.36	114,404	809	7.69	86% 71% 87% 85%	source	secs	mem	gz	cpu	cpu load
Java	11.26	593,156	835	39.02	85% 88% 90% 88%	<u>C++ g++</u>	1.99	1,880	1044	7.89	100% 99% 99% 99%
Java	11.20	393,130	033	39.02		Java	4.29	29,884	950	16.56	96% 97% 99% 95%
mandelbrot	<u>t</u>					pidigits					
source	secs	mem	gz	cpu	cpu load	source	secs	mem	gz	cpu	cpu load
C++ g++	1.73	34,064	1002	6.80	98% 98% 98% 99%	C++ g++	1.89	3,868	508	1.89	100% 1% 2% 1%
Java	7.10	90,588	796	27.92	99% 99% 98% 98%	Java	3.06	31,760	938	3.16	6% 3% 97% 1%
						_					
n-body						<u>fasta</u>					
source	secs	mem	gz	cpu	cpu load	source	secs	mem	gz	cpu	cpu load
	9.31	1,052	1544	9.30	1% 1% 1% 100%	C++ g++	1.48	4,176	2313	5.25	89% 90% 88% 89%
C++ g++						Java	2.13	36,036	2457	5.66	94% 58% 59% 60%
lava	21.54	27.092	1489	21.56	1% 1% 100% 1%						



## O que é C++?

What is C++?

Template meta-programming!


Class hierarchies

A hybrid language

Buffer overflows

Classes

Too big!



Generic programming

programming language

It's C!

Embedded systems programming language

Low level!

An object-oriented programming language A random collection of features

Stroustrup - ACCU'13


Fonte: http://www.stroustrup.com/


## The C++ Programming Language

C++ is a general purpose programming language with a bias towards systems programming that

- is a better C
- supports <u>data abstraction</u>
- supports <u>object-oriented programming</u>
- supports generic programming.

C++ is a general purpose programming language designed to make programming more enjoyable for the serious programmer.







Fonte: <a href="http://www.stroustrup.com/">http://www.stroustrup.com/</a>

Computing Reviews







IEEE Computer Magazine Volume:45, Issue: 1

http://dx.doi.org/10.1109/MC.2011.353

"A light-weight abstraction programming language

#### Key strengths:

## C++ 11 The Future is here

- software infrastructure
- resource-constrained applications"
- -- <u>http://www.infoq.com/presentations/Cplusplus-11-Bjarne-Stroustrup</u>

## C++: o início

- 1979 (C com Classes)
- 1985 (Primeira versão comercial)

http://www.softwarepreservation.org/projects/c plus plus

1979 April

Work on C with Classes began

1979 October

First C with Classes (Cpre) running

1983 August

First C++ in use at Bell Labs

1984

C++ named

1985 February

Cfront Release E (first external C++ release)

1985 October

Cfront Release 1.0 (first commercial release)

The C++ Programming Language



http://www.softwarepreservation.org/projects/c\_plus\_plus/cfront/release\_1.0/src/cfront/

#### Release 1.0

Cfront 1.0, in October 1985, was the first commercial release.

#### Source Code

Release 1.0, AT&T Technologies, Inc. Files timestamped February 7, 1986.

## C++: o caminho para o ISO C++

- 1990 (ANSI C++ Standard baseado no "ARM")
- 1998 (Primeira versão do padrão ISO C++) <a href="https://www.iso.org/standard/25845.html">https://www.iso.org/standard/25845.html</a>
- 2003 (Segunda versão do padrão ISO C++)
   <a href="https://www.iso.org/standard/38110.html">https://www.iso.org/standard/38110.html</a>
- 2011 (Terceira versão do padrão ISO C++) <a href="https://www.iso.org/standard/50372.html">https://www.iso.org/standard/50372.html</a>
- 2014 (Quarta versão do padrão ISO C++)
   <a href="https://www.iso.org/standard/64029.html">https://www.iso.org/standard/64029.html</a>
- 2017 (Quinta versão do padrão ISO C++)

<u>https://www.iso.org/standard/68564.html</u> (em andamento)
<u>http://www.open-std.org/jtc1/sc22/wg21/docs/papers/2017/n4659.pdf</u> (*draft* atual)

## Linguagem + Biblioteca

#### C++ 17: <a href="https://github.com/cplusplus/draft">https://github.com/cplusplus/draft</a>

Document Number: Number: Date: 2
Revises: Number: Numb

N4659 2017-03-21 N4640 Richard Smith Google Inc cxxeditor@gmail.com

Working Draft, Standard for Programming Language C++

acesso em: 01 de Junho de 2017

Table 5 — Keywords

alignas	continue	friend	register	true
alignof	decltype	goto	reinterpret_cast	try
asm	default	if	return	typedef
auto	delete	inline	short	typeid
bool	do	int	signed	typename
break	double	long	sizeof	union
case	dynamic_cast	mutable	static	unsigned
catch	else	namespace	static_assert	using
char	enum	new	static_cast	virtual
char16_t	explicit	noexcept	struct	void
char32_t	export	nullptr	switch	volatile
class	extern	operator	template	wchar_t
const	false	private	this	while
constexpr	float	protected	thread_local	
const_cast	for	public	throw	

C++ 14: ISO/IEC 14882:2014

ISO/IEC 14882:2014 specifies requirements for implementations of the C++ programming language. The first such requirement is that they implement the language, and so this International Standard also defines C++. Other requirements and relaxations of the first requirement appear at various places within this International Standard.

C++ is a general purpose programming language based on the C programming language as described in ISO/IEC 9899:1999 Programming languages? C (hereinafter referred to as the C standard). In addition to the facilities provided by C, C++ provides additional data types, classes, templates, exceptions, namespaces, operator overloading, function name overloading, references, free store management operators, and additional

library facilities.

## Compiladores







5.11 Keywords [lex.key] [5. Lexical conventions [lex]]

## !"Hello, World!"

```
unsigned long long pow(unsigned int base, unsigned int exponent) {
    long long result = 1;
    while (exponent-- > 0) {
        result *= base;
    return result;
#include <iostream>
int main() {
    std::cout << "2^4 = " << pow(2, 4) << "\n";
    std::cout << "3^3 = " << pow(3, 3) << "\n";
    std::cout << "4^3 = " << pow(4, 3) << "\n";
    std::cout << "5^2 = " << pow(5, 2) << "\n";
    return 0;
```

```
C:\__repo\cpp>g++ -pipe -Wall -O2 -std=c++14 -S pow_test.cpp
C:\__repo\cpp>a
2^4 = 16
3^3 = 27
4^3 = 64
5^2 = 25
```

## C++ Explorer

```
Compiler Explorer
                                  Editor
                                           Diff View
                                                      More ▼
                                                                                        x86-64 gcc 6.3 (Editor #1, Compiler #1) ×
C++ source #1 X
A≠
                                                                                        x86-64 gcc 6.3
                                                                                                                   -O2 -march=native
    1 unsigned long long pow(unsigned int base, unsigned int exponent) {
           long long result = 1;
                                                                                         11010
                                                                                                LX0:
    2
           while (exponent-- > 0) {
                                                                                               pow(unsigned int, unsigned int):
               result *= base;
                                                                                                                 edx, [rsi-1]
                                                                                                         lea
    5
                                                                                                                 esi, esi
                                                                                                         test
           return result;
                                                                                                                  .L4
                                                                                                         jе
    7 }
                                                                                                                 edi, edi
                                                                                                        mov
                                                                                                                 eax, 1
                                                                                                        mov
                                                                                               .L3:
                                                                                             8
                                                                                                                 edx, 1
                                                                                                         sub
                                                                                             9
                                                                                                                 rax, rdi
                                                                                                         imul
                                                                                                                 edx. -1
                                                                                            10
                                                                                                         cmp
                                                                                                        jne
                                                                                            11
                                                                                                                  .L3
                                                                                            12
                                                                                                         ret
                                                                                            13 .L4:
                                                                                            14
                                                                                                        mov
                                                                                                                 eax, 1
                                                                                            15
                                                                                                         ret
```

# Eu quero aprender C++! Por onde começar?

Bjarne Stroustrup

The Essence of C++: With Examples in C++84, C++98, C++11, and C++14

#### **Abstract**

- C++11 is being deployed and the shape of C++14 is becoming clear. This talk
  examines the foundations of C++. What is essential? What sets C++ apart from
  other languages? How does new and old features support (or distract from) design
  and programming relying on this essence.
- I focus on the abstraction mechanisms (as opposed to the mapping to the machine): Classes and templates. Fundamentally, if you understand vector, you understand C++.
- Type safety and resource safety are key design aims for a program. These aims must be met without limiting the range of applications and without imposing significant run-time or space overheads. I address issues of resource management (garbage collection is not an ideal answer and pointers should not be used as resource handles), generic programming (we must make it simpler and safer), compile-time computation (how and when?), and type safety (casts belongs in the lowest-level hardware interface). I will touch upon move semantics, exceptions, concepts, type aliases, and more. My aim is not so much to present novel features and technique, but to explore how C++'s feature set supports a new and more effective design and programming style.
- Primary audience
  - Experienced programmers with weak C++ understanding
  - Academics/Teachers/Mentors
  - Architects (?)


Stroustrup - Essence - Going Native'13


2

Bestseller Since 1986
Completely Rewritten for the New Cool 11 Standard

Primer


Stanley B. Lippman
Josée Lajoie
Barbara Moo






http://channel9.msdn.com/Events/GoingNative/2013/Opening-Keynote-Bjarne-Stroustrup


## Standard Template Library (STL)



http://www.cplusplus.com

Selected Standard Library Headers			
<algorithm></algorithm>	copy(), find(), sort()	§iso.25	
<array></array>	array	§iso.23.3.2	
<chrono></chrono>	duration, time_point	§iso.20.11.2	
<cmath></cmath>	sqrt(), pow()	§iso.26.8	
<complex></complex>	complex, sqrt(), pow()	§iso.26.8	
<forward_list></forward_list>	forward_list	§iso.23.3.4	
<fstream></fstream>	fstream, ifstream, ofstream	§iso.27.9.1	
<future></future>	future, promise	§iso.30.6	
<ios></ios>	hex,dec,scientific,fixed,defaultfloat	§iso.27.5	
<iostream></iostream>	istream, ostream, cin, cout	§iso.27.4	
<map></map>	map, multimap	§iso.23.4.4	
<memory></memory>	unique_ptr, shared_ptr, allocator	§iso.20.6	
<random></random>	default_random_engine, normal_distribution	§iso.26.5	
<regex></regex>	regex, smatch	§iso.28.8	
<string></string>	string, basic_string	§iso.21.3	
<set></set>	set, multiset	§iso.23.4.6	
<sstream></sstream>	istrstream, ostrstream	§iso.27.8	
<stdexcept></stdexcept>	length_error, out_of_range, runtime_error	§iso.19.2	
<thread></thread>	thread	§iso.30.3	
<unordered_map></unordered_map>	unordered_map, unordered_multimap	§iso.23.5.4	
<utility></utility>	move(), swap(), pair	§iso.20.1	
<vector></vector>	vector	§iso.23.3.6	







## Stepanov, STL e Programação Genérica


• The Standard Template Library, or *STL*, is a C++ library of **container classes**, **algorithms**, and **iterators**; it provides many of the basic algorithms and data structures of computer science. The STL is a *generic* library, meaning that its components are heavily parameterized: almost every component in the STL is a template. You should make sure that you understand how templates work in C++ before you use the STL.

https://www.sgi.com/tech/stl/stl introduction.html

Alexander Stepanov









without loss of efficiency





## Programação Concorrente com C++

```
#include <thread>
#include <future>
#include <atomic>
#include <mutex>
#include <condition_variable>
```



Atomic and thread supp	ort			
Support for atomics and threads:				
Headers				
Headers				
<pre>Headers <atomic></atomic></pre>	Atomic (header)			
	Atomic (header) Thread (header)			
<atomic></atomic>	` '			
<atomic> <thread></thread></atomic>	Thread (header)			



**DIEGO DAGUM** *is a software developer with more than 20 years of experience. He's currently a Visual C++ community program manager with Microsoft.* 


**THANKS** to the following technical experts for reviewing this article: David Cravey, Alon Fliess Fabio Galuppo and Marc Gregoire

## **TECNOLOGIAS QUE UTILIZAM C++**



Get	Started w	ith .NET C	ore
Windows	Linux	Mac	Docker
			Learn more about .NET Core


amd64	[x64/Linux] Use correct argument registers in InterpreterStub (#12002)
<b>arm</b> arm	Finish deleting dead CAS code from CoreLib (#11436)
arm64	[Arm64/Win] Revise JIT_MemSet (#11420)
coreclr	Initial change to support System.Private.CoreLib.dll as Core Library.
crossgen crossgen	Finish deleting dead CAS code from CoreLib (#11436)
crossgen_mscorlib	Remove files related to legacy build system (#8723)
dac dac	Remove files related to legacy build system (#8723)
ii i386	Linux/x86: Fix clang 4.0 build (#11610)
wks	Fix AsmConstants.inc to be incrementally rebuilt as necessary
gitmirror	Initial commit to populate CoreCLR repo
CMakeLists.txt	Finish deleting dead CAS code from CoreLib (#11436)
CIrEtwAll.man	Fix Externally reported issue with are ETW logging messages (#11722)
☐ CIrEtwAllMeta.lst	adding more context
appdomain.cpp	Finish deleting dead CAS code from CoreLib (#11436)
appdomain.hpp	Finish deleting dead CAS code from CoreLib (#11436)
appdomain.inl	Finish deleting dead CAS code from CoreLib (#11436)
appdomainconfigfactory.hpp	Update license headers
appdomainnative.cpp	Finish deleting dead CAS code from CoreLib (#11436)
appdomainnative.hpp	Finish deleting dead CAS code from CoreLib (#11436)
appxutil.cpp	Remove hosting methods that always return false (#9930)
appxutil.h	Delete dead code
argdestination.h	For Reflection invoke, use ArgLocDesc
argslot.h	Update license headers
armsinglestepper.h	Update license headers
array.cpp	Refactor MethodTable::ContainsStackPtr (#5754)
array.h	Update license headers
assembly.cpp	Finish deleting dead CAS code from CoreLib (#11436)



a background.cpp	SERVER-23971 Clang-Format code	a year ago
a background.h	SERVER-23971 Clang-Format code	a year ago
client.cpp	SERVER-28201 Allow detatching of the current Client	a month ago
client.h	SERVER-28201 Allow detatching of the current Client	a month ago
clientcursor.cpp	SERVER-28327 Revamp cursor timeout logic.	29 days ago
clientcursor.h	SERVER-21754 Partition CursorManager's structures	6 days ago
cloner.cpp	SERVER-29088 Cache uuid in Collection class to fix perf regression	24 days ago
cloner.h	SERVER-27938 Rename all OperationContext variables to opCtx	3 months ago
collection_index_usage_tracker.cpp	SERVER-20520 Include index key in \$indexStats return documents	2 years ago
collection_index_usage_tracker.h	SERVER-20520 Include index key in \$indexStats return documents	2 years ago
collection_index_usage_tracker_test	SERVER-24508 BSONObj::ComparatorInterface	10 months ago
commands.cpp	SERVER-29264 Replace RequestInterface with OpMsgRequest in mongod com	2 days ago
commands.h	SERVER-29264 Replace RequestInterface with OpMsgRequest in mongod com	2 days ago
commands_test.cpp	SERVER-27773 add operationTime field to the command response	3 months ago
conn_pool_options.cpp	SERVER-20096: ExportedServerParameter <t> is not thread-safe for param</t>	2 years ago
conn_pool_options.h	SERVER-18579: Clang-Format - reformat code, no comment reflow	2 years ago
curop.cpp	SERVER-28575 Profile entry for update/delete should contain entire ra	9 days ago
curop.h	SERVER-28575 Profile entry for update/delete should contain entire ra	9 days ago
curop_metrics.cpp	SERVER-23971 Clang-Format code	a year ago
curop_metrics.h	SERVER-18579: Clang-Format - reformat code, no comment reflow	2 years ago
cursor_id.h	SERVER-18766 Pull definition of Cursorld out into its own header	2 years ago
db.cpp	SERVER-29254 Moved MinValid into ReplicationProcess	2 days ago
i db.h	SERVER-27987 Create and persist UUIDs for newly created collections	3 months ago



handle_wrap.cc	src: implement native changes for async_hooks	22 days ago
handle_wrap.h	src: implement native changes for async_hooks	22 days ago
inspector_agent.cc	async_hooks: implement C++ embedder API	5 days ago
inspector_agent.h	inspector: add missing virtual destructor	6 days ago
inspector_io.cc	inspector: bind to random port withinspect=0	2 days ago
inspector_io.h	inspector: bind to random port withinspect=0	2 days ago
inspector_socket.cc	inspector: handle socket close before close frame	20 days ago
inspector_socket.h	inspector: zero out structure members	8 months ago
inspector_socket_server.cc	inspector: fix processdebugEnd() for inspector	10 days ago
inspector_socket_server.h	inspector: fix processdebugEnd() for inspector	10 days ago
js_stream.cc	src: implement native changes for async_hooks	22 days ago
is_stream.h	src: implement native changes for async_hooks	22 days ago
node.cc	inspector: bind to random port withinspect=0	2 days ago
node.d	dtrace: add missing translator	5 years ago
node.h	async_hooks: implement C++ embedder API	5 days ago
node.stp	meta: restore original copyright header	3 months ago
node_api.cc	n-api: enable napi_wrap() to work with any object	3 hours ago
node_api.h	n-api: add napi_get_version	6 days ago
node_api_types.h	n-api: implement async helper methods	2 months ago
node_buffer.cc	lib,src: refactor buffer out of range index	5 days ago
node_buffer.h	meta: restore original copyright header	3 months ago
node_config.cc	src: addpending-deprecation and NODE_PENDING_DEPRECATION	a month ago
node_constants.cc	src: reduce number of exported symbols	2 months ago
node_constants.h	crypto: add sign/verify support for RSASSA-PSS	2 months ago
node_contextify.cc	vm: fix race condition with timeout param	9 days ago
node_counters.cc	meta: restore original copyright header	3 months ago



#### Addons

Node.js Addons are dynamically-linked shared objects, written in C or C++, that can be loaded into Node.js using the require() function, C/C++ libraries.

https://github.com/nodejs/node/tree/master/src



Executor.cpp	Add keepAlive() mechanism	4 months ago
Executor.h	Add keepAlive() mechanism	4 months ago
Expected.h	Suppress more warnings for MSVC	2 months ago
FBString.h	Enable -Wimplicit-fallthrough	11 days ago
FBVector.h	Don't use macros for FBVector::insert	2 months ago
File.cpp	Helper utility to construct, returns an Expected <>	a month ago
File.h	Helper utility to construct, returns an Expected <>	a month ago
FileUtil.cpp	2017	5 months ago
FileUtil.h	2017	5 months ago
Fingerprint.h	2017	5 months ago
FixedString.h	FixedString gets comparisons with folly::Range and hence with std::st	28 days ago
Foreach.h	folly/Foreach.h: avoid shadowing warnings	3 months ago
Format-inl.h	Fix FBString with MSVC	24 days ago
Format.cpp	add FOLLY_FALLTHROUGH throughout to satisfy internal linter	22 days ago

#### Folly: Facebook Open-source Library

#### What is folly?

Folly (acronymed loosely after Facebook Open Source Library) is a library of C++11 components designed with practicality and efficiency in mind. Folly contains a variety of core library components used extensively at Facebook. In particular, it's often a dependency of Facebook's other open source C++ efforts and place where those projects can share code.

It complements (as opposed to competing against) offerings such as Boost and of course std. In fact, we embark on defining our own component only when something we need is either not available, or does not meet the needed performance profile. We endeavor to remove things from folly if or when std or Boost obsoletes them.

Performance concerns permeate much of Folly, sometimes leading to designs that are more idiosyncratic than they would otherwise be (see e.g. PackedSyncPtr.h , SmallLocks.h ). Good performance at large scale is a unifying theme in all of Folly.

https://github.com/facebook/folly



PackedNormal.h	Updating copyright notices to 2017 (copying from //Tasks/UE4/Dev-Copy	6 months ago
RenderCommandFence.h	Updating copyright notices to 2017 (copying from //Tasks/UE4/Dev-Copy	6 months ago
RenderCore.h	Updating copyright notices to 2017 (copying from //Tasks/UE4/Dev-Copy	6 months ago
RenderResource.h	Copying //UE4/Dev-Core to //UE4/Dev-Main (Source: //UE4/Dev-Core @ 33	3 months ago
RenderUtils.h	Copying //UE4/Dev-Rendering to //UE4/Dev-Main (Source: //UE4/Dev-Rend	6 months ago
RendererInterface.h	Copying //UE4/Dev-Rendering to //UE4/Dev-Main (Source: //UE4/Dev-Rend	2 months ago
RenderingThread.h	Copying //UE4/Dev-Core to //UE4/Dev-Main (Source: //UE4/Dev-Core @ 33	3 months ago
TickableObjectRenderThread.h	Updating copyright notices to 2017 (copying from //Tasks/UE4/Dev-Copy	6 months ago
UniformBuffer.h	Updating copyright notices to 2017 (copying from //Tasks/UE4/Dev-Copy	6 months ago

AtmosphereTextureParameters.h	Updating copyright notices to 2017 (copying from //Tasks/UE4/Dev-Copy	6 months ago
DecalRenderingCommon.h	Updating copyright notices to 2017 (copying from //Tasks/UE4/Dev-Copy	6 months ago
■ DrawingPolicy.h	Copying //UE4/Dev-Rendering to //UE4/Dev-Main (Source: //UE4/Dev-Rend	2 months ago
GlobalDistanceFieldParameters.h	Updating copyright notices to 2017 (copying from //Tasks/UE4/Dev-Copy	6 months ago
HdrCustomResolveShaders.h	Updating copyright notices to 2017 (copying from //Tasks/UE4/Dev-Copy	6 months ago
MaterialShader.h	Updating copyright notices to 2017 (copying from //Tasks/UE4/Dev-Copy	6 months ago
MeshMaterialShader.h	Updating copyright notices to 2017 (copying from //Tasks/UE4/Dev-Copy	6 months ago
PostProcessParameters.h	Updating copyright notices to 2017 (copying from //Tasks/UE4/Dev-Copy	6 months ago
PrimitiveSceneInfo.h	Updating copyright notices to 2017 (copying from //Tasks/UE4/Dev-Copy	6 months ago
SceneRenderTargetParameters.h	Require explicit material domain when setting deferred params safety	13 days ago
VolumeRendering.h	Copying //UE4/Dev-Rendering to //UE4/Dev-Main (Source: //UE4/Dev-Rend	2 months ago

https://www.unrealengine.com/ue4-on-github

### **BIBLIOTECAS PARA C++**

## ZeroMQ

http://zeromq.org

- Intelligent socket library for messaging
  - Variedade nos padrões de comunicação
    - Request-Reply, Publisher-Subscriber, Push-Pull, Dealer-Router, ...
  - Suporta: inproc, IPC, TCP, TIPC, multicast
- Modelo de concorrência baseado em atores (Erlang-style)
- Open Source (escrita em C++)
- Multiplas plataformas
- Integração com diversas linguagens (mais de 30)
  - C, C++, Java, C#, Python, ...
- Deploy simples (uma library)
- Alta performance
  - <a href="http://zeromq.org/results:multicore-tests">http://zeromq.org/results:multicore-tests</a>
    - ~6 milhões de mensagens por segundo



## **Boost**

#### http://boost.org/



Boost provides free peer-reviewed portable C++ source libraries.

We emphasize libraries that work well with the C++ Standard Library. Boost libraries are intended to be widely useful, and usable across a broad spectrum of applications. The Boost license encourages both commercial and non-commercial use.

#### I. RAII and Memory Management

- 1. Boost.SmartPointers
- 2. Boost.PointerContainer
- 3. Boost.ScopeExit
- 4. Boost.Pool

#### **II. String Handling**

- 5. Boost.StringAlgorithms
- 6. Boost.LexicalCast
- 7. Boost.Format
- 8. Boost.Regex
- 9. Boost.Xpressive
- 10. Boost.Tokenizer
- 11. Boost.Spirit

#### V. Algorithms

- 29. Boost.Algorithm
- 30. Boost.Range
- 31. Boost.Graph

#### **III. Containers**

- 12. Boost.MultiIndex
- 13. Boost.Bimap
- 14. Boost.Array
- 15. Boost.Unordered
- 16. Boost.CircularBuffer
- 17. Boost.Heap
- 18. Boost.Intrusive
- 19. Boost.MultiArray
- 20. Boost.Container

#### **IV. Data Structures**

- 21. Boost.Optional
- 22. Boost.Tuple
- 23. Boost.Anv
- 24. Boost.Variant
- 25. Boost.PropertyTree
- 26. Boost.DynamicBitset
- 27. Boost.Tribool
- 28. Boost.CompressedPair

#### VI. Communication

- 32. Boost.Asio
- 33. Boost.Interprocess
- VII. Streams and Files
- 34. Boost.IOStreams
- 35. Boost.Filesystem

#### VIII. Time

- 36. Boost.DateTime
- 37. Boost.Chrono
- 38. Boost.Timer

#### IX. Functional Programming

- 39. Boost.Phoenix
- 40. Boost.Function
- 41. Boost.Bind
- 42. Boost.Ref
- 43. Boost.Lambda

#### X. Parallel Programming

- 44. Boost.Thread
- 45. Boost. Atomic
- 46. Boost.Lockfree
- 47. Boost.MPI

#### **XI. Generic Programming**

- 48. Boost.TypeTraits
- 49. Boost.EnableIf
- 50. Boost.Fusion

#### **XII. Language Extensions**

- 51. Boost.Coroutine
- 52. Boost.Foreach
- 53. Boost.Parameter
- 54. Boost.Conversion

#### XIII. Error Handling

- 55. Boost.System
- 56. Boost.Exception

#### **XIV. Number Handling**

- 57. Boost.Integer
- 58. Boost. Accumulators
- 59. Boost.MinMax
- 60. Boost.Random
- 61. Boost. Numeric Conversion

#### **XV. Application Libraries**

- 62. Boost.Log
- $63.\ Boost. Program Options$
- 64. Boost.Serialization
- 65. Boost. Uuid

#### **XVI. Design Patterns**

- 66. Boost.Flyweight
- 67. Boost.Signals2
- 68. Boost.MetaStateMachine

#### **XVII. Other Libraries**

- 69. Boost. Utility
- 70. Boost.Assign
- 71. Boost.Swap
- 72. Boost.Operators

https://theboostcpplibraries.com/ http://www.boost.org/doc/libs/1\_64\_0/

## EA Standard Template Library (EASTL)


https://github.com/electronicarts/EASTL



EASTL stands for Electronic Arts Standard Template Library. It is a C++ template library of containers, algorithms, and iterators useful for runtime and tool development across multiple platforms. It is a fairly extensive and robust implementation of such a library and has an emphasis on high performance above all other considerations.

#### **EASTL**


EASTL stands for Electronic Arts Standard Template Library. It is an extensive and robust implementation that has an emphasis on high performance.





source:

The EASTL we've been using in Battlefield and all other Frostbite games is now open





Follow

## Cinder C++

http://libcinder.org/



*Cinder is a C++ library* for programming with aesthetic intent - the sort of development often called *creative coding*. This includes domains like graphics, audio, video, and computational geometry. Cinder is cross-platform, with official support for macOS, Windows, Linux, iOS, and Windows UWP.

Cinder is production-proven, powerful enough to be the primary tool for professionals, but still suitable

for learning and experimentation.



#### Dia Lights

by Kollision, Transform, Martin Professional, Danish Industry

As Denmark's biggest permanent interactive media facade, Dia Lights comprises more than 80.000 individual LEDs and covers an area of 190 x 20 meters on the recently rebuilt HQ of the Confederation of Danish Industry in the heart of Copenhagen.




#### Planetary iPad App

Visualize your music collection on your iPad as a galaxy of stars, planets and moons. This project became Cooper Hewitt National Design Museum's first digital acquisition.

#### https://libcinder.org/gallery

## **TÓPICOS ADICIONAIS SOBRE C++**

## Mais aplicações de C++







http://www.stroustrup.com/applications.html


http://www.lextrait.com/vincent/implementations.html



## ISO C++ (WG 21)



#### http://isocpp.org/



The committee has completed work on C++17, which is now in its final ISO balloting process, and aims to begin work on C++20 in July.

## It's all about Polyglot Programming!



C++ supports systems programming. This implies that C++ code is able to effectively interoperate with software written in other languages on a system. The idea of writing all software in a single language is a fantasy. From the beginning, C++ was designed to interoperate simply and efficiently with C, assembler, and Fortran. By that, I meant that a C++, C, assembler, or Fortran function could call functions in the other languages without extra overhead or conversion of data structures passed among them.

http://www.youtube.com/watch?v=NvWTnloQZj4



Bjarne Stroustrup: The 5 Programming Languages You Need to Know

"Nobody should call themselves a professional if they only knew one language."

...C++, of course; Java; maybe Python for mainline work... And if you know those, you can't help know sort of a little bit about Ruby and JavaScript, you can't help knowing C because that's what fills out the domain and of course C#. But again, these languages create a cluster so that if you knew either five of the ones that I said, you would actually know the others...

## Se quiser saber mais sobre:

Simply C++
C++ Moderno para o Mundo Real
INÍCIO SOBRE O SITE

Policy-based design: log writer
9 de março de 2016 ~ Thiago Massari

Policy-based design

Vamos neste artigo dar mais uma pincelada no Policy-based design. Vamos fazer como exemplo uma classe de log.

C++
Programação Genérica
Iterators
Policy-based Design
Algoritmos

. .

visite:



#### www.simplycpp.com



# Simply C++ C++ Moderno para o Mundo Real INÍCIO SOBRE O SITE Por quem os ponteiros dobram, estrelando std::accumulate 8 de dezembro de 2015 ~ Fabio Galuppo O std::accumulate é um algoritmo de operação numérica, da mesma forma que std::iota explorado anteriormente (http://simplycpp.com/2015/11/06/mestre-iota/), reside no header ~numeric~ da STL:

http://www.cplusplus.com/reference/numeric/accumulate/.

#### http://www.simplycpp.com



# A linguagem de programação C++ e por que você deveria aprendê-la

ISO/IEC 14882:2017 (C++ 17)

Fabio Galuppo, M.Sc.

http://fabiogaluppo.com e http://simplycpp.com/
fabiogaluppo@acm.org

@FabioGaluppo

Microsoft MVP Visual Studio and Development Technologies <a href="https://mvp.microsoft.com/en-us/PublicProfile/9529">https://mvp.microsoft.com/en-us/PublicProfile/9529</a>

http://bit.ly/XV Jornada UNESP Bauru