

# **MuntsOS Embedded Linux**

## ***Application Note #1: Development Environment Setup for Debian Linux***

**Revision 11  
15 February 2022**

**by Philip Munts  
President, Munts Technologies  
<http://tech.munts.com>**

## Introduction

This application note describes how to install the application software development environment for **MuntsOS Embedded Linux** onto a computer running 64-bit Debian Linux or equivalent (e.g. Ubuntu) **apt** based operating system.

This procedure (including the **Easy Setup Script** below) also works with the following environments:

- [Debian Linux on Windows](#) using [Windows Subsystem for Linux](#) on Windows 10 or 11.
- Debian Linux on ChromeOS using [Linux on Chrome OS](#).

## Installation Procedure

*Step 1:* Prepare the system for application software development with the following commands:

```
sudo apt install -y openssh-client build-essential git gnat gprbuild  
libncurses5 wget
```

*Step 2:* Add the [Munts Technologies Debian Package Repository](#) to your system, with the following commands:

```
wget http://repo.munts.com/Debian11/PublicKey.txt  
sudo apt-key add PublicKey.txt && rm PublicKey.txt  
wget http://repo.munts.com/Debian11/<ARCH>/munts-repo.deb  
sudo dpkg -i munts-repo.deb && rm munts-repo.deb  
sudo apt-get update
```

where <ARCH> is one of **amd64**, **arm64**, or **raspberrypi** (which is 32-bit ARMv6).

*Step 3:* Install **MuntsOS** cross-toolchain packages, with one or more of the following commands:

```
sudo apt-get install muntsos-dev-aarch64  
sudo apt-get install muntsos-dev-beaglebone  
sudo apt-get install muntsos-dev-raspberrypi1  
sudo apt-get install muntsos-dev-raspberrypi2
```

Each **MuntsOS** cross-toolchain package contains cross-compilers for the Ada, C, C++, Fortran, Free Pascal, and Go programming languages.

You can also install **all** of the **MuntsOS** cross-toolchain packages at one time with a single command:

```
sudo apt-get install muntsos-dev
```

*Step 4:* Clone the **MuntsOS Embedded Linux** source code tree with **git**:

```
git clone https://github.com/pmunts/muntsos.git
```

## **Easy Setup Script**

The script available at <http://git.munts.com/muntsos/scripts/setup-debian> makes the setup procedure even easier:

```
wget http://git.munts.com/muntsos/scripts/setup-debian  
chmod 755 setup-debian && ./setup-debian && rm setup-debian
```