# tvPlayer as digital props for film and TV

WIP.

### things to do to get this up and running

- 1. run the install sudo bash install.sh script to:
  - o apt-get update
  - o install dependencies
  - run python3 tvPlayer.py on autostart
  - disable window "removable medium is inserted" [BUG!]
  - o create a desktop shortcut to the program

bash install.sh

2. disable (move/remove) autostart file for Eddy-G (if available) from folder

~/.config/autostart

#### old notes

- 2. on the desktop, open any folder, go to edit > preferences > volume management
- something something LXDE autostart script nano ~/.config/lxsession/LXDEpi/autostart
- 4. install script takes care of autostart and creates a file here: ~/.config/autostart

### MPV player: Playable media

The media player MPV (doc wiki) can play pretty much everything - however, filename-endings are fixed to work with <code>.mp4</code>, <code>.mkv</code>, <code>.avi</code>, <code>.mxf</code> and <code>.mov</code> (case insensitive).

it uses ffmpeg to decode, so the list of playable media is huge.

According to the mpv.io website:

File Formats: mpv supports a wide variety of media formats, including popular video files (e.g., MP4, MKV), audio codecs (e.g., AAC, MP3), and subtitles.

Some cherry picked examples:

- Containers: MP4, MKV, AVI, WebM, OGG, FLV, and more.
- Video Codecs: H.264, HEVC, VP8, VP9, AV1, MPEG-4, MPEG-2, and others.
- Audio Codecs: AAC, MP3, Vorbis, FLAC, Opus, AC3, and DTS.
   Subtitle Formats: SRT, ASS, SSA, VTT, and embedded subtitle tracks in containers like MKV.

#### Manually tested:

Mp4 MPEG-4 AAC, H264

- V.avi MPEG-4 mp3
- **u** mkv h264, yuv420p
- **v** mxf mpeg2video (4:2:2), yuv422p
- **☑** .mp4 HEVC, H265
- **☑** .mov H264
- ✓ .mkv "4k UHD" h264 yuv420p works (but stuttering on raspberry pi4 @8gb)

## Also works with images

Filetypes for images: .png, .gif, .tiff, .bmp

NOTICE: Does **not** work with jpg!

## Keyboard controls

UP next channel (next file)  DOWN prev channel (next file)  LEFT jump -5 seconds  RIGHT jump 5 seconds  LEFT and shift pause and one frame backwards  SHIFT pause and one frame forwards  SHIFT por space toggle play / pause  ESC toggle fullscreen  q shutdown raspberry pi  b toggle black screen  c video fitting (contain, stretch or cover)  i set inpoint (where the file starts to play)  I (i and SHIFT) clear inpoint on this video  toggle tv-animations (pause in between channel changes, channel number, vol bars)	Keypress	Action	Note
LEFT jump -5 seconds  RIGHT jump 5 seconds  LEFT and SHIFT pause and one frame backwards  RIGHT and SHIFT pause and one frame forwards  p or space toggle play / pause  ESC toggle fullscreen  q shutdown raspberry pi  b toggle black screen  c video fitting (contain, stretch or cover)  i set inpoint (where the file starts to play)  I (i and SHIFT) clear inpoint on this video  toggle tv-animations (pause in between channel changes, channel	UP	next channel (next file)	
RIGHT jump 5 seconds  LEFT and SHIFT pause and one frame backwards  RIGHT and SHIFT pause and one frame forwards  p or space toggle play / pause  ESC toggle fullscreen  q shutdown raspberry pi  b toggle black screen  c video fitting (contain, stretch or cover)  i set inpoint (where the file starts to play)  I (i and SHIFT) clear inpoint on this video  toggle tv-animations (pause in between channel changes, channel	DOWN	prev channel (next file)	
LEFT and SHIFT pause and one frame backwards  RIGHT and SHIFT pause and one frame forwards  p or space toggle play / pause  ESC toggle fullscreen  q shutdown raspberry pi  b toggle black screen  c video fitting (contain, stretch or cover)  i set inpoint (where the file starts to play)  I (i and SHIFT) clear inpoint on this video  toggle tv-animations (pause in between channel changes, channel	LEFT	jump -5 seconds	
RIGHT and SHIFT pause and one frame forwards  p or space toggle play / pause  ESC toggle fullscreen  q shutdown raspberry pi  b toggle black screen  c video fitting (contain, stretch or cover)  i set inpoint (where the file starts to play)  I (i and SHIFT) clear inpoint on this video  toggle tv-animations (pause in between channel changes, channel	RIGHT	jump 5 seconds	
p or space toggle play / pause  ESC toggle fullscreen  q shutdown raspberry pi  b toggle black screen  c video fitting (contain, stretch or cover)  i set inpoint (where the file starts to play)  I (i and SHIFT) clear inpoint on this video  toggle tv-animations (pause in between channel changes, channel		pause and one frame backwards	
ESC toggle fullscreen  q shutdown raspberry pi  b toggle black screen  c video fitting (contain, stretch or cover)  i set inpoint (where the file starts to play)  I (i and SHIFT) clear inpoint on this video  toggle tv-animations (pause in between channel changes, channel		pause and one frame forwards	
q shutdown raspberry pi  b toggle black screen  c video fitting (contain, stretch or cover)  i set inpoint (where the file starts to play)  I (i and SHIFT) clear inpoint on this video  toggle tv-animations (pause in between channel changes, channel	p <i>or</i> space	toggle play / pause	
b toggle black screen  c video fitting (contain, stretch or cover)  i set inpoint (where the file starts to play)  I (i and SHIFT) clear inpoint on this video  toggle tv-animations (pause in between channel changes, channel	ESC	toggle fullscreen	
c video fitting (contain, stretch or cover)  i set inpoint (where the file starts to play)  I (i and SHIFT) clear inpoint on this video  toggle tv-animations (pause in between channel changes, channel	q	shutdown raspberry pi	
i set inpoint (where the file starts to play)  I (i and SHIFT) clear inpoint on this video  toggle tv-animations (pause in between channel changes, channel	b	toggle black screen	
I (i and SHIFT) clear inpoint on this video  toggle tv-animations (pause in between channel changes, channel	С	video fitting (contain, stretch or cover)	
toggle tv-animations (pause in between channel changes, channel	i	set inpoint (where the file starts to play)	
a	I (i and SHIFT)	clear inpoint on this video	
	a		
if tv-animations: toggle color of pause in between channel changes: white woise or black	w		
, reduce video brightness by 5%	1	reduce video brightness by 5%	
. increase video brightness by 5%		increase video brightness by 5%	

Keypress	Action	Note
+	reduce volume by 10%	
_	increase volume by 10%	
number	go to channel nr	
else	ignored	

### SSH stuff

```
scp ./tvPlayer/* dp@192.168.1.209:~/Desktop/tvPlayer
ssh dp@192.168.1.209 'DISPLAY=:0 python ~/Desktop/tvPlayer/tvPlayer.py'
```

Copy folder to raspi via ssh & run script on raspi with script and output THERE but log HERE

```
scp -r ./tvPlayer/* dp@192.168.1.209:~/Desktop/tvPlayer && ssh dp@192.168.1.209 'DISPLAY=:0 python -u ~/Desktop/tvPlayer/tvPlayer.py'
```