



## Programming with C I

Fangtian Zhong CSCI 112

Gianforte School of Computing
Norm Asbjornson College of Engineering
E-mail: fangtian.zhong@montana.edu

#### **Objectives**

- To understand the differences between call-by-value and call-by-reference
- To understand the distinction between input, inout, and output parameters and when to use each kind


# Multiple Calls to a Function with Input/Output Parameters

An example of sorting data

#### **Table Trace of Program to Sort Three Numbers**

| Statement                       | num1 | num2 | num3 | Effect                 |
|---------------------------------|------|------|------|------------------------|
| scanf("", &num1, &num2, &num3); | 7.5  | 9.6  | 5.5  | Enters data            |
| order(&num1, &num2);            |      |      |      | No change              |
| order(&num1, &num3);            | 5.5  | 9.6  | 7.5  | Switches num1 and num3 |
| order(&num2, &num3);            | 5.5  | 7.5  | 9.6  | Switches num2 and num3 |
| printf("", num1, num2, num3);   |      |      |      | Displays 5.5 7.5 9.6   |

#### Figure Data Areas After temp = \*smp; During Call order(&num1, &num3);







### THE END

Fangtian Zhong CSCI 112

Gianforte School of Computing
Norm Asbjornson College of Engineering
E-mail: fangtian.zhong@montana.edu