

List of LaTeX mathematical symbols

From OeisWiki

All the predefined mathematical symbols from the T_EX package are listed below. More symbols are available from extra packages.

Contents

- 1 Greek letters
- 2 Unary operators
- 3 Relation operators
- 4 Binary operators
- 5 Negated binary relations
- 6 Set and/or logic notation
- 7 Geometry
- 8 Delimiters
- 9 Arrows
- 10 Other symbols
- 11 Trigonometric functions
- 12 Notes
- 13 External links

Greek letters

Greek letters			
Symbol	LaTeX	Symbol	LaTeX
A and α	<code>\Alpha</code> and <code>\alpha</code>	N and ν	<code>\Nu</code> and <code>\nu</code>
B and β	<code>\Beta</code> and <code>\beta</code>	Ξ and ξ	<code>\Xi</code> and <code>\xi</code>
Γ and γ	<code>\Gamma</code> and <code>\gamma</code>	O and ο	<code>\Omicron</code> and <code>\omicron</code>
Δ and δ	<code>\Delta</code> and <code>\delta</code>	Π , π and ϖ	<code>\Pi</code> , <code>\pi</code> and <code>\varpi</code>
E , ε and ε	<code>\Epsilon</code> , <code>\epsilon</code> and <code>\varepsilon</code>	P , ρ and ρ	<code>\Rho</code> , <code>\rho</code> and <code>\varrho</code>
Z and ζ	<code>\Zeta</code> and <code>\zeta</code>	Σ , σ and ς	<code>\Sigma</code> , <code>\sigma</code> and <code>\varsigma</code>
H and η	<code>\Eta</code> and <code>\eta</code>	T and τ	<code>\Tau</code> and <code>\tau</code>
Θ , θ and ϑ	<code>\Theta</code> , <code>\theta</code> and <code>\vartheta</code>	U and υ	<code>\Upsilon</code> and <code>\upsilon</code>
I and ι	<code>\Iota</code> and <code>\iota</code>	Φ , φ , and φ	<code>\Phi</code> , <code>\phi</code> and <code>\varphi</code>
K , κ and κ	<code>\Kappa</code> , <code>\kappa</code> and <code>\varkappa</code>	X and χ	<code>\Chi</code> and <code>\chi</code>
Λ and λ	<code>\Lambda</code> and <code>\lambda</code>	Ψ and ψ	<code>\Psi</code> and <code>\psi</code>
M and μ	<code>\Mu</code> and <code>\mu</code>	Ω and ω	<code>\Omega</code> and <code>\omega</code>

Symbol	L ^A T _E X
<i>Ϝ</i>	\Digamma
<i>Ͳ</i>	\digamma

Unary operators

Unary operators

Symbol	L ^A T _E X	Comment	Symbol	L ^A T _E X	Comment	Symbol	L ^A T _E X	Comment	Symbol	L ^A T _E X	Comment
+	+		−	-	negation	!	!	factorial	#	\#	primorial
			¬	\neg	not						

Relation operators

Relation operators

Symbol	L ^A T _E X	Comment	Symbol	L ^A T _E X	Comment
<	<	is less than	>	>	is greater than
⩵	\nless	is not less than	⩶	\ngtr	is not greater than
≤	\leq	is less than or equal to	≥	\geq	is greater than or equal to
⩷	\leqslant	is less than or equal to	⩸	\geqslant	is greater than or equal to
⩵	\nleq	is neither less than nor equal to	⩶	\ngeq	is neither greater than nor equal to
⩵	\nleqslant	is neither less than nor equal to	⩶	\ngeqslant	is neither greater than nor equal to
⋖	\prec	precedes	⋗	\succ	succeeds
⋈	\nprec	doesn't precede	⋊	\nsucc	doesn't succeed
⋚	\preceq	precedes or equals	⋛	\succeq	succeeds or equals
⋈	\npreceq	neither precedes nor equals	⋊	\nsucceq	neither succeeds nor equals
⋐	\ll		⋑	\gg	
⋐	\lll		⋑	\ggg	
⊂	\subset	is a proper subset of	⊃	\supset	is a proper superset of
⊄	\not\subset	is not a proper subset of	⊄	\not\supset	is not a proper superset of
⊆	\subseteq	is a subset of	⊇	\supseteq	is a superset of
⊈	\nsubseteq	is not a subset of	⊈	\nsupseteq	is not a superset of
⊊	\sqsubset		⊋	\sqsupset	
⊊	\sqsubsetseteq		⊋	\sqsupsetseteq	

Symbol	L ^A T _E X	Comment
=	=	is equal to
⋈	\doteq	
≡	\equiv	is equivalent to
≈	\approx	is approximately
≍	\cong	is congruent to
⋈	\simeq	is similar or equal to
∼	\sim	is similar to
∝	\propto	is proportional to
≠ or ≠	\neq or \ne	is not equal to

Symbol	L ^A T _E X	Comment	Symbol	L ^A T _E X	Comment
∥	\parallel	is parallel with	⊈	\nparallel	is not parallel with
∞	\asympt	is asymptotic to	⋈	\bowtie	
⊢	\vdash		⊣	\dashv	
∈	\in	is member of	∋	\ni	owns, has member
⋈	\smile		⋈	\frown	
⊨	\models	models	⊈	\notin	is not member of
⊥	\perp	is perpendicular with	 	\mid	divides

Binary operators

Binary operators

Symbol	L ^A T _E X	Comment	Symbol	L ^A T _E X	Comment	Symbol	L ^A T _E X	Comment	Symbol	L ^A T _E X	Comment
±	\pm	plus or minus	∩	\cap	set intersection	◊	\diamond		⊕	\oplus	
∓	\mp	minus or plus	∪	\cup	set union	Δ	\bigtriangleup		⊖	\ominus	
×	\times	multiplied by	⋈	\uplus	multiset addition	∇	\bigtriangledown		⊗	\otimes	
÷	\div	divided by	∏	\sqcap		◄	\triangleleft		∅	\oslash	
*	\ast	asterisk	⊔	\sqcup		►	\triangleright		⊙	\odot	
★	\star		∨	\vee		◯	\bigcirc		∘	\circ	
†	\dagger		∧	\wedge		•	\bullet		\	\setminus	set difference
‡	\ddagger		⋅	\cdot		ℓ	\wr		⧿	\amalg	

Negated binary relations

Negated binary operators

Symbol	L ^A T _E X	Comment	Symbol	L ^A T _E X	Comment
\neq or \neq	<code>\neq</code> or <code>\ne</code>	is not equal to	\notin	<code>\notin</code>	is not member of
\nless	<code>\nless</code>	is not less than	\ngtr	<code>\ngtr</code>	is not greater than
\nleq	<code>\nleq</code>	is not less than or equal to	\ngeq	<code>\ngeq</code>	is not greater than or equal to
\nleqslant	<code>\nleqslant</code>		\ngeqslant	<code>\ngeqslant</code>	
\nleqq	<code>\nleqq</code>		\ngeqq	<code>\ngeqq</code>	
\lneq	<code>\lneq</code>		\gneq	<code>\gneq</code>	
\lneqq	<code>\lneqq</code>		\gneqq	<code>\gneqq</code>	
\lvertneqq	<code>\lvertneqq</code>		\gvertneqq	<code>\gvertneqq</code>	
\lnsim	<code>\lnsim</code>		\gnsim	<code>\gnsim</code>	
\lnapprox	<code>\lnapprox</code>		\gnapprox	<code>\gnapprox</code>	
\nprec	<code>\nprec</code>	does not precede	\nsucc	<code>\nsucc</code>	does not succeed
\npreceq	<code>\npreceq</code>	neither precedes nor equals	\nsucceq	<code>\nsucceq</code>	neither succeeds nor equals
\precneqq	<code>\precneqq</code>		\succneqq	<code>\succneqq</code>	
\precnsim	<code>\precnsim</code>		\succnsim	<code>\succnsim</code>	
\precnapprox	<code>\precnapprox</code>		\succnapprox	<code>\succnapprox</code>	
\nsim	<code>\nsim</code>	is not similar to	\ncong	<code>\ncong</code>	is not congruent to
\nshortmid	<code>\nshortmid</code>		\nshortparallel	<code>\nshortparallel</code>	
\nmid	<code>\nmid</code>		\nparallel	<code>\nparallel</code>	is not parallel with
\nvdash	<code>\nvdash</code>		\nvDash	<code>\nvDash</code>	
\nVdash	<code>\nVdash</code>		\nVDash	<code>\nVDash</code>	
\ntriangleleft	<code>\ntriangleleft</code>		\ntriangleright	<code>\ntriangleright</code>	
\ntrianglelefteq	<code>\ntrianglelefteq</code>		\ntrianglerighteq	<code>\ntrianglerighteq</code>	
\nsubseteq	<code>\nsubseteq</code>		\nsupseteq	<code>\nsupseteq</code>	
\nsubseteqeq	<code>\nsubseteqeq</code>		\nsupseteqeq	<code>\nsupseteqeq</code>	
\subsetneq	<code>\subsetneq</code>		\supsetneq	<code>\supsetneq</code>	
\varsubsetneq	<code>\varsubsetneq</code>		\varsupsetneq	<code>\varsupsetneq</code>	
\subsetneqq	<code>\subsetneqq</code>		\supsetneqq	<code>\supsetneqq</code>	
\varsubsetneqq	<code>\varsubsetneqq</code>		\varsupsetneqq	<code>\varsupsetneqq</code>	

Set and/or logic notation

Set notation			Logic notation		
Symbol	L ^A T _E X	Comment	Symbol	L ^A T _E X	Comment
\emptyset or \emptyset , and \varnothing	<code>\O</code> or <code>\emptysetset</code> , and <code>\varnothing</code>	the empty set	\exists	<code>\exists</code>	there exists at least one
\mathbb{N}	<code>\N</code>	set of natural numbers	$\exists!$	<code>\exists!</code>	there exists one and only one
\mathbb{Z}	<code>\Z</code>	set of integers	\nexists	<code>\nexists</code>	there is no
\mathbb{Q}	<code>\Q</code>	set of rational numbers	\forall	<code>\forall</code>	for all
\mathbb{A}	<code>\mathbb{A}</code>	set of algebraic numbers	\neg	<code>\neg</code>	not (logical not)
\mathbb{R}	<code>\R</code>	set of real numbers	\vee	<code>\lor</code>	or (logical or)
\mathbb{C}	<code>\C</code>	set of complex numbers	\wedge	<code>\land</code>	and (logical and)
\mathbb{H}	<code>\mathbb{H}</code>	set of quaternions	\implies or \implies	<code>\Longrightarrow</code> or <code>\implies</code>	implies
\mathbb{O}	<code>\mathbb{O}</code>	set of octonions	\Rightarrow	<code>\Rightarrow</code>	<i>(preferred for right implication)</i>
\mathbb{S}	<code>\mathbb{S}</code>	set of sedenions	\impliedby	<code>\Longleftarrow</code>	is implied by (only if)

∈	<code>\in</code>	is member of	⇐	<code>\Leftarrow</code>	<i>(preferred for left implication)</i>
∉	<code>\notin</code>	is not member of	⇔	<code>\iff</code>	is equivalent to (if and only if, iff)
∋	<code>\ni</code>	owns (has member)	↔	<code>\Leftrightarrow</code>	<i>(preferred for equivalence)</i>
⊂	<code>\subset</code>	is proper subset of	⊤	<code>\top</code>	
⊆	<code>\subseteq</code>	is subset of	⊥	<code>\bot</code>	
⊃	<code>\supset</code>	is proper superset of			
⊇	<code>\supseteq</code>	is superset of			
∪	<code>\cup</code>	set union			
∩	<code>\cap</code>	set intersection			
\	<code>\setminus</code>	set difference			

Geometry

Geometry notation					
Symbol	L^AT_EX	Comment	Symbol	L^AT_EX	Comment
\overline{AB}	<code>\overline{\rm AB}</code>	segment	\overrightarrow{AB}	<code>\overrightarrow{\rm AB}</code>	ray (half-line)
∠	<code>\angle</code>	angle	∟	<code>\measuredangle</code>	measured angle
△	<code>\triangle</code>	triangle	□	<code>\square</code>	square
≅	<code>\cong</code>	congruent (same shape and size)	≇	<code>\ncong</code>	not congruent
∼	<code>\sim</code>	similar (same shape)	⋈	<code>\nsim</code>	not similar
∥	<code>\ </code>	is parallel with	⧻	<code>\nparallel</code>	is not parallel with
⊥	<code>\perp</code>	is perpendicular to	⊧	<code>\not\perp</code>	is not perpendicular to

Delimiters

Delimiters											
Symbol	L^AT_EX	Comment	Symbol	L^AT_EX	Comment	Symbol	L^AT_EX	Comment	Symbol	L^AT_EX	Comment
	<code> </code>	divides	∥	<code>\ </code>	divides unitarily, is parallel with	/	<code>/</code>	slash	\	<code>\backslash</code>	
(<code>(\,</code>	left parenthesis)	<code>) \,</code>	right parenthesis	[<code>[\,</code>	left [square] bracket]	<code>] \,</code>	right [square] bracket
{	<code>\{</code>	left brace	}	<code>\}</code>	right brace	⟨	<code>\langle</code>	left angle bracket	⟩	<code>\rangle</code>	right angle bracket
⌈	<code>\lceil</code>	ceiling (left)	⌋	<code>\rceil</code>	ceiling (right)	⌊	<code>\lfloor</code>	floor (left)	⌋	<code>\rfloor</code>	floor (right)
⌞	<code>\ulcorner</code>		⌟	<code>\urcorner</code>		⋐	<code>\llcorner</code>		⋑	<code>\lrcorner</code>	

Arrows

Arrows											
Symbol	L^AT_EX	Comment	Symbol	L^AT_EX	Comment	Symbol	L^AT_EX	Comment	Symbol	L^AT_EX	Comment
→ or →	<code>\rightarrow</code> or <code>\to</code>		⇒	<code>\Rightarrow</code>		→	<code>\longrightarrow</code>		⇒	<code>\Longrightarrow</code>	
↦	<code>\mapsto</code>					↦	<code>\longmapsto</code>				
← or ←	<code>\leftarrow</code> or <code>\gets</code>		⇐	<code>\Leftarrow</code>		←	<code>\longleftarrow</code>		⇐	<code>\Longleftarrow</code>	

Symbol	L ^A T _E X	Comment	Symbol	L ^A T _E X	Comment
↑	\uparrow	Knuth's up-arrow notation	↗	\Uparrow	
↓	\downarrow		↘	\Downarrow	
↕	\updownarrow		↕	\Updownarrow	

Other symbols

Other symbols

Symbol	L ^A T _E X	Comment	Symbol	L ^A T _E X	Comment	Symbol	L ^A T _E X	Comment	Symbol	L ^A T _E X	Comment
∂	\partial	partial derivative	ℐ	\imath		ℜ	\Re	real part	∇	\nabla	del (vector calculus)
℘	\eth		ℐ	\jmath		ℑ	\Im	imaginary part	□	\Box	
ℏ	\hbar	reduced Planck's constant	ℓ	\ell		ℙ	\wp	[Weierstrass] powerset	∞	\infty	infinity

Hebrew letters

Symbol	L ^A T _E X	Comment
ℵ	\aleph	aleph numbers
ב	\beth	
ג	\gimel	

Trigonometric functions

Circular functions

The prefix arc used for inverse circular trigonometric functions is the abbreviation for arcus.

Symbol	L ^A T _E X	Symbol	L ^A T _E X	Symbol	L ^A T _E X	Symbol	L ^A T _E X
sin	\sin	arcsin	\arcsin	csc	\csc	arccsc	\arccsc
cos	\cos	arccos	\arccos	sec	\sec	arcsec	\arcsec
tan	\tan	arctan	\arctan	cot	\cot	arccot	\arccot

Hyperbolic functions

The abbreviations arcsinh, arccosh, etc., are commonly used for inverse hyperbolic trigonometric functions (area hyperbolic functions), even though they are misnomers, since the prefix arc is the abbreviation for arcus, while the prefix ar stands for area.

Symbol	L ^A T _E X	Symbol	L ^A T _E X	Symbol	L ^A T _E X	Symbol	L ^A T _E X
sinh	\sinh	arsinh	\operatorname{arsinh}	csch	\operatorname{csch}	arcsch	\operatorname{arcsch}
cosh	\cosh	arcosh	\operatorname{arcosh}	sech	\operatorname{sech}	arsech	\operatorname{arsech}
tanh	\tanh	artanh	\operatorname{artanh}	coth	\coth	arcoth	\operatorname{arcoth}

Sections remaining to be done: Table 3 onwards from symbols.pdf ^(To do)^[1]

Notes

1. To do.

External links

- Scott Pakin, The Comprehensive L^AT_EX Symbol List (<http://tug.ctan.org/info/symbols/comprehensive/symbols-a4.pdf>), 2017. (Lists thousands of symbols and the corresponding L^AT_EX commands that produce them.)
- Comprehensive T_EX Archive Network (<http://www.ctan.org/>)
- <http://ctan.cms.math.ca/tex-archive/info/symbols/comprehensive/SYMLIST>

Retrieved from "https://oeis.org/w/index.php?title=List_of_LaTeX_mathematical_symbols&oldid=1628294"

-
- This page was last edited on 16 February 2019, at 18:12.
 - Content is available under The OEIS End-User License Agreement unless otherwise noted.