

Input	Result
20	1 2 4 5 10 20

Ex. No.	:	4.1	Date:
Register No	.:		Name:

Factors of a number

Determine the factors of a number (i.e., all positive integer values that evenly divide into a number).

```
for i in range(1,n+1):
    if(n%i==0):
        print(i,end = "")
```

Input	Result
292	1
1015	2
108	3
22	0

Ex. No.	:	4.2	Date:
Register No.	. :		Name:

Non Repeated Digit Count

Write a program to find the count of non-repeated digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 . Some examples are as below.

If the given number is 292, the program should return 1 because there is only 1 non-repeated digit '9' in this number

If the given number is 1015, the program should return 2 because there are 2 non-repeated digits in this number, '0', and '5'.

If the given number is 108, the program should return 3 because there are 3 non-repeated digits in this number, '1', '0', and '8'.

If the given number is 22, the function should return 0 because there are NO non-repeated digits in this number.

```
n= int(input())
c=[0]*10
res=0
while n >0:
r = n%10
c[r] +=1
n = n//10
fori in range(10):
if c[i] == 1:
res +=1
print(res)
```

Example 1: if the given number N is 7, the method must return 2 Example 2: if the given number N is 10, the method must return 1 $\,$

Input	Result
7	2
10	1

Ex. No. : 4.3 Date:

Register No.: Name:

Prime Checking

Write a program that finds whether the given number N is Prime or not. If the number is prime, the program should return 2 else it must return 1.

Assumption: $2 \le N \le 5000$, where N is the given number.

```
n= int(input())
c = 0
for i in range(1,n+1):
    r=n%i
    if(r == 0):
        c = c+1
    if c==2:
        print("2")
else:
    print("1")
```

Input Format:
Integer input from stdin.
Output Format:
Perfect square greater than N.
Example Input:
10
Output:

Ex. No.	:	4.4	Date:
Register No	. :		Name:

Next Perfect Square

Given a number N, find the next perfect square greater than N.

a=int(input())

a=a+1

b=0

if(a==0 or b==1):

b=1

for i in range(2,(a//2)):

if(a==i*i):

b=1

break

if(b==1):

print("Yes")

else:

print("No")

NOTE: Fibonacci series looks like -

0, 1, 1, 2, 3, 5, 8, 13, 21, 34, 55, ... and so on.

i.e. Fibonacci series starts with 0 and 1, and continues generating the next number as the sum of the previous two numbers.

- first Fibonacci number is 0,
- second Fibonacci number is 1,
- third Fibonacci number is 1,
- fourth Fibonacci number is 2,
- fifth Fibonacci number is 3,
- sixth Fibonacci number is 5,
- seventh Fibonacci number is 8, and so on.

For example:

Input:

7

Output

8

Ex. No.	:	4.5	Date:
Register No	.:		Name:

Nth Fibonacci

Write a program to return the nth number in the fibonacci series. The value of N will be passed to the program as input.

```
a=int(input())
b=1
temp=0
c=0
for i in range(0,a):
    c=temp+b
    b=temp
    temp=c
print(b)
[
```

Input Format:

Single Integer Input from stdin.

Output Format:

Yes or No.

Example Input:

175

Output:

Yes

Explanation

1^1 + 7^2 +5^3 = 175

Example Input:

123

Output:

No

For example:

Input Result

175 Yes

123 No

Ex. No.	:	4.6	Date:
Register No	.:		Name:

Disarium Number

A Number is said to be Disarium number when the sum of its digit raised to the power of their respective positions becomes equal to the number itself. Write a program to print number is Disarium or not.

```
n=int(input())
num=len(str(n))
l=num
a=n
d=0
sum=0
for i in range(0,num):
  d=n%10
  sum=sum+d**1
  l=l-1
  n=n//10
if sum==a:
  print("Yes")
else:
  print("No")
```

Sample Test Cases

Test Case 1

Input

4

Output

1234

Explanation:

as input is 4, have to take 4 terms.

1 + 11 + 111 + 1111

Test Case 2

Input

6

Output

123456

Input	Result
3	123

Ex. No.	:	4.7	Date:
Register No	. :		Name:

Sum of Series

Write a program to find the sum of the series $1 + 11 + 111 + 1111 + \dots + n$ terms (n will be given as input from the user and sum will be the output)

```
a=int(input())
sum=1
count=1
for i in range(1,a):
    sum=sum*10+1
    count=count +sum
print(count)
```

Input	Result
292	2
1015	3

Ex. No.	:	4.8	Date:
Register No	.:		Name:

Unique Digit Count

Write a program to find the count of unique digits in a given number N. The number will be passed to the program as an input of type int.

Assumption: The input number will be a positive integer number ≥ 1 and ≤ 25000 . For e.g.

If the given number is 292, the program should return 2 because there are only 2 unique digits '2' and '9' in this number

If the given number is 1015, the program should return 3 because there are 3 unique digits in this number, '1', '0', and '5'.

b int(input())
2 a = []
3 while b! 0:
if b%10 not in a:
4
5 a.append(b%10)
6 b = b//10

7 print(len(a))

Input Format:
Single Integer input.
Output Format:
Output displays Yes if condition satisfies else prints No.
Example Input:
14
Output:
Yes
Example Input:
13
Output:
No

Ex. No.	:	4.9	Date:
Register No.	:		Name:

Product of single digit

Given a positive integer N, check whether it can be represented as a product of single digit numbers.

b int(input())

2 a = []

3 while b! 0:

if b%10 not in a:

4

<u>5 a.append(b%10)</u>

6 b = b//10

7 print(len(a))

Input Format:

Single integer input.

Output Format:

Yes or No.

Example Input:

24

Output:

Yes

Example Input:

26

Output:

No

Input	Result
24	Yes

Ex. No.	:	4.10	Date:
Register No	.:		Name:

Perfect Square After adding One

Given an integer N, check whether N the given number can be made a perfect square after adding 1 to it.

b int(input())

2 a = []

3 while b! 0:

if b%10 not in a:

4

5 a.append(b%10)

6 b = b//10

7 print(len(a))

