SERVICE REPORT PREVENTIVE **MAINTENANCE**

FORM NO.

PRECISION AIR CONDITIONING (PAC)

			M SAMPO T			`	C)		Tipe Form PM04
Lok	asi : LT3	Model Unit :		Team Engineer List: tes			Date : 2024- 08-03		
Coc	le unit : 12	No. Seri }: 12						Start PM : 06:10	
Noı	nor Unit : 83	Periode :			_			Close PM : 0	08:10
CE	ECKLIST TEAM BRIE	FING			-			-	1
	TENSIVE SAFETY BRIEF					?	OK	?	NOT OK
_	AM								
A	Filter Section								
	Item Checked	Spec. Range / Cond. Std.		Checked		Checked	Spec. Range		tual Checked
	1. Check/Replace filters	Clean or Dirty	Clean		pan	ondensate	Clean or Dirty	Clean	
	2. Grille area unrestricted	OK / Not OK				6. Clean trap in Clean condensate drain Dirty		r Clean	
	3. Wipe section clean	Clean or Dirty	Clean		7. Check/I	Test filter-		Ok	
	4. Coil clean	Clean or Dirty	Clean		clog switcl	h operation	Ok or No		
В	Blower Section	-							
	Item Checked	Spec. Range /	Blo	wer 1	Blo	wer 2	Blo	wer 3	Keterangan
		Cond. Std.	Before	After	Before	After	Before	After	, , ,
	1. Mounting bolts tight	Ok or No	OK	OK	OK	OK	OK	OK	OK
	2. Fan-guard bolts tight	Ok or No	OK	OK	OK	OK	OK	OK	OK
ł	3. Impeller spins freely	Ok or No	OK OK	OK OK	OK OK	OK OK	OK OK	OK OK	OK OK
	4. Check/Test air sail switch	Ok or No							OK .
	5. Motor amp draw	FLA L1 =···· A	L1	L1	L1	L1	L1	L1	1
	Compare to nameplate	FLA L2 =···· A	L2	L2	L2	L2	L2	L2	1
	amps	FLA L3 =···· A	L3	L3	L3	L3	L3	L3	l or
	6. Check belt tension and condition	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
~	7. Check sheave/pulley	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
C	Reheat	Spec. Range /	Heater 1		Heater 2		Heater 3		
	Item Checked	Cond. Std.	Before	After	Before	After	Before	After	Keterangan
ı	1. Reheat amp draw	FLA =····· A	1	1	1	1	1	1	1
	2. Check Heater		1	1	1	1	1	1	1
	Resistance	18-22 ohm							
	3. Inspect elements	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	4. Check wire connections	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
D	Steam Generating Hum	idifier							
	Item Checked Spec. Range		Actual Checked		Item Checked			Spec. Range	Actual Checked
	1. Humidifier amp draw	A	1		4. Check of hose	condition of	steam	Ok or No	Clean
	2. Check drain		Ok						Clean
	valve/drain lines/trap fordamage/clogs/leaks	Ok or No	Clean		5. Clean strainer 6. Check humidifier bottle (Boiler tank)			Ok or No	
	3. Check water fill valve and all supply lines/connection for leaks	Ok or No						Ok or No	Clean
מו				7. Check operation of hum			humidifier	Ok or No	Ok
V	E Electrical Panel Spec. Range /			Actı					
l	Item Checked	Cond. Std.		Before			After		Keterangan
İ	1. Check fuses	Ok or No	Ok			Ok			Ok
	2. Check contactors for	Ok or No	Ok			Ok			Ok
	pitting (Replace if pitted)	OK 01 1NO	1						
	3 Check/Re-torque wire		Ok			Ok			Ok

connections

Ok or No

E	Electrical Panel								
	Item Checked	Spec. Range / Cond. Std.	Actual Checked					Keterangan	
				Before		After			
	4. Voltage Line to Neutral Ground	220 + 10%	L1/L2/L3 =1		V	L1/L2/L3 =1		V	1
	5. Voltage Line to Line	380 + 10%	L1L2/L2L3/L1L3 = 1 V			L1L2/L2L3/L1L3 = 1 V			1
	6. Frequency	50 + 10%	F = 1		Hz	F=1		Hz	1
F	Controls								
	Item Checked	Spec. Range / Cond. Std.	Actual Checked		Item Checked			Spec. Range	Actual Checked
	1. Check/Verify control operation	Ok or No	Ok		3. Check/Test water- detectiondevice			Ok or No	Ok
	2. Check/Test changeover device	Ok or No	Ok		4. Check/Test CAN connection between indoor and outdoor units			Ok or No	Ok
G	Refrigeration Piping				1			~	
	Item Checked	Spec. Range	Actual	Checked]	Item Check	ed	Spec. Range	Actual Checked
	1. Check refrigerant lines (clamps secure/no rubbing/no leaks)	Ok or No	Ok		3. Check for restriction temperature drop across filterdrier			Ok or No	Clean
	2. Check for moisture	Ok or No	Ok		inter ur ier				
101	(sight glass) Compressor Section								
	·	Spec. Range /	Cor	np. 1	Cor	Comp. 2 Cor		np. 3	
ı	Item Checked	Cond. Std.	Before	After	Before	After	Before	After	Keterangan
	1. Ampere draw	OA··· A	1	1	1	1	1	1	1
	2. Check oil level	55 - 90 PsiG	1	1	1	1	1	1	1
	3. Check for oil leaks	200 - 300 PsiG	1	1	1	1	1	1	1
	4. Check compressormounts (springs/bushings)	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	5. Cap tubes (not rubbing)	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	6. Check/Re-torque wireconnections (inside compressor box)	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	7. Compressor operation (vibration/noise)	Hz dB	1	1	1	1	1	1	1
	8. Check crank-case heater fuses/operation	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	9. Check for refrigerantleaks	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	10. Suction pressure Circuit	55 - 90 PsiG	1	1	1	1	1	1	1
	11. Discharge PressureCircuit	200 - 300 PsiG	1	1	1	11	1	1	1
	12. Superheat Circuit	?C		1	1	1	1	1	1
	13. Low-pressure switchcut out Circuit	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	14. Low pressure cut in Circuit	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
	15. High pressure cut out Circuit	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
L	16. Sight Glass	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
				-		-	•		

Ι	Condensor Section				
	Item	Spec. Range	Before	After	Keterangan
Ш	Checked				

1. Coil clean of debris (Clean coil		Clean or Dirty	Clean	Clean				
	ifrequired) 2. Fans free of debris		<u> </u>	Clean	Clean			
	3. Fans securely mounted		Clean or Dirty	Clean	1			
			1	1	1			
${oxdot}$	4. Motor bearings in good condition 5. Check all refrigerant lines for		1	I OI-	01-			
	vibration		Ok or No	Ok	Ok			
	isolation. Support as neces	ssarv						
	6. Check for refrigerant le		Ok or No	Ok	Ok			
$\vdash \vdash$	7. Check surge-protection		OR OF THE	Ok	Ok			
	(ifinstalled) status-indicat		Ok or No					
	8. Check/Re-torque wire c	connections	Ok or No	Ok	Ok			
	9. Check contactors for pi ifpitted)		Ok or No	Ok	Ok			
	10. Verify operation seque	ence/set points	1	1	1			
	11. Charge verification:	•	1	1	1			
	a. Outdoor Ambient Temp	perature	1	1	1			
	b. Subcooling		1	1	1			
	c. Indoor-unit Return-air Temperature		1	1	1			
	d. Sight-glass level (if Lee-Temp		1	1	1			
	orpumped refrigerant)							
	12. Motor amp draw		FLA = 1 A	l ' ' ' -		2/L3 =		
	•		TLA = TA			Amp		
J	General Function					a		
	Item Checked	Spec. Range	Actual Checked	Item Checked		Spec. Range	Actual Checked	
	1. Cooling Test	Ok or No	Ok	4. Dehumidification T	est	Ok or No	Ok	
	2. Heating Test	Ok or No	Ok	5. Alarm Test		Ok or No	Ok	
	3. Humidification Test	Ok or No	Ok					
K	Room Condition							
	Item Checked	Spec. Range	Actual Checked	Item Checked		Spec. Range	Actual Checked	
	1. Temperature	1 C	1	2. Humidity		1 %	1	
			NOT	TES				
	nuan : tes							
Rek	comendasi : tes							
			RESU	JME				
	JOB COMPLETED	Yes	please check on NOTI		RUNNING	G HOURS:	100	
			APPRO					
	Approved by		SIGN Verified B	Service By				
			Supervisor	Team Leader/Staf,				
	ISS,		Supervisor		Tea	m Leader/Star,		

Keterangan : Lembar 1 untuk Teknisi; Lembar 2 untuk User; Lembar 3 Arsip Kantor

