SERVICE REPORT PREVENTIVE MAINTENANCE

FORM NO.

		PREC	ISION A		NDITIO	NING (P	PAC)			
		P	T. HM SA LANT			,	110)		Tipe Form PM04	
Lok	asi : LT3	Model Unit:			Team Engi	neer List : to	es	Date : 2024-	1	
								2024- 08-03		
Coc	le unit : 12	No. Seri }: 12			1			Start PM : 0	06:10	
Nor	nor Unit : 83	Periode :						Close PM : 0	08:10	
CH	ECKLIST TEAM BRIE	FING			-					
INT	TENSIVE SAFETY BRIEF					?	OK	?	NOT OK	
	AM Filter Section									
Λ	Item Checked	Spec. Range / Cond. Std.	Actual	Checked	Item Checked Spec. Range			Actual Checked		
	1. Check/Replace filters	Clean or Dirty	Clean	,	5. Clean co		Clean or Dirty	Clean		
	2. Grille area unrestricted	OK / Not OK	Ok		6. Clean to condensat		Clean or Dirty	Clean		
	3. Wipe section clean	Clean or Dirty			7. Check/I		Ok or No	Ok		
D	4. Coil clean Blower Section	Clean or Dirty	Clean		clog switcl	n operation				
Б		Spec. Range /	Blov	wer 1	Blo	wer 2	Blo	wer 3		
	Item Checked	Cond. Std.	Before	After	Before	After	Before	After	Keterangan	
	1. Mounting bolts tight	Ok or No	OK	OK	OK	OK	OK	OK	OK OK	
	2. Fan-guard bolts tight 3. Impeller spins freely	Ok or No Ok or No	OK OK	OK OK	OK OK	OK OK	OK OK	OK OK	OK OK	
l	4. Check/Test air sail		OK	OK	OK	OK	OK	OK	OK	
	switch	Ok or No								
	5. Motor amp draw	FLA L1 =···· A	L1	L1	L1	L1	L1	L1	1	
	Compare to nameplate amps	FLA L2 =···· A	L2	L2	L2	L2	L2	L2	1	
		FLA L3 =···· A	L3	L3	L3	L3	L3	L3	1	
	6. Check belt tension and condition	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok	
C	7. Check sheave/pulley	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok	
	Reheat	Spec. Range /	Heater 1		Heater 2		Heater 3			
	Item Checked	Cond. Std.	Before	After	Before	After	Before	After	Keterangan	
	1. Reheat amp draw	FLA =····· A	1	1	1	1	1	1	1	
	2. Check Heater Resistance	18-22 ohm	1	1	1	1	1	1	1	
	3. Inspect elements	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok	
	4. Check wire connections	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok	
D	Steam Generating Hum	idifier								
	Item Checked	Spec. Range	Actual	Checked		Item Check		Spec. Range	Actual Checked	
	1. Humidifier amp draw	Α	1		4. Check of hose	condition of	steam	Ok or No	Clean	
	2. Check drain valve/drain lines/trap fordamage/clogs/leaks	Ok or No	Ok		5. Clean st	rainer		Ok or No	Clean	
	3. Check water fill valve and all supply lines/connection for leaks	Ok or No	Clean		6. Check h (Boiler tank)	umidifier b	oottle	Ok or No	Clean	
L					7. Check o	peration of	humidifier	Ok or No	Ok	
E	Electrical Panel	Cman D-			Actual	Checked				
	Item Checked	Spec. Range / Cond. Std.		Before	Actual	Спескей	After		Keterangan	
	1. Check fuses	Ok or No	Ok			Ok			Ok	

2. Check contactors for

pitting (Replace if pitted)

Ok

Ok or No

Ok

Ok

2. Check Ok or No	Ok	Ok	Ok
Check Contactors			
for			
pitting (Replace			
(Replace if			
pitted)			

Electrical Panel Item Checked	Spec. Range / Cond. Std.				tual ecked			Keteranga
	Condi Star		Before			After		
4. Voltage Line to Neutral Ground	220 + 10%	L1/L2/L3 =1		V	L1/L2/L3 =1		V	1
5. Voltage Line to Line	380 + 10%	L1L2/L2L3/I V	1L3 =1		L1L2/L2L3/I V	L1L3 = 1		1
6. Frequency	50 + 10%	F=1		Hz	F=1		Hz	1
Controls								
Item Checked	Spec. Range / Cond. Std.	Actual Checked		Item Checked		Spec. Range	Actual Checked	
1. Check/Verify control operation	Ok or No	Ok		3. Check/Test water- detectiondevice		Ok or No	Ok	
2. Check/Test changeover device	Ok or No	Ok		4. Check/Test CAN connection between indoor and outdoor units			Ok or No	Ok
Refrigeration Piping								
Item Checked	Spec. Range	Actual	Checked	:	3. Check for restriction temperature drop across		Spec. Range	Actual Checked
1. Check refrigerant lines (clamps secure/no rubbing/no leaks)	Ok or No	Ok		temperatu			Ok or No	Clean
2. Check for moisture (sight glass)	Ok or No	Ok		filterdrier				
Compressor Section Item Checked Spec. Range /								
			mp. 1			np. 3	Keteranga	
1. Ampere draw	OA··· A	Before	After	Before	After	Before	After	1
2. Check oil level	55 - 90 PsiG	1	1	1	1	1	1	1
3. Check for oil leaks	200 - 300 PsiG	1	1	1	1	1	1	1
4. Check compressormounts (springs/bushings)	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
5. Cap tubes (not rubbing)	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
6. Check/Re-torque wireconnections (inside compressor box)	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
7. Compressor operation (vibration/noise)	Hz dB	1	1	1	1	1	1	1
		Ok	Ok	Ok	Ok	Ok		Ok
8. Check crank-case heater fuses/operation	Ok or No					1		01
8. Check crank-case heater fuses/operation 9. Check for refrigerantleaks	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok
8. Check crank-case heater fuses/operation 9. Check for refrigerantleaks 10. Suction pressure Circuit			Ok	1	1	Ok 1	Ok 1	1 1
8. Check crank-case heater fuses/operation 9. Check for refrigerantleaks 10. Suction pressure Circuit 11. Discharge Pressure Circuit	Ok or No 55 - 90 PsiG 200 - 300 PsiG	Ok 1	Ok 1		Ok 1 1 1 1 1 1	Ok 1 1	Ok 1 1	1 1
8. Check crank-case heater fuses/operation 9. Check for refrigerantleaks 10. Suction pressure Circuit 11. Discharge	Ok or No 55 - 90 PsiG	Ok 1	Ok I I Ok	1	1	Ok 1 1 Ok	1 1	1 1 1 Ok

	Circuit	Ok or No									
	16. Sight Glass	Ok or No	Ok	Ok	Ok	Ok	Ok	Ok	Ok		
<u> </u>						14	10.00				
Ţ	G 1 G 4										
Т	Condensor Section Item		Sno	Dongo		Before	A.	Ftom	Votovongon		
	Checked	Spec	Spec. Range Before		After		Keterangan				
	1. Coil clean of debris (Cle	ean coil			Clean		Clean				
	ifrequired)	cun con	Clear	n or Dirty							
	2. Fans free of debris		Clean or Dirty		Clean		Clean				
	3. Fans securely mounted		1		1		1				
	4. Motor bearings in good condition		1		1		1	1			
	5. Check all refrigerant lines for		Ol N-		Ok	Ok					
	vibration		Ok or No								
	isolation. Support as necessary							Ok			
	6. Check for refrigerant leaks		Ok or No		_	Ok					
	7. Check surge-protection device (ifinstalled) status-indicator lights		Oł	Ok or No		Ok					
	8. Check/Re-torque wire of		Ol	c or No	Ok		Ok				
	9. Check contactors for pi		OR 01 110		Ok						
	ifpitted)	8 · 1	Ok or No				Ok				
	10. Verify operation seque	ence/set points	1		1		1				
	11. Charge verification:		1 1		1	1					
	a. Outdoor Ambient Tem	perature	1		1		1				
	b. Subcooling		1		1 1		1				
	c. Indoor-unit Return-air				1						
	d. Sight-glass level (if Lee-	Тетр	1		1		1				
_	orpumped refrigerant)				+ +	1/L2/L3 =	I 1/I ′	2/L3 =			
	12. Motor amp draw		FLA	A = 1 A			Amp				
J	General Function				<u> </u>						
	Item Checked	Spec. Range	Actual		Item Check		ked Spec.		Actual		
	Tiem Checkeu	Spee. Range		necked		Teem chee	neu	Range	Checked		
					4. Dehumidification Test		Ok or No				
	1. Cooling Test	Ok or No	Ok		4. Dent	mmunicauon	1 CSt	OK OI 140	OK		
	1. Cooling Test 2. Heating Test	Ok or No Ok or No	Ok Ok		5. Alar		Test	Ok or No			
							Test				
K	2. Heating Test	Ok or No	Ok				Test				
K	2. Heating Test 3. Humidification Test	Ok or No Ok or No	Ok Ok	ctual				Ok or No Spec.			
K	2. Heating Test 3. Humidification Test Room Condition	Ok or No	Ok Ok	actual necked		m Test		Ok or No	Ok		
K	2. Heating Test 3. Humidification Test Room Condition	Ok or No Ok or No	Ok Ok			m Test Item Chec		Ok or No Spec.	Ok Actual		
	2. Heating Test 3. Humidification Test Room Condition Item Checked 1. Temperature	Ok or No Ok or No Spec. Range	Ok Ok	necked	5. Alar	m Test Item Chec		Ok or No Spec. Range	Ok Actual		
Ten	2. Heating Test 3. Humidification Test Room Condition Item Checked 1. Temperature muan: tes	Ok or No Ok or No Spec. Range	Ok Ok	necked	5. Alar 2. Hum	m Test Item Chec		Ok or No Spec. Range	Ok Actual		
Ten	2. Heating Test 3. Humidification Test Room Condition Item Checked 1. Temperature	Ok or No Ok or No Spec. Range	Ok Ok	necked NO	5. Alar 2. Hum	m Test Item Chec		Ok or No Spec. Range	Ok Actual		
Ten	2. Heating Test 3. Humidification Test Room Condition Item Checked 1. Temperature muan: tes	Ok or No Ok or No Spec. Range	Ok Ok	necked NO	5. Alar 2. Hum	m Test Item Chec		Ok or No Spec. Range	Ok Actual		
Ten	2. Heating Test 3. Humidification Test Room Condition Item Checked 1. Temperature muan: tes	Ok or No Ok or No Spec. Range	Ok Ok A Cl	necked NO	5. Alar 2. Hum TES	m Test Item Chec	ked	Ok or No Spec. Range	Ok Actual		
Ten	2. Heating Test 3. Humidification Test Room Condition Item Checked 1. Temperature nuan: tes comendasi: tes	Ok or No Ok or No Spec. Range	Ok Ok A Cl	NO RES	5. Alar 2. Hum TES	m Test Item Chec	ked	Spec. Range	Ok Actual		
Ten	2. Heating Test 3. Humidification Test Room Condition Item Checked 1. Temperature nuan : tes comendasi : tes JOB COMPLETED	Ok or No Ok or No Spec. Range	Ok Ok A Cl	NO RES se check on	2. Hum TES UME NOTES	m Test Item Chec	ked	Spec. Range	Ok Actual		
Ten	2. Heating Test 3. Humidification Test Room Condition Item Checked 1. Temperature muan : tes comendasi : tes JOB COMPLETED ?	Ok or No Ok or No Spec. Range	Ok Ok A Cl	NO RES se check on APPR SIGI	2. Hum TES UME NOTES OVAL NING	m Test Item Chec	ked	Spec. Range	Actual Checked		
Ten	2. Heating Test 3. Humidification Test Room Condition Item Checked 1. Temperature nuan : tes comendasi : tes JOB COMPLETED	Ok or No Ok or No Spec. Range	Ok Ok A Cl	NO RES se check on APPR SIGI	2. Hum TES UME NOTES OVAL NING By	m Test Item Chec	ked	Spec. Range	Actual Checked 1 Service By		
Ten	2. Heating Test 3. Humidification Test Room Condition Item Checked 1. Temperature muan : tes comendasi : tes JOB COMPLETED ?	Ok or No Ok or No Spec. Range	Ok Ok A Cl	NO RES se check on APPR SIGI	2. Hum TES UME NOTES OVAL NING By	m Test Item Chec	ked	Spec. Range	Actual Checked		
Ten	2. Heating Test 3. Humidification Test Room Condition Item Checked 1. Temperature nuan : tes comendasi : tes JOB COMPLETED ?	Ok or No Ok or No Spec. Range	Ok Ok A Cl	NO RES se check on APPR SIGI	2. Hum TES UME NOTES OVAL NING By	m Test Item Chec	ked	Spec. Range	Actual Checked 1 Service By		
Ten	2. Heating Test 3. Humidification Test Room Condition Item Checked 1. Temperature nuan : tes comendasi : tes JOB COMPLETED ?	Ok or No Ok or No Spec. Range	Ok Ok A Cl	NO RES se check on APPR SIGI	2. Hum TES UME NOTES OVAL NING By	m Test Item Chec	ked	Spec. Range	Actual Checked 1 Service By		

Ok

Ok

Ok

Ok or No

15. High pressure cut out

Ok

Ok

Ok

Ok

(No. HP.

Keterangan : Lembar 1 untuk Teknisi; Lembar 2 untuk User; Lembar 3 Arsip Kantor

(No. HP.

)